















This price list was created to allow maximum functionality
without having to resort to printing.

The interactive PDF allows you to browse
and consult the price list simply and intuitively:
use the “Bookmarks”, the clickable index and the links.



Help us to respect the environment!

Index

	Using price list	4		Fil	123
	Certifications	8			
				General sale and warranty conditions	126
	Milos Elle	9		Sale general conditions for COM	129
	Milos	27			
	Grace	41			
	Montecarlo	51			
	Cell128	55			
	Cell72	68			
	Cell Dot	81			
	Cell75	88			
	On	94			
	Joy	101			
	UseMe	104			
	Tab	116			
	Tov	120			

Using price list

1. Product code composition

The product codes are made of a matrix (10 digits for the chair) followed by the upholstery references.

Product code										Upholstery code							
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18
M	I	A	0	7	D	C	1	8	2								

For a correct order, please verify the code of reference and the variation that may occur in the price.

NOTE: for products with upholstery cat. "A", (real leather cat. SX on the parts which are in contact with the user, combined with ecological leather cat. NX for the rear and side parts), it is necessary to indicate the code for the real leather first, and then the code of the matching colour for the ecological leather. For your convenience, the two upholsteries have the same colour codes.

E.g. Grace manager upholstered in real leather cat. SX combined with ecological leather cat. NX

Product code										Upholstery code							
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18
G	A	M	0	0	B	0	7	0	6	S	X	0	1	N	X	0	1

In the case of products with two-tone upholstery, the first 4 characters of the upholstery code (from 11 to 14) refer to the colour of the seat while the last 4 characters (from 15 to 18) refer to the colour of the backrest or the shell.

E.g. Milos with two-tone upholstery

Product code										Front colour				Back colour			
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18
M	I	A	0	0	A	A	2	0	0	M	E	0	1	M	E	0	4

E.g. Cell128 with two-tone upholstery

Product code										Colour seat				Body colour			
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18
C	E	1	A	0	0	0	0	0	1	M	E	0	1	M	E	0	4

E.g. Milos with protruding arms

Product code									
1	2	3	4	5	6	7	8	9	10
M	I	A	0	7	-	C	1	8	2

Product code									
1	2	3	4	5	6	7	8	9	10
M	I	A	0	7	D	C	1	8	2

To select an option, please replace the "-" symbol with the character corresponding to the selected option.


















































2. Materials






Sitland uses high quality materials combined with advanced manufacturing processes.










The plastic materials are carefully selected, as well as the steel used for the production of the cantilever chairs: high resistant special steel, which allows the chairs to be light and at the same time very strong. A special attention is given to the chrome and painting processes with epoxy powders, ensuring an extremely high level, long lasting in time, proof of Sitland's quality.

The aluminium is polished, to emphasize its natural aesthetic qualities.

3. Upholstery vademecum

Category	Code	Name	Manufacturer	Material composition	Characteristics of the material
1	AL	Alba	FIDIVI	100% PL 100.000 Martindale	  
	ME	Medley	Gabriel	100% PL 75.000 Martindale	  
3	CH	Chili	Gabriel	75% post-consumer recycled PL Fr, 25% PL Fr 60.000 Martindale	 
4	AV	Active Plus	Sitland	100% PL FR 100.000 Martindale	   
	IP	Ipanema	Pugi	100% PL Fr - (Tr Cs) 50.000 Martindale	  
	ST	Step	Gabriel	100% PL recycled post-consumer 100.000 Martindale	    
	SC	Secret	Flukso	76% PVC, 2% PU, 22% PES 60.000 Martindale	
5	CS	Crisp	Gabriel	93% W of New Zealand, 7% PA 200.000 Martindale	   
	SY	Synergy	Camira	95% WV, 5% PA 100.000 Martindale	 
9	IS	Iris	Rada	100% recycled PET 100.000 Martindale	  
	YO	Yoredale	Camira	95% W, 3% PL, 2% PA 50.000 Martindale	
8	DF/DS	Deans	Vescom	100% PL Fr 110.000 Martindale	 
A	SX + NX	SX + NX			
B	SX	Box Land	Dani		   
E	PA	Panama	Dani		   
C	TS	Florida	Dani		   
D	TU/ TX	TU/ TX	Dani		

Symbol	Description
	No heavy metals
	EU Ecolabel is a European brand that certifies the reduced environmental impact of the product
	Modified polyester fiber "Permanent Flame Retardant": capable of preserving the flame retardant properties of the fiber with aging, wear and washing. Fabrics made with Trevira CS fiber pass the most severe reaction to fire tests worldwide, reaching the best classification everywhere (Classe 1 in Italy)
	GREENGUARD Certification is a European brand that certifies the low level of chemical emissions
	The Oeko-Tex® STANDARD 100 label guarantees that every component of the article, has been tested for harmful substances and that the article therefore is harmless in human ecological terms

Symbol	Description
	Hinders bacteria growth and odor development, built-in durable protection thanks to the Sanitized® hygiene function
	Der blaue Engel(RAL UZ 148) it sets stricter limits for dangerous substance content, the emission of pollutants and the use of raw materials and water than those indicated by law
	Leather from Italy full cycle (UNI EN 16484) certifies that all the production processes are carried out in Italy
	Carbon footprint of product (ISO 14067: 2018) quantifies the greenhouse gas emissions along the supply chain, from farming and rearing to realization of the finished leather
	Environmental product declaration & process EPD (ISO 14025) Following the LCA (Life Cycle Assessment) study, the following impact categories are examined: greenhouse effect, reduction in the ozone layer, acidification, photochemical smog, eutrophication
	Real leather
	Flame retardant
	Recyclable
	Recycled
PA	Polyamide
PL	Polyester
PL Fr	Flame retardant polyester
Tr Cs	Trevira CS
W	Wool
WV	Virgin Wool

Important: in addition to the colours envisaged by the Sitland upholstery chart, further colours are available at a surcharge of 5% (to find out the whole range of colours available, please visit the manufacturer's official website).

Category A: the parts in contact with the user's body are upholstered in real leather cat. SX, the remaining parts are in ecological leather cat. NX, matching the colour and the finish.

For details about each product, please contact our Customer Service department at service@sitland.com

Important: for maintenance and technical characteristics of fabrics and leather, please refer to the general or single upholstery cards.

4. Fabric needed


The fabric needed of each product is indicated in each price list.

The fabric needed is indicative and it refers to a one-colour bi-elastic upholstery H 140 cm.

For different types of coating (not elastic, printed, etc.) consumption and prices will be evaluated only after preliminary feasibility assessments.

Note: for versions with back mesh, the consumption refers to the seat upholstery.

5. Two-tone upholstery

Some products can be made with two-colour upholstery. This option is indicated in the upholstery categories with  (two-tone). The two-tone upholstery option provides for a 10% increase to the list price.

In the case of products with two-tone upholstery, the first 4 characters of the upholstery code (from 11 to 14) refer to the colour of the seat while the last 4 characters (from 15 to 18) refer to the colour of the backrest or the shell.

E.g. Milos with two-tone upholstery

Product code										Front colour				Back colour			
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18
M	I	A	O	O	A	A	2	O	O	M	E	O	1	M	E	O	4

E.g. Grace with contrasting detail

Product code										Chair colour				Detail colour			
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18
G	A	M	O	C	O	O	D	O	O	M	E	O	1	M	E	O	4



E.g. Cell128 with two-tone upholstery


Product code										Colour seat				Body colour			
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18
C	E	1	A	O	O	O	O	O	1	M	E	O	1	M	E	O	4

6. Packaging

The products are supplied in single or multiple packaging.

E.g. individually packed product: 1X 

E.g. product divided into 2 packages: 1X  

E.g. multiple packaging: 2X 

In the case of seats packed 2 per box or 4 per box, for orders with quantities of less than 2 or 4 and their multiples, a price increase equal to 10% of the price list will be applied unless otherwise agreed. For any information contact service@sitland.com

7. Schemes, measures and models

The dimensional drawings of the pricelists show the measurements by considering a user of about 60 kg sitting.

Sitland spa reserves the right to make changes and / or technical and aesthetic improvements to the models and products at any time and without notice.

8. Orders sending

We kindly ask you to send your orders exclusively to our order department at order@sitland.com or through the fax no. +39 0444 638 407.

Certifications

The following table shows the certifications obtained for each collection. To find out about the tests carried out, any requests or to request certifications, please contact our Customer Service at the email address service@sitland.com

	1IM	UNI EN ISO 354:2003
Milos Elle	■	
Milos	■	
Soul	■	
Cell128	■	■
Cell72	■	
Cell75	■	
Joy	■	
On	■	

Certification Class 1IM

Class 1IM is the highest flame-retardant class and it is assigned according to the UNI 9175:2008 and UNI 9175/FA1:2008 standards, which define the flame-retardant characteristics of padded furniture subjected to the action of a small flame. For padded furniture the classification is based on 3 values: 1 IM (the highest class), 2 IM or 3 IM. The test is carried out by applying a 40mm flame to a prototype and carrying out several tests with different application times: 20s only on the padding, 20s on the finished article, 80s on the finished article, 140s on the finished article. At the end of the application time, the torch is removed, which generates the ignition flame, and it is checked whether or not the flame on the material extinguishes itself within 120s. Depending on the duration of the application of the flame, and if it is self-extinguishing within 120s, the Class 1IM (passed 140s test) or Class 2IM (passed 80s test) is assigned.

MILOS ELLE - MILOS - CELL128 - CELL72 - CELL75 - JOY - ON are available in the version homologated in Class 1IM with flame retardant fabric covering category ME.

SOUL is available in the homologated version in Class 1IM with flame retardant mesh covering category RY.

To obtain the prices of the products approved in Class 1IM (according to the Italian law), 10% must be added to the price of the seats with upholstery in the indicated fabric.


For information and quotes, contact the Customer Service at service@sitland.com

Standard UNI EN ISO 354:2003

The standard defines a method for measuring the sound absorption coefficient in a reverberation chamber of wall or sound absorbing materials or the equivalent absorption area of furniture, people or absorbing surfaces. It is not to be used for the measurement of absorption characteristics. The values obtained can be used for comparison and design calculation for the purposes of noise control and the acoustic characteristics of the room.

Milos Elle

design Dorigo



TECHNICAL SPECIFICATIONS

- 1 One-shell structure in polypropylene
- 2 4-leg base or sled-base with arms or integrated arms, cover-arms in polypropylene in the same colour as the shell
- 3 Click-on system patent: no tools are required to assemble the chair, you just click it together with a simple mechanism under the seat

COLOURS AVAILABLE


-  White
-  Black colour
-  Anthracite grey
-  Light grey
-  Red
-  Mustard Pantone 7405U

One-shell structure
colour option on page

17

Milos Elle

design Dorigo



4-leg chair

4-leg frame in steel rod

Stackable up to 8 chairs

MINIMUM QUANTITY: 4 chairs for model/colour or multiples. An additional 20% will be applied to the price list for all those orders with quantity less than 4 pcs or multiple

**One-shell structure
colour option on page 17**

Volume: 0,350 m³
Net weight: 18,20 kg
Gross weight: 22,18 kg
Packaging: 4X


1	2	3	4	5	6	7	8	9	10	4-leg frame in steel rod, white colour, one-shell structure in polypropylene, white colour	110
M	E	4	3	0	0	2	0	0	1		

1	2	3	4	5	6	7	8	9	10	4-leg frame in steel rod, black colour, one-shell structure in polypropylene, white colour	+ 0
M	E	4	3	0	0	2	0	0	1		

1	2	3	4	5	6	7	8	9	10	4-leg frame in steel rod, chromed, one-shell structure in polypropylene, white colour	+ 7
M	E	4	3	0	0	3	0	0	1		

Milos Elle

design Dorigo



4-leg chair with arms

- 4-leg frame in steel rod
- Integrated arms
- Cover-arms in polypropylene in the same colour as the shell structure
- Stackable up to 4 chairs

MINIMUM QUANTITY: 4 chairs for model/colour or multiples. An additional 20% will be applied to the price list for all those orders with quantity less than 4 pcs or multiple

One-shell structure
colour option on page **17**

Volume: 0,424 m³
 Net weight: 21,00 kg
 Gross weight: 25,35 kg
 Packaging: 4X 


1 2 3 4 5 6 7 8 9 10	4-leg frame in steel rod, white colour, integrated arms with cover-arms and one-shell structure in polypropylene, white colour	145
ME 4 3 0 A 1 0 0 1		

1 2 3 4 5 6 7 8 9 10	4-leg frame in steel rod, black colour, integrated arms with cover-arms and one-shell structure in polypropylene, white colour	+ 0
ME 4 3 0 A 2 0 0 1		

1 2 3 4 5 6 7 8 9 10	4-leg frame in steel rod, chromed, integrated arms with cover-arms and one-shell structure in polypropylene, white colour	+ 14
ME 4 3 0 A 3 0 0 1		

Milos Elle

design Dorigo



Visitor chair

Sled frame in steel rod

Stackable up to 8 chairs

MINIMUM QUANTITY: 4 chairs for model/colour or multiples. An additional 20% will be applied to the price list for all those orders with quantity less than 4 pcs or multiple

**One-shell structure
colour option on page 17**

Volume: 0,350 m³
Net weight: 18,20 kg
Gross weight: 22,18 kg
Packaging: 4X


1 2 3 4 5 6 7 8 9 10	Sled frame in steel rod, white colour, one-shell structure in polypropylene, white colour	124
M E V 3 0 0 1 0 0 1		

1 2 3 4 5 6 7 8 9 10	Sled frame in steel rod, black colour, one-shell structure in polypropylene, white colour	+ 0
M E V 3 0 0 2 0 0 1		

1 2 3 4 5 6 7 8 9 10	Sled frame in steel rod, chromed, one-shell structure in polypropylene, white colour	+ 7
M E V 3 0 0 3 0 0 1		

Milos Elle

design Dorigo



Visitor chair with arms

- Sled frame in steel rod
- Integrated arms
- Cover-arms in polypropylene in the same colour as the shell structure
- Stackable up to 4 chairs

MINIMUM QUANTITY: 4 chairs for model/colour or multiples. An additional 20% will be applied to the price list for all those orders with quantity less than 4 pcs or multiple

One-shell structure
colour option on page **17**

Volume: 0,424 m³

Net weight: 21,00 kg

Gross weight: 25,35 kg

Packaging: 4X


1 2 3 4 5 6 7 8 9 10	Sled frame in steel rod, white colour, integrated arms with cover-arms and one-shell structure in polypropylene, white colour	159
MEV30A1001		

1 2 3 4 5 6 7 8 9 10	Sled frame in steel rod, black colour, integrated arms with cover-arms and one-shell structure in polypropylene, white colour	+ 0
MEV30A2001		

1 2 3 4 5 6 7 8 9 10	Sled frame in steel rod, chromed, integrated arms with cover-arms and one-shell structure in polypropylene, white colour	+ 14
MEV30A3001		

Milos Elle

design Dorigo



Visitor chair with arms and writing tablet

- Sled frame in steel rod
- Integrated arms
- Cover-arms in polypropylene in the same colour as the shell structure
- Writing tablet in black polycarbonate

One-shell structure
colour option on page 17


Volume: 0,260 m³
Net weight: 6,45 kg
Gross weight: 9,81 kg
Packaging: 1X 

1 2 3 4 5 6 7 8 9 10	Sled frame in steel rod, black colour, integrated arms with cover-arms and one-shell structure in polypropylene, white colour, writing tablet	218
M E V 3 0 B 2 0 0 3		

1 2 3 4 5 6 7 8 9 10	Sled frame in steel rod, chromed, integrated arms with cover-arms and one-shell structure in polypropylene, white colour, writing tablet	+ 14
M E V 3 0 B 3 0 0 3		

Milos Elle

design Dorigo



Stool

Sled frame in steel rod H 640

One-shell structure
colour option on page 17


Volume: 0,253 m³
Net weight: 8,00 kg
Gross weight: 10,35 kg
Packaging: 1X 

1 2 3 4 5 6 7 8 9 10	Sled frame in steel rod, white colour, one-shell structure in polypropylene, white colour	193
M E S 3 0 0 2 0 0 2		
1 2 3 4 5 6 7 8 9 10	Sled frame in steel rod, black colour, one-shell structure in polypropylene, white colour	+ 0
M E S 3 0 0 2 0 0 2		
1 2 3 4 5 6 7 8 9 10	Sled frame in steel rod, chromed, one-shell structure in polypropylene, white colour	+ 16
M E S 3 0 0 3 0 0 2		

Milos Elle

design Dorigo

Stool



Sled frame in steel rod H 740

One-shell structure
colour option on page 17

Volume: 0,322 m³
Net weight: 8,30 kg
Gross weight: 10,65 kg
Packaging: 1X 

1 2 3 4 5 6 7 8 9 10	Sled frame in steel rod, white colour, one-shell structure in polypropylene, white colour	216
M E T 3 0 0 1 0 0 2		
1 2 3 4 5 6 7 8 9 10	Sled frame in steel rod, black colour, one-shell structure in polypropylene, white colour	+ 0
M E T 3 0 0 2 0 0 2		
1 2 3 4 5 6 7 8 9 10	Sled frame in steel rod, chromed, one-shell structure in polypropylene, white colour	+ 16
M E T 3 0 0 3 0 0 2		

design Dorigo

One-shell structure option

1	2	3	4	5	6	7	8	9	10	One-shell structure in polypropylene, black colour	+ 0
-	-	-	2	-	-	-	-	-	-		

1	2	3	4	5	6	7	8	9	10	One-shell structure in polypropylene, anthracite grey colour	+ 0
-	-	-	4	-	-	-	-	-	-		

1	2	3	4	5	6	7	8	9	10	One-shell structure in polypropylene, light grey colour	+ 0
-	-	-	5	-	-	-	-	-	-		

1	2	3	4	5	6	7	8	9	10	One-shell structure in polypropylene, red colour	+ 0
-	-	-	7	-	-	-	-	-	-		

1	2	3	4	5	6	7	8	9	10	One-shell structure in polypropylene, mustard colour Pantone 7405U	+ 0
-	-	-	6	-	-	-	-	-	-		

Milos Elle


design Dorigo



Upholstery with plain finish



Upholstery with horizontal stitching on the back




TECHNICAL SPECIFICATIONS

- 1 One-shell structure in polypropylene, upholstered
- 2 4-leg base or sled-base with arms or integrated arms, cover-arms in polypropylene
- 3 Click-on system patent: no tools are required to assemble the chair, you just click it together with a simple mechanism under the seat

Protection element for
stackability on page 26

Milos Elle

design Dorigo



4-leg chair

4-leg frame in steel rod

Stackable up to 8 chairs

MINIMUM QUANTITY: 4 chairs for model/colour or multiples. An additional 20% will be applied to the price list for all those orders with quantity less than 4 pcs or multiple

Protection element for stackability on page

26

Volume: 0,350 m³
Net weight: 13,70 kg
Gross weight: 22,78 kg
Packaging: 1X
COM requirement: 1,00 m/l - H 1,40 m

1 2 3 4 5 6 7 8 9 10
M E 4 0 0 0 2 0 0 1

4-leg frame in steel rod, white colour, upholstery with plain finish

1	2	3	4	5
AL	ME	CH	AV - COM - SC	CS - SY
222	239	240	253	286

1 2 3 4 5 6 7 8 9 10
M E 4 0 0 0 2 0 0 1

4-leg frame in steel rod, black colour, upholstery with plain finish

+ 0

1 2 3 4 5 6 7 8 9 10
M E 4 0 0 0 3 0 0 1

4-leg frame in steel rod, chromed, upholstery with plain finish

+ 7


1 2 3 4 5 6 7 8 9 10
M E 4 8 0 0 - 0 0 1

Upholstery with horizontal stitching on the back

+ 0

Milos Elle

design Dorigo



4-leg chair with arms

4-leg frame in steel rod

Integrated arms


Cover-arms in polypropylene

Stackable up to 4 chairs

MINIMUM QUANTITY: 4 chairs for model/colour or multiples. An additional 20% will be applied to the price list for all those orders with quantity less than 4 pcs or multiple

Protection element for stackability on page

26

Volume: 0,424 m³
Net weight: 21,60 kg
Gross weight: 25,95 kg
Packaging: 1X 
COM requirement: 1,00 m/l - H 1,40 m

1 2 3 4 5 6 7 8 9 10
M E 4 0 0 A 1 0 0 1

4-leg frame in steel rod, white colour, integrated arms with white cover-arms, upholstery with plain finish

1	2	3	4	5
AL	ME	CH	AV - COM - SC	CS - SY
266	283	284	296	331

1 2 3 4 5 6 7 8 9 10
M E 4 0 0 A 2 0 0 1

4-leg frame in steel rod, black colour, integrated arms with black cover-arms

+ 0

1 2 3 4 5 6 7 8 9 10
M E 4 0 0 A 3 0 0 1

4-leg frame in steel rod, chromed, integrated arms with black cover-arms

+ 14


1 2 3 4 5 6 7 8 9 10
M E 4 8 0 A - 0 0 1

Upholstery with horizontal stitching on the back

+ 0

Milos Elle

design Dorigo



Visitor chair


Sled frame in steel rod

Stackable up to 8 chairs

MINIMUM QUANTITY: 4 chairs for model/colour or multiples. An additional 20% will be applied to the price list for all those orders with quantity less than 4 pcs or multiple

Protection element for stackability on page

26

Volume: 0,350 m³
Net weight: 22,40 kg
Gross weight: 26,38 kg
Packaging: 1X 
COM requirement: 1,00 m/l - H 1,40 m

1 2 3 4 5 6 7 8 9 10
M E V 0 0 0 1 0 0 1

Sled frame in steel rod, white colour, upholstery with plain finish

1	2	3	4	5
AL	ME	CH	AV - COM - SC	CS - SY
233	253	255	267	300

1 2 3 4 5 6 7 8 9 10
M E V 0 0 0 2 0 0 1

Sled frame in steel rod, black colour

+ 0

1 2 3 4 5 6 7 8 9 10
M E V 0 0 0 3 0 0 1

Sled frame in steel rod, chromed

+ 7


1 2 3 4 5 6 7 8 9 10
M E V 8 0 0 - 0 0 1

Upholstery with horizontal stitching on the back

+ 0

Milos Elle

design Dorigo




Visitor chair with arms

- Sled frame in steel rod
- Integrated arms
- Cover-arms in polypropylene
- Stackable up to 4 chairs

MINIMUM QUANTITY: 4 chairs for model/colour or multiples. An additional 20% will be applied to the price list for all those orders with quantity less than 4 pcs or multiple


Protection element for stackability on page 26

Volume:	0,424 m³
Net weight:	25,20 kg
Gross weight:	29,55 kg
Packaging:	1X 
COM requirement:	1,00 m/l - H 1,40 m

1 2 3 4 5 6 7 8 9 10 M E V 0 0 A 1 0 0 1	Sled frame in steel rod, white colour, integrated arms with white cover-arms, upholstery with plain finish	1 AL 280	2 ME 297	3 CH 298	4 AV - COM - SC 310	5 CS - SY 345
1 2 3 4 5 6 7 8 9 10 M E V 0 0 A 2 0 0 1	Sled frame in steel rod, black colour, integrated arms with black cover-arms	+ 0				
1 2 3 4 5 6 7 8 9 10 M E V 0 0 A 3 0 0 1	Sled frame in steel rod, chromed, integrated arms with black cover-arms	+ 14				
1 2 3 4 5 6 7 8 9 10 M E V 8 0 A - 0 0 1	Upholstery with horizontal stitching on the back	+ 0				

Milos Elle


design Dorigo



Visitor chair with arms and writing tablet

- Sled frame in steel rod
- Integrated arms
- Cover-arms in black polypropylene
- Writing tablet in black polycarbonate

MINIMUM QUANTITY: 4 chairs for model/colour or multiples. An additional 20% will be applied to the price list for all those orders with quantity less than 4 pcs or multiple

Volume:	0,260 m ³
Net weight:	6,45 kg
Gross weight:	9,81 kg
Packaging:	1X 
COM requirement:	1,00 m/l - H 1,40 m

1 2 3 4 5 6 7 8 9 10
M E V 0 0 B 2 0 0 3

Sled frame in steel rod, black colour, integrated arms with cover-arms, writing tablet, upholstery with plain finish

1	2	3	4	5
AL	ME	CH	AV - COM - SC	CS - SY
343	360	362	375	409

1 2 3 4 5 6 7 8 9 10
M E V 0 0 B 3 0 0 3

Sled frame in steel rod, chromed, integrated arms with cover-arms, writing tablet

+ 14

1 2 3 4 5 6 7 8 9 10
M E V 8 0 B - 0 0 3


Upholstery with horizontal stitching on the back

+ 0

Milos Elle

design Dorigo

Stool



Sled frame in steel rod H 640

Volume: 0,253 m³
Net weight: 8,60 kg
Gross weight: 10,95 kg
Packaging: 1X
COM requirement: 1,00 m/l - H 1,40 m

1 2 3 4 5 6 7 8 9 10
M E S 0 0 0 1 0 0 2

Sled frame in steel rod, white colour,
upholstery with plain finish

1	2	3	4	5
AL	ME	CH	AV - COM - SC	CS - SY
310	330	331	343	376

1 2 3 4 5 6 7 8 9 10
M E S 0 0 0 2 0 0 2

Sled frame in steel rod, black colour

+ 0

1 2 3 4 5 6 7 8 9 10
M E S 0 0 0 3 0 0 2

Sled frame in steel rod, chromed

+ 16

1 2 3 4 5 6 7 8 9 10
M E S 8 0 0 - 0 0 2


Upholstery with horizontal stitching on the
back

+ 0


Milos Elle

design Dorigo

Stool



Sled frame in steel rod H 740

Volume: 0,322 m³
Net weight: 8,90 kg
Gross weight: 11,25 kg
Packaging: 1X 
COM requirement: 1,00 m/l - H 1,40 m

1 2 3 4 5 6 7 8 9 10
M E T 0 0 0 1 0 0 2

Sled frame in steel rod, white colour,
upholstery with plain finish

1	2	3	4	5
AL	ME	CH	AV - COM - SC	CS - SY
337	359	359	368	410

1 2 3 4 5 6 7 8 9 10
M E T 0 0 0 2 0 0 2

Sled frame in steel rod, black colour

+ 0

1 2 3 4 5 6 7 8 9 10
M E T 0 0 0 3 0 0 2

Sled frame in steel rod, chromed

+ 16



1 2 3 4 5 6 7 8 9 10
M E T 8 0 0 - 0 0 2

Upholstery with horizontal stitching on the
back

+ 0

design Dorigo

Protection element for stackability option
Available only for Milos Elle upholstered chair version

1 2 3 4 5 6 7 8 9 10 C A R T E R M E 1 4	Polypropylene protection element for stackability, white colour, for versions with 4-leg base and sled-base, white colour *	Volume: Net weight: Gross weight: Packaging:	0,024 m³ 1,60 kg 2,00 kg 4X 	14
1 2 3 4 5 6 7 8 9 10 C A R T E R M E 2 4	Polypropylene protection element for stackability, black colour, for versions with 4-leg base and sled-base, black colour or chromed *	Volume: Net weight: Gross weight: Packaging:	0,024 m³ 1,60 kg 2,00 kg 4X 	14

* NOTE: for orders less than 4 pieces or multiple of 4, a 20% additional surcharge will be applied

Milos

design Dorigo



TECHNICAL SPECIFICATIONS

- 1 Monoblock in shape-retaining, flexible, moulded polyurethane with internal steel frame

TWO-TONE UPHOLSTERY OPTION


This product can be made two-tone upholstery. This option is indicated in the upholstery categories with the symbol (two-tone). A 10% increase will be charged in the price list. Product code composition:

Product code										Front colour				Back colour			
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18
M	I																

**Arms, casters and protection
element for stackability on page 39 - 42**

Milos

design Dorigo



4-leg chair

4-leg frame in steel rod
Stackable up to 4 chairs

Protection element for
stackability on page

41

Volume: 0,167 m³
Net weight: 8,80 kg
Gross weight: 11,00 kg
Packaging: 1X
Front COM requirement: 0,60 m/l - H 1,40 m
Back COM requirement: 0,60 m/l - H 1,40 m

1 2 3 4 5 6 7 8 9 10 4-leg frame in steel rod, white colour
M I A 0 0 0 A 1 0 0

1	2	3	4	5	9	8	A
AL	ME	CH	AV - COM - SC	CS - SY	IS - YO	DF/DS	SX + NX
323	342	343	358	392	414	436	393

1 2 3 4 5 6 7 8 9 10 4-leg frame in steel rod, black colour
M I A 0 0 0 A 2 0 0


+ 0

1 2 3 4 5 6 7 8 9 10 4-leg frame in steel rod, chromed
M I A 0 0 0 A 4 0 0

+ 12

Milos

design Dorigo



4-leg chair with arms

4-leg frame in steel rod

Integrated arms

Cover-arms in polypropylene

Stackable up to 3 chairs

Protection element for
stackability on page

41

Volume:	0,250 m³
Net weight:	9,80 kg
Gross weight:	12,58 kg
Packaging:	1X
Front COM requirement:	0,60 m/l - H 1,40 m
Back COM requirement:	0,60 m/l - H 1,40 m

1 2 3 4 5 6 7 8 9 10
M I A O O A A 1 0 0

4-leg frame in steel rod, white colour,
integrated arms with white cover-arms

1	2	3	4	5	9	8	A
AL	ME	CH	AV - COM - SC	CS - SY	IS - YO	DF/DS	SX + NX
388	407	408	425	460	484	508	463

1 2 3 4 5 6 7 8 9 10
M I A O O A A 2 0 0

4-leg frame in steel rod, black colour,
integrated arms with black cover-arms

+ 0


1 2 3 4 5 6 7 8 9 10
M I A O O A A 4 0 0

4-leg frame in steel rod, chromed, integrated
arms with black cover-arms

+ 19

Milos

design Dorigo



Visitor chair

Steel sled frame
Stackable up to 3 chairs

Protection element for
stackability on page

41

Volume: 0,167 m³
Net weight: 10,40 kg
Gross weight: 12,60 kg
Packaging: 1X
Front COM requirement: 0,60 m/l - H 1,40 m
Back COM requirement: 0,60 m/l - H 1,40 m

1 2 3 4 5 6 7 8 9 10
M I A 0 0 0 B 1 0 0

Sled frame in steel rod, white colour

1	2	3	4	5	9	8	A
AL	ME	CH	AV - COM - SC	CS - SY	IS - YO	DF/DS	SX + NX
336	355	357	372	407	428	451	408

1 2 3 4 5 6 7 8 9 10
M I A 0 0 0 B 2 0 0

Sled frame in steel rod, black colour

+ 0


1 2 3 4 5 6 7 8 9 10
M I A 0 0 0 B 4 0 0

Sled frame in steel rod, chromed

+ 12

Milos

design Dorigo



Visitor chair with arms

- Steel sled frame
- Integrated arms
- Cover-arms in polypropylene
- Stackable up to 3 chairs

Protection element for stackability on page

41

Volume:	0,250 m ³
Net weight:	11,10 kg
Gross weight:	14,30 kg
Packaging:	1X
Front COM requirement:	0,60 m/l - H 1,40 m
Back COM requirement:	0,60 m/l - H 1,40 m

1 2 3 4 5 6 7 8 9 10
M I A O O A B 1 0 0

Sled frame in steel rod, white colour,
integrated arms with white cover-arms

1	2	3	4	5	9	8	A
AL	ME	CH	AV - COM - SC	CS - SY	IS - YO	DF/DS	SX + NX
400	418	420	437	474	498	522	475

1 2 3 4 5 6 7 8 9 10
M I A O O A B 2 0 0

Sled frame in steel rod, black colour,
integrated arms with black cover-arms

+ 0


1 2 3 4 5 6 7 8 9 10
M I A O O A B 4 0 0

Sled frame in steel rod, chromed, integrated
arms with black cover-arms

+ 19

Milos

design Dorigo



Chair with metal trestle base

- Fixed gliders
- 4-star trestle base in metal ø 700 mm
- Swivelling seat
- Fixed height

Arms option on page 42

Volume:	0,283 m³
Net weight:	11,40 kg
Gross weight:	13,80 kg
Packaging:	1X
Front COM requirement:	0,60 m/l - H 1,40 m
Back COM requirement:	0,60 m/l - H 1,40 m


1 2 3 4 5 6 7 8 9 10	4-spoke trestle base in tapered tubular metal, white colour	1	2	3	4	5	9	8	A
M I A O 2 O G 1 6 1		AL	ME	CH	AV - COM - SC	CS - SY	IS - YO	DF/DS	SX + NX
		476	493	495	512	547	570	592	550

1 2 3 4 5 6 7 8 9 10	4-spoke trestle base in tapered tubular metal, black colour								+ 0
M I A O 2 O G 2 6 1									

1 2 3 4 5 6 7 8 9 10	4-spoke trestle base in tapered tubular metal, chromed								+ 34
M I A O 2 O G 4 6 1									

Milos

design Dorigo



Chair with wood trestle base

- Fixed gliders
- 4-star trestle base in beech wood ø 700 mm
- Swivelling seat
- Fixed height

Arms option on page 42

Volume:	0,283 m³
Net weight:	10,30 kg
Gross weight:	12,70 kg
Packaging:	1X
Front COM requirement:	0,60 m/l - H 1,40 m
Back COM requirement:	0,60 m/l - H 1,40 m

1 2 3 4 5 6 7 8 9 10
M I A O 2 0 F 5 6 1

4-spoke trestle base in tapered beech wood,
natural paint finish

1	2	3	4	5	9	8	A
AL	ME	CH	AV - COM - SC	CS - SY	IS - YO	DF/DS	SX + NX
490	508	510	527	562	580	603	566

1 2 3 4 5 6 7 8 9 10
M I A O 2 0 F 6 6 1


4-spoke trestle base in tapered beech wood,
wengé paint finish

+ 0

Milos

design Dorigo

Chair with 5-star base




Self-braking casters ø 65 mm

5-star die-cast aluminium base ø 700 mm

Swivelling seat

Height adjustment



Arms and casters option on page

42

Volume:	0,390 m³
Net weight:	11,10 kg
Gross weight:	14,35 kg
Packaging:	1X
Front COM requirement:	0,60 m/l - H 1,40 m
Back COM requirement:	0,60 m/l - H 1,40 m

1 2 3 4 5 6 7 8 9 10
M I A 0 4 0 C 1 8 1

5-star white die-cast aluminium base

1	2	3	4	5	9	8	A
AL	ME	CH	AV - COM - SC	CS - SY	IS - YO	DF/DS	SX + NX
442	453	455	471	505	535	550	509

1 2 3 4 5 6 7 8 9 10
M I A 0 4 0 C 2 8 1

5-star black die-cast aluminium base

+ 0

1 2 3 4 5 6 7 8 9 10
M I A 0 4 0 C 4 8 1

5-star chromed die-cast aluminium base

+ 126

1 2 3 4 5 6 7 8 9 10
M I A 0 7 0 C - 8 1


Tilting system with gradual rocking, black finish

+ 0

Milos

design Dorigo

Chair with 4-star base



Fixed gliders
4-star die-cast aluminium base ø 720 mm
Fixed height
Memory return system

Arms and casters
option on page 42

Volume: 0,350 m³
Net weight: 11,10 kg
Gross weight: 14,35 kg
Packaging: 1X
Front COM requirement: 0,60 m/l - H 1,40 m
Back COM requirement: 0,60 m/l - H 1,40 m

1 2 3 4 5 6 7 8 9 10 4-star die-cast aluminium, white colour
M I A O 5 0 E 1 6 1

1	2	3	4	5	9	8	A
AL	ME	CH	AV - COM - SC	CS - SY	IS - YO	DF/DS	SX + NX
499	510	512	529	563	594	609	568

1 2 3 4 5 6 7 8 9 10 4-star die-cast aluminium, black colour
M I A O 5 0 E 2 6 1

+ 0

1 2 3 4 5 6 7 8 9 10 4-star chromed die-cast aluminium base
M I A O 5 0 E 4 6 1


+ 48

1 2 3 4 5 6 7 8 9 10 Tilting system with gradual rocking (system
M I A O 8 0 E - 6 1 in black finish)

+ 0


Milos

design Dorigo










Stool

Sled frame in steel rod H 670

Volume:	0,292 m³
Net weight:	10,00 kg
Gross weight:	12,50 kg
Packaging:	1X 
Front COM requirement:	0,50 m/l - H 1,40 m
Back COM requirement:	0,50 m/l - H 1,40 m

1 2 3 4 5 6 7 8 9 10 Sled frame in steel rod, white colour

M I B 0 0 0 H 1 0 1

1 	2 	3 	4 	5 	9 	8 
AL	ME	CH	AV - COM - SC	CS - SY	IS - YO	DF/DS
403	417	419	434	464	484	503

1 2 3 4 5 6 7 8 9 10 Sled frame in steel rod, black colour

M I B 0 0 0 H 2 0 1

+ 0


1 2 3 4 5 6 7 8 9 10 Sled frame in steel rod, chromed

M I B 0 0 0 H 4 0 1

+ 21


Milos

design Dorigo










Stool

Sled frame in steel rod H 770

Volume:	0,333 m³
Net weight:	10,35 kg
Gross weight:	13,00 kg
Packaging:	1X 
Front COM requirement:	0,50 m/l - H 1,40 m
Back COM requirement:	0,50 m/l - H 1,40 m

1 2 3 4 5 6 7 8 9 10
M I B 0 0 0 I 1 0 1 Sled frame in steel rod, white colour

1 	2 	3 	4 	5 	9 	8 
AL	ME	CH	AV - COM - SC	CS - SY	IS - YO	DF/DS
427	442	444	457	487	508	527

1 2 3 4 5 6 7 8 9 10
M I B 0 0 0 I 2 0 1 Sled frame in steel rod, black colour


+ 0

1 2 3 4 5 6 7 8 9 10
M I B 0 0 0 I 4 0 1 Sled frame in steel rod, chromed

+ 21

Milos

design Dorigo



Stool

Steel swivel central base, chromed

Height adjustment

Volume: 0,333 m³
Net weight: 10,35 kg
Gross weight: 13,00 kg
Packaging: 1X
Front COM requirement: 0,50 m/l - H 1,40 m
Back COM requirement: 0,50 m/l - H 1,40 m

1 2 3 4 5 6 7 8 9 10
M I B 0 0 0 L 4 0 1



1	2	3	4	5	9	8
AL	ME	CH	AV - COM - SC	CS - SY	IS - YO	DF/DS
614	655	657	674	705	715	746

design Dorigo

Casters option

12345678910	Free casters ø 65 mm for soft floors	+ 0
- - - - - 7 -		
12345678910	Self-braking rubber casters ø 65 mm for hard floors	+ 9
- - - - - 9 -		
12345678910	Hollow free casters ø 65 mm Moebius by Starck®, white colour	+ 30
- - - - - F -		
12345678910	Hollow free casters ø 65 mm Moebius by Starck®, black colour	+ 36
- - - - - D -		
12345678910	Hollow free casters ø 65 mm Moebius by Starck®, black colour and chromed support	+ 38
- - - - - E -		

Protection element for stackability option

12345678910	Polypropylene protection element for stackability, white colour, for versions with 4-leg base and sled-base, white colour *	Volume: 0,024 m³ Net weight: 1,60 kg Gross weight: 2,00 kg Packaging: 4X 	14
C A R T E R M I 1 4			
12345678910	Polypropylene protection element for stackability, black colour, for versions with 4-leg base and sled-base, black colour or chromed *	Volume: 0,024 m³ Net weight: 1,60 kg Gross weight: 2,00 kg Packaging: 4X 	14
C A R T E R M I 2 4			

* NOTE: for orders less than 4 pieces or multiple of 4, a 20% additional surcharge will be applied

Milos

Options


design Dorigo

Loop arm option - Installed to the chair

1 2 3 4 5 6 7 8 9 10	Pair of aluminium arms, white colour	Volume:	+ 0,026 / 0,059 m ³	+ 88
- - - - - L - - - -		Net weight:	+ 1,00 kg	
		Gross weight:	+ 1,00 kg	

1 2 3 4 5 6 7 8 9 10	Pair of aluminium arms, black colour	Volume:	+ 0,026 / 0,059 m ³	+ 88
- - - - - M - - - -		Net weight:	+ 1,00 kg	
		Gross weight:	+ 1,00 kg	

1 2 3 4 5 6 7 8 9 10	Pair of aluminium arms, chromed	Volume:	0,024 m ³	+ 119
- - - - - I - - - -		Net weight:	+ 1,00 kg	
		Gross weight:	+ 1,00 kg	




Open arm option - Installed to the chair

1 2 3 4 5 6 7 8 9 10	Pair of open aluminium arms, white colour	Volume:	+ 0,026 / 0,059 m ³	+ 138
- - - - - D - - - -		Net weight:	+ 2,00 kg	
		Gross weight:	+ 2,00 kg	


1 2 3 4 5 6 7 8 9 10	Pair of open aluminium arms, black colour	Volume:	+ 0,026 / 0,059 m ³	+ 138
- - - - - E - - - -		Net weight:	+ 2,00 kg	
		Gross weight:	+ 2,00 kg	

1 2 3 4 5 6 7 8 9 10	Pair of open aluminium arms, chromed	Volume:	+ 0,026 / 0,059 m ³	+ 168
- - - - - C - - - -		Net weight:	+ 2,00 kg	
		Gross weight:	+ 2,00 kg	



Grace

design Sergio Bellin



TECHNICAL SPECIFICATIONS

- 1 Ergonomic seat and back padding in flexible, moulded polyurethane foam
- 2 Front upholstery
- 3 Back upholstery
- 4 Detail upholstery
- 5 Cover-arm

TWO-TONE UPHOLSTERY OPTION

This product can be made two-tone upholstery. This option is indicated in the upholstery categories with the symbol (two-tone). A 10% increase will be charged in the price list. Product code composition:

Product code										Front colour				Back colour			
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18
G	R																


For any further information and quotations please contact our Customer Service at service@sitland.com

Arms and casters
option on page

52

Grace

design Sergio Bellin



Visitor chair

Low back

Sled frame in steel rod

Volume: 0,280 m³
Net weight: 15,20 kg
Gross weight: 18,55 kg
Packaging: 1X
Front COM requirement: 0,70 m/l - H 1,40 m
Back COM requirement: 0,60 m/l - H 1,40 m


1	2	3	4	5	6	7	8	9	10	Sled frame in steel rod black colour H 460 mm	2	4	4	5	A	E	C	D
G	A	M	0	0	0	0	D	0	0		ME	SC	COM	CS	SX + NX	PA	TS	TX+TU
											516	545	545	596	625	705	874	914

1	2	3	4	5	6	7	8	9	10	Sled frame in steel rod black colour H 460 mm, upholstery with detail in contrasting colour	2	4	5
G	A	M	0	C	0	0	D	0	0		ME	COM	CS
											527	556	609

1	2	3	4	5	6	7	8	9	10	Sled frame in steel rod, chromed H 460 mm	+ 6
G	A	M	0	-	0	0	C	0	0		

Grace

design Sergio Bellin



Meeting with low back

- Low back
- Fixed gliders
- 4-star die-cast aluminium base ø 720 mm
- Fixed height
- Memory return system

Arms option on page	52
Volume:	0,260 m³
Net weight:	13,90 kg
Gross weight:	17,20 kg
Packaging:	1X
Front COM requirement:	0,70 m/l - H 1,40 m
Back COM requirement:	0,60 m/l - H 1,40 m

1 2 3 4 5 6 7 8 9 10	4-star die-cast aluminium base black painted ø 720 mm ø 720 mm	2	4	4	5	A	E	C	D
G A M 0 0 3 0 7 0 6		ME	SC	COM	CS	SX + NX	PA	TS	TX+TU
		672	704	704	755	787	876	1.039	1.087


1 2 3 4 5 6 7 8 9 10	4-star die-cast aluminium base black painted ø 720 mm ø 720 mm, upholstery with detail in contrasting colour	2	4	5
G A M 0 C 3 0 7 0 6		ME	COM	CS
		687	718	771

1 2 3 4 5 6 7 8 9 10	4-star die-cast aluminium base, polished ø 720 mm	+ 48							
G A M 0 - 3 0 6 0 6									

1 2 3 4 5 6 7 8 9 10	Memory return system and tilting system with gradual rocking, black finish	+ 0							
G A M 0 - B 0 - 0 6									

Grace

design Sergio Bellin



Low back chair with metal trestle base

- Low back
- Fixed gliders
- 4-star trestle base in metal ø 700 mm
- Fixed height

Arms option on page 52

Volume:	0,270 m³
Net weight:	13,75 kg
Gross weight:	17,05 kg
Packaging:	1X
Front COM requirement:	0,70 m/l - H 1,40 m
Back COM requirement:	0,60 m/l - H 1,40 m

1 2 3 4 5 6 7 8 9 10	4-spoke trestle base in tapered tubular metal, black colour ø 685 mm	2	4	4	5	A	E	C	D
G A M 0 0 7 0 M 0 6		ME	SC	COM	CS	SX + NX	PA	TS	TX+TU
		648	679	679	730	762	847	1.013	1.059


1 2 3 4 5 6 7 8 9 10	4-spoke trestle base in tapered tubular metal, black colour ø 685 mm, upholstery with detail in contrasting colour	2	4	5
G A M 0 C 7 0 M 0 6		ME	COM	CS
		663	705	746

1 2 3 4 5 6 7 8 9 10	4-spoke trestle base in tapered tubular metal, chromed ø 685 mm								
G A M 0 - 7 0 N 0 6									

+ 34

Grace

design Sergio Bellin



Low back chair with wooden trestle base

- Low back
- Fixed gliders
- 4-star trestle base in beech wood ø 685 mm
- Fixed height

Arms option on page	52
Volume:	0,270 m³
Net weight:	13,75 kg
Gross weight:	17,05 kg
Packaging:	1X
Front COM requirement:	0,70 m/l - H 1,40 m
Back COM requirement:	0,60 m/l - H 1,40 m



1 2 3 4 5 6 7 8 9 10	4-leg trestle base in tapered wood painted natural ø 685 mm	2	4	4	5	A	E	C	D
G A M 0 0 7 0 G 0 6		ME	SC	COM	CS	SX + NX	PA	TS	TX+TU
		679	712	712	764	796	886	1.052	1.099

1 2 3 4 5 6 7 8 9 10	4-leg trestle base in tapered wood painted natural ø 685 mm, upholstery with detail in contrasting colour	2	4	5
G A M 0 C 7 0 G 0 6		ME	COM	CS
		693	727	780

1 2 3 4 5 6 7 8 9 10	4-spoke trestle base in tapered beech wood, wengé paint finish ø 685 mm	+ 0							
G A M 0 - 7 0 H 0 6									

Grace

design Sergio Bellin



Manager with low back

- Low back
- 5-star die-cast aluminium base ø 700 mm
- Height adjustment
- Tilting system with gradual rocking, black finish

Arms and casters option on page	52
Volume:	0,360 m³
Net weight:	15,10 kg
Gross weight:	18,70 kg
Packaging:	1X
Front COM requirement:	0,70 m/l - H 1,40 m
Back COM requirement:	0,60 m/l - H 1,40 m

1 2 3 4 5 6 7 8 9 10	5-star polished die-cast aluminium base	2	4	4	5	A	E	C	D
G A M 0 0 A 0 2 0 8		ME	SC	COM	CS	SX + NX	PA	TS	TX+TU
		576	608	608	659	690	781	945	988


1 2 3 4 5 6 7 8 9 10	5-star polished die-cast aluminium base, upholstery with detail in contrasting colour	2	4	5
G A M 0 C A 0 2 0 8		ME	COM	CS
		588	620	674

1 2 3 4 5 6 7 8 9 10	5-star die-cast aluminium pyramidal base black painted	+ 0							
G A M 0 - A 0 5 0 8									

1 2 3 4 5 6 7 8 9 10	5-star polished die-cast aluminium pyramidal base	+ 34							
G A M 0 - A 0 4 0 8									

Grace

design Sergio Bellin



Meeting with medium back

- Medium back
- Fixed gliders
- 4-star die-cast aluminium base ø 720 mm
- Fixed height
- Memory return system

Arms and casters option on page	52
Volume:	0,330 m³
Net weight:	14,10 kg
Gross weight:	17,70 kg
Packaging:	1X
Front COM requirement:	0,90 m/l - H 1,40 m
Back COM requirement:	0,60 m/l - H 1,40 m

1 2 3 4 5 6 7 8 9 10	4-star die-cast aluminium base black painted ø 720 mm ø 720 mm	2	4	4	5	A	E	C	D
G A O O 0 3 0 7 0 6		ME	SC	COM	CS	SX + NX	PA	TS	TX+TU
		724	757	757	811	859	950	1.129	1.180


1 2 3 4 5 6 7 8 9 10	4-star die-cast aluminium base black painted ø 720 mm ø 720 mm, upholstery with detail in contrasting colour	2	4	5
G A O O C 3 0 7 0 6		ME	COM	CS
		738	773	828

1 2 3 4 5 6 7 8 9 10	4-star die-cast aluminium base, polished ø 720 mm	+ 48							
G A O O - 3 0 6 0 6									

1 2 3 4 5 6 7 8 9 10	Memory return system and tilting system with gradual rocking, black finish	+ 0							
G A O O - B 0 - 0 6									

Grace

design Sergio Bellin



Manager with medium back

- Medium back
- 5-star die-cast aluminium base ø 700 mm
- Height adjustment
- Tilting system with gradual rocking, black finish

Arms and casters option on page	52
Volume:	0,360 m³
Net weight:	15,30 kg
Gross weight:	18,90 kg
Packaging:	1X
Front COM requirement:	0,90 m/l - H 1,40 m
Back COM requirement:	0,60 m/l - H 1,40 m

1 2 3 4 5 6 7 8 9 10	5-star polished die-cast aluminium base	2	4	4	5	A	E	C	D
G A O O O A O 2 O 8		ME	SC	COM	CS	SX + NX	PA	TS	TX+TU
		626	658	658	715	760	854	1.033	1.080


1 2 3 4 5 6 7 8 9 10	5-star polished die-cast aluminium base, upholstery with detail in contrasting colour	2	4	5
G A O O C A O 2 O 8		ME	COM	CS
		639	672	730

1 2 3 4 5 6 7 8 9 10	5-star die-cast aluminium pyramidal base black painted	+ 0							
G A O O - A O 5 O 8									

1 2 3 4 5 6 7 8 9 10	5-star polished die-cast aluminium pyramidal base	+ 34							
G A O O - A O 4 O 8									

Grace

design Sergio Bellin



Executive

5-star die-cast aluminium base ø 700 mm

Height adjustment

Tilting system with gradual rocking, black finish

Arms and casters option on page

52

Volume:	0,480 m³
Net weight:	14,75 kg
Gross weight:	19,10 kg
Packaging:	1X
Front COM requirement:	1,00 m/l - H 1,40 m
Back COM requirement:	0,80 m/l - H 1,40 m

1 2 3 4 5 6 7 8 9 10 5-star polished die-cast aluminium base
G A D 0 0 A 0 2 0 8

2	4	4	5	A	E	C	D
ME	SC	COM	CS	SX + NX	PA	TS	TX+TU
686	724	724	792	845	965	1.186	1.238

1 2 3 4 5 6 7 8 9 10 5-star polished die-cast aluminium base,
upholstery with detail in contrasting colour
G A D 0 C A 0 2 0 8

2	4	5
ME	COM	CS
699	738	808

1 2 3 4 5 6 7 8 9 10 5-star die-cast aluminium pyramidal base
G A D 0 - A 0 5 0 8 black painted

+ 0

1 2 3 4 5 6 7 8 9 10 5-star polished die-cast aluminium
G A D 0 - A 0 4 0 8 pyramidal base

+ 34

Grace

Options

design Sergio Bellin

Casters option

1	2	3	4	5	6	7	8	9	10	Free casters ø 65 mm for soft floors	+ 0
-	-	-	-	-	-	-	-	-	7		

1	2	3	4	5	6	7	8	9	10	Self-braking rubber casters ø 65 mm for hard floors	+ 9
-	-	-	-	-	-	-	-	-	9		

1	2	3	4	5	6	7	8	9	10	Hollow free casters ø 65 mm Moebius by Starck®, black colour	+ 36
-	-	-	-	-	-	-	-	-	D		

1	2	3	4	5	6	7	8	9	10	Hollow free casters ø 65 mm Moebius by Starck®, black colour and chromed support	+ 38
-	-	-	-	-	-	-	-	-	E		

Arm option - Installed to the chair


Volume:	+ 0.000 m³
Net weight:	+ 2,55 kg
Gross weight:	+ 2,55 kg

1	2	3	4	5	6	7	8	9	10	Aluminium arms in the same colour as the base with natural wooden top	+ 249
-	-	-	-	-	-	B	-	-	-		

1	2	3	4	5	6	7	8	9	10	Aluminium arms in the same colour as the base with wengé wooden top	+ 249
-	-	-	-	-	-	C	-	-	-		

1	2	3	4	5	6	7	8	9	10	Aluminium arms in the same colour as the base with top upholstered as the armchair front (Note: when the chair is upholstered in TX+TU, the top is in leather TU)	
-	-	-	-	-	-	D	-	-	-		
	2	4	5	A	E	C	D				
	ME	COM - SC	CS	SX + NX	PA	TS	TX+TU				
	+ 173	+ 177	+ 180	+ 183	+ 189	+ 191	+ 195				

Montecarlo



TECHNICAL SPECIFICATIONS

- 1 Metal tube 4-leg base
- 2 Metal structure with integrated headrest and arms
- 3 Seat and back padding in flexible CFC/HCFC free polyurethane
- 4 Option: leather TS band or red micro-perforated leather TS02 band

Leather band option


This product is available with leather TS band or red micro-perforated leather TS02 band. Product code composition:

Product code										Upholstery				Band colour			
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18
M	O													T	S		

For any further information and quotations please contact our Customer Service at service@sitland.com

Montecarlo

Armchair with high back




Lounge chair with high back

Volume:	0,806 m³
Net weight:	25,00 kg
Gross weight:	32,00 kg
Packaging:	1X
Front COM requirement:	3,60 m/l - H 1,40 m


1 2 3 4 5 6 7 8 9 10 M O A 0 0 4 1 0 A 1	4-leg base in tubular metal black paint colour	2 ME 994	3 CH 1.020	4 AV - COM - SC 1.062	5 CS 1.202	9 YO - IS 1.270	8 DF/DS 1.328	E PA 1.469	C TS 1.768	D TU 1.920	
1 2 3 4 5 6 7 8 9 10 M O A 0 0 4 2 0 A 1	4-leg base in tubular metal white paint colour										+ 0
1 2 3 4 5 6 7 8 9 10 M O A 0 2 4 - 0 A 1	Leather TS band										+ 51
1 2 3 4 5 6 7 8 9 10 M O A 0 3 4 - 0 A 1	Red micro-perforated leather TS02										+ 63

Montecarlo

Armchair with medium back




Lounge chair with medium back

Volume:	0,806 m³
Net weight:	20,50 kg
Gross weight:	27,50 kg
Packaging:	1X 
Front COM requirement:	3,00 m/l - H 1,40 m


1 2 3 4 5 6 7 8 9 10 M O B 0 0 4 1 0 A 1	4-leg base in tubular metal black paint colour	2 ME 937	3 CH 960	4 AV - COM - SC 995	5 CS 1.112	9 YO - IS 1.170	8 DF/DS 1.218	E PA 1.365	C TS 1.628	D TU 1.766
1 2 3 4 5 6 7 8 9 10 M O B 0 0 4 2 0 A 1	4-leg base in tubular metal white paint colour									+ 0
1 2 3 4 5 6 7 8 9 10 M O B 0 2 4 - 0 A 1	Leather TS band									+ 51
1 2 3 4 5 6 7 8 9 10 M O B 0 3 4 - 0 A 1	Red micro-perforated leather TS02									+ 63

Montecarlo

Chair




4-leg chair

Volume: 0,328 m³
Net weight: 10,00 kg
Gross weight: 12,50 kg
Packaging: 1X 
Front COM requirement: 1,40 m/l - H 1,40 m

1 2 3 4 5 6 7 8 9 10 M O S O 0 4 1 0 A 1	4-leg base in tubular metal black paint colour	2 ME 563	3 CH 567	4 AV - COM - SC 584	5 CS 643	9 YO - IS 669	8 DF/DS 692	E PA 753	C TS 883	D TU 952	
1 2 3 4 5 6 7 8 9 10 M O S O 0 4 2 0 A 1	4-leg base in tubular metal white paint colour										+ 0
1 2 3 4 5 6 7 8 9 10 M O S O 2 4 - 0 A 1	Leather TS band										+ 33
1 2 3 4 5 6 7 8 9 10 M O S O 3 4 - 0 A 1	Red micro-perforated leather TS02										+ 42

Cell128

design Dorigo



Awards



TECHNICAL SPECIFICATIONS

- 1 Inner structure in steel
- 2 CFC-free shape-retaining, flexible, moulded polyurethane, 37 ÷ 50 mm thick
- 3 Seat support in OSB composed of fir and pine wood compacted with resins, 18 mm thick
- 4 Steel seat support brackets
- 5 200 mm thick cushion in CFC-free shaped flexible polyurethane foam, 18 mm thick wooden seat interior
- 6 Feet equipped with felt pads

TWO-TONE UPHOLSTERY OPTION

This product can be made two-tone upholstery. This option is indicated in the upholstery categories with the symbol (two-tone). A 10% increase will be charged in the price list. Product code composition:

Product code										Seat colour				Body colour			
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18
C	E																

For any further information and quotations please contact our Customer Service at service@sitland.com


Cushion option on page 67

Writing tablet option on page 85

Electric power system option on page 88

Cell128

design Dorigo




1 2 3 4 5 6 7 8 9 10
C E 1 A 0 0 0 0 0 1








Armchair with fixed seat

Floor-standing base

Cushion option on page 67


Electric power system option on page 88

Volume: 0,981 m³
Net weight: 34,20 kg
Gross weight: 46,50 kg
Packaging: 1X 
COM seat requirement: 0,90 m/l - H 1,40 m
COM body requirement: 5,00 m/l - H 1,40 m

1 	2 	3 	4	4 	5 	9 	8 
AL	ME	CH	SCI7-SC24-SCI8	AV - ST - COM	CS - SY	YO - IS	DF/DS
1.385	1.509	1.561	1.644	1.644	1.844	2.014	2.131

Cell128

design Dorigo



1 2 3 4 5 6 7 8 9 10
C E 1 A A 3 0 0 0 1

Armchair with fixed seat

Fixed base with 4-leg in tapered tubular steel, black painted ø 760 mm

Cushion option on page 67


Electric power system option on page 88

Volume: 0,981 m³
Net weight: 35,70 kg
Gross weight: 48,00 kg
Packaging: 1X
COM seat requirement: 0,90 m/l - H 1,40 m
COM body requirement: 4,30 m/l - H 1,40 m

1	2	3	4	4	5	9	8
AL	ME	CH	SCI7-SC24-SCI8	AV - ST - COM	CS - SY	YO - IS	DF/DS
1.419	1.532	1.590	1.665	1.665	1.836	1.992	2.095

Cell128

design Dorigo



1 2 3 4 5 6 7 8 9 10
C E 1 A B 6 0 0 0 1

Armchair with fixed seat

Fixed base with 4-leg in natural painted beech wood ø 760 mm

Cushion option on page 67


Electric power system option on page 88

Volume: 0,981 m³
Net weight: 39,70 kg
Gross weight: 52,00 kg
Packaging: 1X
COM seat requirement: 0,90 m/l - H 1,40 m
COM body requirement: 4,30 m/l - H 1,40 m

1	2	3	4	4	5	9	8
AL	ME	CH	SCI7-SC24-SCI8	AV - ST - COM	CS - SY	YO - IS	DF/DS
1.660	1.774	1.834	1.909	1.909	2.080	2.239	2.343

Cell128

design Dorigo



Swivel armchair

Round steel central base ø 560 mm

Cushion option on page 67

Writing tablet option on page 85

Electric power system option on page 88

Volume:	0,981 m ³
Net weight:	56,70 kg
Gross weight:	69,00 kg
Packaging:	1X
COM seat requirement:	0,90 m/l - H 1,40 m
COM body requirement:	4,30 m/l - H 1,40 m

1 2 3 4 5 6 7 8 9 10
C E 1 A F 3 0 0 0 1

Round steel central base black painted ø 560 mm

1	2	3	4	4	5	9	8
AL	ME	CH	SCI7-SC24-SCI8	AV - ST - COM	CS - SY	YO - IS	DF/DS
1.873	1.988	2.050	2.126	2.126	2.297	2.458	2.562


1 2 3 4 5 6 7 8 9 10
C E 1 A F 1 0 0 0 1

Round steel central base white colour ø 560 mm

+ 0

Cell128

design Dorigo



Swivel armchair

Swivel 4-star base in tubular steel ø 760 mm

Cushion option on page 67

Writing tablet option on page 85

Electric power system option on page 88

Volume:	0,981 m ³
Net weight:	38,70 kg
Gross weight:	51,00 kg
Packaging:	1X
COM seat requirement:	0,90 m/l - H 1,40 m
COM body requirement:	4,30 m/l - H 1,40 m

1 2 3 4 5 6 7 8 9 10
C E 1 A D 3 0 0 0 1 Whit swivel 4-star base in tubular steel black
colour ø 760 mm


1	2	3	4	4	5	9	8
AL	ME	CH	SCI7-SC24 -SCI8	AV - ST - COM	CS - SY	YO - IS	DF/DS
1.768	1.883	1.944	2.019	2.019	2.191	2.350	2.453

1 2 3 4 5 6 7 8 9 10
C E 1 A D 1 0 0 0 1 Whit swivel 4-star base in tubular steel white
colour ø 760 mm

+ 0

Cell128

design Dorigo



1 2 3 4 5 6 7 8 9 10
C E 1 A E 6 0 0 0 1

Swivel armchair

Swivel steel base and 4-star in natural painted beech wood ø 760 mm

Cushion option on page 67

Writing tablet option on page 85


Electric power system option on page 88

Volume: 0,981 m³
Net weight: 38,70 kg
Gross weight: 51,00 kg
Packaging: 1X
COM seat requirement: 0,90 m/l - H 1,40 m
COM body requirement: 4,30 m/l - H 1,40 m

1	2	3	4	4	5	9	8
AL	ME	CH	SCI7-SC24-SCI8	AV - ST - COM	CS - SY	YO - IS	DF/DS
1.810	1.925	1.985	2.060	2.060	2.232	2.392	2.495

Cell128

design Dorigo



1 2 3 4 5 6 7 8 9 10
C E 2 A 0 0 0 0 0 1

Sofa

Floor-standing base

Cushion option on page 67


Electric power system option on page 88

Volume: 1,726 m³
Net weight: 49,20 kg
Gross weight: 65,90 kg
Packaging: 1X
COM seat requirement: 1,70 m/l - H 1,40 m
COM body requirement: 6,60 m/l - H 1,40 m

1	2	3	4	4	5	9	8
AL	ME	CH	SCI7-SC24-SCI8	AV - ST - COM	CS - SY	YO - IS	DF/DS
2.175	2.355	2.433	2.551	2.551	2.823	3.069	3.233

Cell128

design Dorigo



1 2 3 4 5 6 7 8 9 10
C E 2 A A 3 0 0 0 1

Sofa

Fixed base with 4-leg in tapered tubular steel, black painted

Cushion option on page 67


Electric power system option on page 88

Volume: 1,726 m³
Net weight: 51,20 kg
Gross weight: 71,50 kg
Packaging: 1X
COM seat requirement: 1,70 m/l - H 1,40 m
COM body requirement: 5,70 m/l - H 1,40 m

1	2	3	4	4	5	9	8
AL	ME	CH	SCI7-SC24-SCI8	AV - ST - COM	CS - SY	YO - IS	DF/DS
2.144	2.305	2.361	2.464	2.464	2.722	2.933	3.072

Cell128

design Dorigo



1 2 3 4 5 6 7 8 9 10
C E 2 A B 6 0 0 0 1

Sofa

Fixed base with 4-leg in natural painted beech wood

Cushion option on page 67


Electric power system option on page 88

Volume: 1,726 m³
Net weight: 51,20 kg
Gross weight: 71,50 kg
Packaging: 1X
COM seat requirement: 1,70 m/l - H 1,40 m
COM body requirement: 5,70 m/l - H 1,40 m

1	2	3	4	4	5	9	8
AL	ME	CH	SCI7-SC24-SCI8	AV-ST-COM	CS-SY	YO-IS	DF/DS
2.424	2.586	2.643	2.747	2.747	3.005	3.217	3.356

Cell128

design Dorigo



1 2 3 4 5 6 7 8 9 10
C E 2 A E 6 0 0 1

Sofa

Fixed steel base black painted with 4-star legs in natural painted beech wood

Cushion option on page 67

Writing tablet option on page 85


Electric power system option on page 88

Volume: 1,726 m³
Net weight: 64,70 kg
Gross weight: 85,00 kg
Packaging: 1X
COM seat requirement: 1,70 m/l - H 1,40 m
COM body requirement: 5,70 m/l - H 1,40 m

1	2	3	4	4	5	9	8
AL	ME	CH	SCI7-SC24-SCI8	AV - ST - COM	CS - SY	YO - IS	DF/DS
2.787	2.952	3.012	3.117	3.117	3.375	3.591	3.731

Cell128

design Dorigo



Sofa

4-star base in tubular steel

Cushion option on page 67

Writing tablet option on page 85

Electric power system option on page 88

Volume: 1,726 m³
Net weight: 60,40 kg
Gross weight: 80,70 kg
Packaging: 1X
COM seat requirement: 1,70 m/l - H 1,40 m
COM body requirement: 5,70 m/l - H 1,40 m

1 2 3 4 5 6 7 8 9 10 4-star base in tubular steel black colour
C E 2 A D 3 0 0 0 1


1	2	3	4	4	5	9	8
AL	ME	CH	SCI7-SC24-SCI8	AV-ST-COM	CS-SY	YO-IS	DF/DS
2.726	2.890	2.949	3.054	3.054	3.312	3.527	3.668

1 2 3 4 5 6 7 8 9 10 4-star base in tubular steel white colour
C E 2 A D 1 0 0 0 1

+ 0


Cell128

design Dorigo



Options

Cushion 580 x 330 mm with removable cover, 100 mm thick, in CFC-free flexible shaped polyurethane foam

Volume:	0,029 m³
Net weight:	0,50 kg
Gross weight:	1,40 kg
Packaging:	1X 
COM requirement:	0,30 m/l - H 1,40 m

1 2 3 4 5 6 7 8 9 10
C E A 2 0 0 0 0 0 0

1	2	3	4	5	9	8
AL	ME	CH	AV - ST - COM	CS - SY	YO - IS	DF/DS
65	75	83	89	102	118	126

Packaging and delivery: the codes refer to those cushions shipped in the same box of the sofa/armchair. In case of orders of cushions to be sent separately, please use option “1” in position 10 of the code and refer to the correct volume shown for the packaging.

E.g. cushion which goes with a sofa/armchair:


1 2 3 4 5 6 7 8 9 10
C E A 2 0 0 0 0 0 0

E.g. cushion shipped separately:

1 2 3 4 5 6 7 8 9 10
C E A 2 0 0 0 0 0 1

Cell72

design Dorigo



TECHNICAL SPECIFICATIONS

- 1 Inner structure in steel
- 2 CFC-free shape-retaining, flexible, moulded polyurethane, 37 ÷ 50 mm thick
- 3 Seat support in OSB composed of fir and pine wood compacted with resins, 18 mm thick
- 4 Steel seat support brackets
- 5 200 mm thick cushion in CFC-free shaped flexible polyurethane foam, 18 mm thick wooden seat interior
- 6 Feet equipped with felt pads

TWO-TONE UPHOLSTERY OPTION

This product can be made two-tone upholstery. This option is indicated in the upholstery categories with the symbol (two-tone). A 10% increase will be charged in the price list. Product code composition:

Product code										Seat colour				Body colour			
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18
C	E																

For any further information and quotations please contact our Customer Service at service@sitland.com


Cushion option on page 80

Writing tablet option on page 85

Electric power system option on page 88

Cell72

design Dorigo



1 2 3 4 5 6 7 8 9 10
C E 1 C 0 0 0 0 0 1

Armchair with fixed seat

Floor-standing base

Cushion option on page 80


Electric power system option on page 88

Volume: 0,439 m³
Net weight: 22,10 kg
Gross weight: 31,00 kg
Packaging: 1X
COM seat requirement: 0,80 m/l - H 1,40 m
COM body requirement: 3,00 m/l - H 1,40 m

1	2	3	4	4	5	9	8
AL	ME	CH	SCI7-SC24-SCI8	AV-ST-COM	CS-SY	YO-IS	DF/DS
948	1.031	1.065	1.115	1.115	1.227	1.336	1.406

Cell72

design Dorigo



1 2 3 4 5 6 7 8 9 10
C E 1 C A 3 0 0 0 1

Armchair with fixed seat

Fixed base with 4-leg in tapered tubular steel, black painted ø 760 mm

Cushion option on page 80


Electric power system option on page 88

Volume: 0,439 m³
Net weight: 23,80 kg
Gross weight: 32,70 kg
Packaging: 1X
COM seat requirement: 0,80 m/l - H 1,40 m
COM body requirement: 2,30 m/l - H 1,40 m

1	2	3	4	4	5	9	8
AL	ME	CH	SCI7-SC24-SCI8	AV-ST-COM	CS-SY	YO-IS	DF/DS
1.017	1.083	1.114	1.153	1.153	1.245	1.340	1.395

Cell72

design Dorigo



1 2 3 4 5 6 7 8 9 10
C E 1 C B 6 0 0 0 1

Armchair with fixed seat

Fixed base with 4-leg in natural painted beech wood ø 760 mm

Cushion option on page 80


Electric power system option on page 88

Volume: 0,439 m³
Net weight: 27,80 kg
Gross weight: 36,70 kg
Packaging: 1X
COM seat requirement: 0,80 m/l - H 1,40 m
COM body requirement: 2,30 m/l - H 1,40 m

1	2	3	4	4	5	9	8
AL	ME	CH	SCI7-SC24-SCI8	AV - ST - COM	CS - SY	YO - IS	DF/DS
1.243	1.309	1.343	1.383	1.383	1.474	1.572	1.627

Cell72

design Dorigo



Swivel armchair

Round steel central base ø 560 mm

Cushion option on page 80

Writing tablet option on page 85

Electric power system option on page 88

Volume: 0,439 m³
Net weight: 44,80 kg
Gross weight: 53,70 kg
Packaging: 1X
COM seat requirement: 0,80 m/l - H 1,40 m
COM body requirement: 2,30 m/l - H 1,40 m

1 2 3 4 5 6 7 8 9 10
C E 1 C F 3 0 0 0 1

Round steel central base black painted ø 560 mm

1	2	3	4	4	5	9	8
AL	ME	CH	SCI7-SC24-SCI8	AV-ST-COM	CS-SY	YO-IS	DF/DS
1.444	1.511	1.546	1.587	1.587	1.677	1.777	1.833


1 2 3 4 5 6 7 8 9 10
C E 1 C F 1 0 0 0 1

Round steel central base white colour ø 560 mm

+ 0

Cell72

design Dorigo



Swivel armchair

Swivel 4-star base in tubular steel ø 760 mm

Cushion option on page 80

Writing tablet option on page 85

Electric power system option on page 88

Volume:	0,439 m ³
Net weight:	26,80 kg
Gross weight:	35,70 kg
Packaging:	1X
COM seat requirement:	0,80 m/l - H 1,40 m
COM body requirement:	2,30 m/l - H 1,40 m

1 2 3 4 5 6 7 8 9 10 Swivel 4-star base in tubular steel, black
C E 1 C D 3 0 0 0 1 colour ø 760 mm


1	2	3	4	4	5	9	8
AL	ME	CH	SCI7-SC24-SCI8	AV - ST - COM	CS - SY	YO - IS	DF/DS
1.345	1.412	1.447	1.487	1.487	1.578	1.676	1.732

1 2 3 4 5 6 7 8 9 10 Swivel 4-star base in tubular steel, white
C E 1 C D 1 0 0 0 1 colour ø 760 mm

+ 0

Cell72

design Dorigo



1 2 3 4 5 6 7 8 9 10
C E 1 C E 6 0 0 0 1

Swivel armchair

Swivel steel base and 4-star in natural painted beech wood ø 760 mm

Cushion option on page 80

Writing tablet option on page 85


Electric power system option on page 88

Volume: 0,439 m³
Net weight: 30,60 kg
Gross weight: 39,50 kg
Packaging: 1X
COM seat requirement: 0,80 m/l - H 1,40 m
COM body requirement: 2,30 m/l - H 1,40 m

1	2	3	4	4	5	9	8
AL	ME	CH	SCI7-SC24-SCI8	AV - ST - COM	CS - SY	YO - IS	DF/DS
1.384	1.451	1.486	1.526	1.526	1.617	1.715	1.771

Cell72

design Dorigo




1 2 3 4 5 6 7 8 9 10
C E 2 C 0 0 0 0 0 1








Sofa

Floor-standing base

Cushion option on page 80


Electric power system option on page 88

Volume: 0,842 m³
Net weight: 40,90 kg
Gross weight: 55,60 kg
Packaging: 1X 
COM seat requirement: 1,70 m/l - H 1,40 m
COM body requirement: 4,00 m/l - H 1,40 m

1 	2 	3 	4	4 	5 	9 	8 
AL	ME	CH	SCI7-SC24-SCI8	AV - ST - COM	CS - SY	YO - IS	DF/DS
1.497	1.630	1.683	1.759	1.759	1.920	2.096	2.200

Cell72

design Dorigo



1 2 3 4 5 6 7 8 9 10
C E 2 C A 3 0 0 0 1

Sofa

Fixed base with 4-leg in tapered tubular steel, black painted

Cushion option on page 80


Electric power system option on page 88

Volume: 0,842 m³
Net weight: 40,20 kg
Gross weight: 54,90 kg
Packaging: 1X
COM seat requirement: 1,70 m/l - H 1,40 m
COM body requirement: 3,00 m/l - H 1,40 m

1	2	3	4	4	5	9	8
AL	ME	CH	SCI7-SC24-SCI8	AV-ST-COM	CS-SY	YO-IS	DF/DS
1.594	1.710	1.760	1.823	1.823	1.948	2.103	2.189

Cell72

design Dorigo



1 2 3 4 5 6 7 8 9 10
C E 2 C B 6 0 0 1

Sofa

Fixed base with 4-leg in natural painted beech wood

Cushion option on page 80


Electric power system option on page 88

Volume: 0,842 m³
Net weight: 41,70 kg
Gross weight: 56,40 kg
Packaging: 1X
COM seat requirement: 1,70 m/l - H 1,40 m
COM body requirement: 3,00 m/l - H 1,40 m

1	2	3	4	4	5	9	8
AL	ME	CH	SCI7-SC24-SCI8	AV-ST-COM	CS-SY	YO-IS	DF/DS
1.858	1.974	2.026	2.089	2.089	2.214	2.372	2.458

Cell72

design Dorigo



1 2 3 4 5 6 7 8 9 10
C E 2 C E 6 0 0 1


Sofa








Fixed steel base black painted with 4-star in natural painted beech wood

Cushion option on page 80

Writing tablet option on page 85


Electric power system option on page 88

Volume: 0,842 m³
Net weight: 53,70 kg
Gross weight: 68,40 kg
Packaging: 1X 
COM seat requirement: 1,70 m/l - H 1,40 m
COM body requirement: 3,00 m/l - H 1,40 m

1 	2 	3 	4	4 	5 	9 	8 
AL	ME	CH	SCI7-SC24-SCI8	AV - ST - COM	CS - SY	YO - IS	DF/DS
2.203	2.319	2.375	2.437	2.437	2.563	2.725	2.811

Cell72

design Dorigo



Sofa

4-star base in tubular steel

Cushion option on page 80

Writing tablet option on page 85

Electric power system option on page 88

Volume: 0,842 m³
Net weight: 49,40 kg
Gross weight: 64,10 kg
Packaging: 1X
COM seat requirement: 1,70 m/l - H 1,40 m
COM body requirement: 3,00 m/l - H 1,40 m

1 2 3 4 5 6 7 8 9 10 4-star base in tubular steel, black colour
C E 2 C D 3 0 0 0 1


1	2	3	4	4	5	9	8
AL	ME	CH	SCI7-SC24-SCI8	AV-ST-COM	CS-SY	YO-IS	DF/DS
2.145	2.262	2.316	2.378	2.378	2.504	2.665	2.751

1 2 3 4 5 6 7 8 9 10 4-star base in tubular steel, white colour
C E 2 C D 1 0 0 0 1

+ 0


Cell72

design Dorigo



Options

Cushion 450 x 300 mm with removable cover, 75 mm thick, in CFC-free flexible shaped polyurethane foam

Volume:	0,016 m³
Net weight:	0,25 kg
Gross weight:	0,75 kg
Packaging:	1X 
COM requirement:	0,30 m/l - H 1,40 m

1 2 3 4 5 6 7 8 9 10
C E B 2 0 0 0 0 0 0

1	2	3	4	5	9	8
AL	ME	CH	AV - ST - COM	CS - SY	YO - IS	DF/DS
59	70	76	82	93	111	118

Packaging and delivery: the codes refer to those cushions shipped in the same box of the sofa/armchair. In case of orders of cushions to be sent separately, please use option “1” in position 10 of the code and refer to the correct volume shown for the packaging.

E.g. cushion which goes with a sofa/armchair:


1 2 3 4 5 6 7 8 9 10
C E B 2 0 0 0 0 0 0

E.g. cushion shipped separately:

1 2 3 4 5 6 7 8 9 10
C E B 2 0 0 0 0 0 1

Cell Dot


design Dorigo



TECHNICAL SPECIFICATIONS

- 1 Seat support in OSB composed of fir and pine wood compacted with resins, 18 mm thick
- 2 200 mm thick cushion in CFC-free shaped flexible polyurethane foam, 18 mm thick wooden seat interior
- 3 Round steel central base ø 560 mm

TWO-TONE UPHOLSTERY OPTION

This product can be made two-tone upholstery. This option is indicated in the upholstery categories with the symbol  (two-tone). A 10% increase will be charged in the price list. Product code composition:


Product code										Colour seat				Band colour			
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18
C	E																

For any further information and quotations please contact our Customer Service at service@sitland.com

Writing tablet option on page 85

Cell Dot


design Dorigo



Swivel pouf








Round steel central base ø 560 mm

Writing tablet option on page 85

Volume:	0,524 m³
Net weight:	47,50 kg
Gross weight:	60,20 kg
Packaging:	1X 
COM seat requirement:	1,00 m/l - H 1,40 m
COM band requirement:	1,40 m/l - H 1,40 m

1 2 3 4 5 6 7 8 9 10
C E 3 D F 3 0 0 0 1

Round steel central base, black painted ø 560 mm

1 	2 	3 	4 	5 	9 	8 
AL	ME	CH	AV - SC - ST - COM	CS - SY	YO - IS	DF/DS
1.263	1.313	1.352	1.382	1.445	1.520	1.560

1 2 3 4 5 6 7 8 9 10
C E 3 D F 1 0 0 0 1

Round steel central base, white colour ø 560 mm


+ 0

Cell128 / Cell72 / Cell Dot Options

design Dorigo

Single writing tablet option for Cell128 / Cell72 armchairs and Cell Dot


1 2 3 4 5 6 7 8 9 10 - - - - - 1 C -	Swivel writing tablet in natural painted solid wood with swivel support in tubular steel, black painted (for models with E in position 5 of the code of the products)	Net weight: Gross weight:	+ 5,55 kg + 5,55 kg	+ 450
1 2 3 4 5 6 7 8 9 10 - - - - - 1 D -	Swivel writing tablet in natural painted solid wood with swivel support in tubular steel, white painted (for models with E in position 5 of the code of the products)	Net weight: Gross weight:	+ 5,55 kg + 5,55 kg	+ 450
1 2 3 4 5 6 7 8 9 10 - - - - - 1 E -	Swivel writing tablet in natural painted solid wood with swivel support in tubular steel, in the same finish as the base (for models with D or F in position 5 of the code of the products)	Net weight: Gross weight:	+ 5,55 kg + 5,55 kg	+ 450
1 2 3 4 5 6 7 8 9 10 - - - - - 1 A -	Swivel writing tablet in lacquered MDF, black colour, with swivel support in tubular steel, black painted (for models with D or F in position 5 of the code of the products)	Net weight: Gross weight:	+ 5,50 kg + 5,50 kg	+ 432
1 2 3 4 5 6 7 8 9 10 - - - - - 1 B -	Swivel writing tablet in lacquered MDF, white colour, with swivel support in tubular steel, white painted (for models with D or F in position 5 of the code of the products)	Net weight: Gross weight:	+ 5,50 kg + 5,50 kg	+ 432




design Dorigo

Single writing tablet option for Cell128 / Cell72 sofas

1 2 3 4 5 6 7 8 9 10 - - - - - 3 C -	Swivel right writing tablet in natural painted solid wood with swivel support in tubular steel, black painted (for models with E in position 5 of the code of the products)	Net weight: Gross weight:	+ 5,55 kg + 5,55 kg	+ 450
1 2 3 4 5 6 7 8 9 10 - - - - - 3 D -	Swivel right writing tablet in natural painted solid wood with swivel support in tubular steel, white painted (for models with E in position 5 of the code of the products)	Net weight: Gross weight:	+ 5,55 kg + 5,55 kg	+ 450
1 2 3 4 5 6 7 8 9 10 - - - - - 3 E -	Swivel right writing tablet in natural painted solid wood with swivel support in tubular steel, in the same finish as the base (for models with D or F in position 5 of the code of the products)	Net weight: Gross weight:	+ 5,55 kg + 5,55 kg	+ 450
1 2 3 4 5 6 7 8 9 10 - - - - - 3 A -	Swivel right writing tablet in lacquered MDF, black colour, with swivel support in tubular steel, black painted (for models with D or F in position 5 of the code of the products)	Net weight: Gross weight:	+ 5,50 kg + 5,50 kg	+ 432
1 2 3 4 5 6 7 8 9 10 - - - - - 3 B -	Swivel right writing tablet in lacquered MDF, white colour, with swivel support in tubular steel, white painted (for models with D or F in position 5 of the code of the products)	Net weight: Gross weight:	+ 5,50 kg + 5,50 kg	+ 432





1 2 3 4 5 6 7 8 9 10 - - - - - 4 - -	Swivel left writing tablet option			+ 0
---	-----------------------------------	--	--	-----



design Dorigo

Double writing tablet option for Cell128 / Cell72 sofas

1 2 3 4 5 6 7 8 9 10 - - - - - 2 C -	Double swivel writing tablet in natural painted solid wood with swivel support in tubular steel, black painted (for models with E in position 5 of the code of the products)	Net weight: Gross weight:	+ 11,10 kg + 11,10 kg	+ 900
1 2 3 4 5 6 7 8 9 10 - - - - - 2 D -	Double swivel writing tablet in natural painted solid wood with swivel support in tubular steel, white painted (for models with E in position 5 of the code of the products)	Net weight: Gross weight:	+ 11,10 kg + 11,10 kg	+ 900
1 2 3 4 5 6 7 8 9 10 - - - - - 2 E -	Double swivel writing tablet in natural painted solid wood with swivel support in tubular steel, in the same finish as the base (for models with D in position 5 of the code of the products)	Net weight: Gross weight:	+ 11,10 kg + 11,10 kg	+ 900
1 2 3 4 5 6 7 8 9 10 - - - - - 2 A -	Double swivel writing tablet in lacquered MDF, black colour, with swivel support in tubular steel, black painted (for models with D in position 5 of the code of the products)	Net weight: Gross weight:	+ 11,00 kg + 11,00 kg	+ 864
1 2 3 4 5 6 7 8 9 10 - - - - - 2 B -	Double swivel writing tablet in lacquered MDF, white colour, with swivel support in tubular steel, white painted (for models with D in position 5 of the code of the products)	Net weight: Gross weight:	+ 11,00 kg + 11,00 kg	+ 864



design Dorigo

Option for USB / schuko outlets for armchairs and sofa Cell128 and Cell72

1 2 3 4 5 6 7 8 9 10	Options for models with D, E or F in position 5 of the product's code	+ 374
- - - - - A - - -	Retractable outlet composed by 2 USB sockets and schuko with sliding cover installed on the outer right hand side of the armchair, useful for the charging and the use of any device. The colour of the cover matches the colour of the base and the tablet's support when it is present. Declaration of conformity CE.	
1 2 3 4 5 6 7 8 9 10	Options for models with 0 in position 5 of the product's code	+ 374
- - - - - B - - -	Retractable outlet composed by 2 USB sockets and schuko with sliding cover installed on the outer right hand side of the armchair, useful for the charging and the use of any device. The colour of the cover is black. Declaration of conformity CE.	
1 2 3 4 5 6 7 8 9 10	Options for models with 0 in position 5 of the product's code	+ 374
- - - - - C - - -	Retractable outlet composed by 2 USB sockets and schuko with sliding cover installed on the outer right hand side of the armchair, useful for the charging and the use of any device. The colour of the cover is white. Declaration of conformity CE.	

Important: the electric power system is available only for the models CEL 128 and CELL 72 with O, D, E or F in position 5 of the product's code. For technical and security reasons, the armchair CELL128 and CELL 72 do not swivel.



Option for USB / British socket, Type B, for armchairs and sofa Cell128 and Cell72

1 2 3 4 5 6 7 8 9 10	Options for models with D, E or F in position 5 of the product's code	+ 416
- - - - - D - - -	Retractable outlet composed by 2 USB sockets and British socket (Type B) with sliding cover installed on the outer right hand side of the armchair, useful for the charging and the use of any device. The colour of the cover matches the colour of the base and the tablet's support when it is present.	
1 2 3 4 5 6 7 8 9 10	Options for models with 0 in position 5 of the product's code	+ 416
- - - - - E - - -	Retractable outlet composed by 2 USB sockets and British socket (Type B) with sliding cover installed on the outer right hand side of the armchair, useful for the charging and the use of any device. The colour of the cover is black.	
1 2 3 4 5 6 7 8 9 10	Options for models with 0 in position 5 of the product's code	+ 416
- - - - - F - - -	Retractable outlet composed by 2 USB sockets and British socket (Type B) with sliding cover installed on the outer right hand side of the armchair, useful for the charging and the use of any device. The colour of the cover is white.	

Important: the electric power system is available only for the models CEL 128 and CELL 72 with O, D, E or F in position 5 of the product's code. For technical and security reasons, the armchair CELL128 and CELL 72 do not swivel.



design Dorigo

Option for USB / American socket, Type G, for armchairs and sofa Cell128 and Cell72

12345678910
- - - - - G - - -

Options for models with D, E or F in position 5 of the product's code

Retractable outlet composed by 2 USB sockets and American socket (Type G) with sliding cover installed on the outer right hand side of the armchair, useful for the charging and the use of any device. The colour of the cover matches the colour of the base and the tablet's support when it is present.

+ 480

12345678910
- - - - - H - - -

Options for models with O in position 5 of the product's code

Retractable outlet composed by 2 USB sockets and American socket (Type G) with sliding cover installed on the outer right hand side of the armchair, useful for the charging and the use of any device. The colour of the cover is black.

+ 480


12345678910
- - - - - I - - -

Options for models with O in position 5 of the product's code

Retractable outlet composed by 2 USB sockets and American socket (Type G) with sliding cover installed on the outer right hand side of the armchair, useful for the charging and the use of any device. The colour of the cover is white.


+ 480

Important: the electric power system is available only for the models CEL 128 and CELL 72 with O, D, E or F in position 5 of the product's code. For technical and security reasons, the armchair CELL128 and CELL 72 do not swivel.



Cell75

design Dorigo



TECHNICAL SPECIFICATIONS

- 1 Inner structure in steel
- 2 CFC-free shape-retaining, flexible, moulded polyurethane, 37 ÷ 50 mm thick
- 3 Seat support in OSB wood composed of fir and pine compacted with resins, 18 mm thick
- 4 100 mm thick cushion in CFC-free shaped polyurethane foam, wooden seat interior
- 5 4-leg base

TWO-TONE UPHOLSTERY OPTION

This product can be made two-tone upholstery. This option is indicated in the upholstery categories with the symbol (two-tone). A 10% increase will be charged in the price list. Product code composition:


Product code										Seat colour				Body colour			
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18
C	E																

For any further information and quotations please contact our Customer Service at service@sitland.com

Cushion option on page 95

Cell75

design Dorigo



1 2 3 4 5 6 7 8 9 10
C E 1 B A 3 0 0 0 1

Armchair

Fixed base with 4-leg in tapered tubular steel, black painted ø 720 mm


Cushion option on page 95

Volume: 0,354 m³
Net weight: 18,40 kg
Gross weight: 21,80 kg
Packaging: 1X
COM seat requirement: 0,50 m/l - H 1,40 m
COM body requirement: 2,00 m/l - H 1,40 m

1	2	3	4	4	5	9	8
AL	ME	CH	SCI7-SC24-SCI8	AV-ST-COM	CS-SY	YO-IS	DF/DS
750	804	826	855	855	919	996	1.037

Cell75

design Dorigo



1 2 3 4 5 6 7 8 9 10
C E 1 B B 6 0 0 0 1

Armchair

Fixed base with 4-leg in natural painted beech wood ø 720 mm


Cushion option on page 95

Volume: 0,354 m³
Net weight: 20,40 kg
Gross weight: 23,80 kg
Packaging: 1X
COM seat requirement: 0,50 m/l - H 1,40 m
COM body requirement: 2,00 m/l - H 1,40 m

1	2	3	4	4	5	9	8
AL	ME	CH	SCI7-SC24-SCI8	AV - ST - COM	CS - SY	YO - IS	DF/DS
1.051	1.105	1.131	1.160	1.160	1.224	1.302	1.344

Cell75

design Dorigo



Sofa

Fixed base with 4-leg in tapered tubular steel, black painted

Cushion option on page 95


Volume:	0,746 m ³
Net weight:	34,20 kg
Gross weight:	48,00 kg
Packaging:	1X
COM seat requirement:	1,20 m/l - H 1,40 m
COM body requirement:	3,00 m/l - H 1,40 m

1 2 3 4 5 6 7 8 9 10
C E 2 B A 3 0 0 0 1

1	2	3	4	4	5	9	8
AL	ME	CH	SCI7-SC24-SCI8	AV-ST-COM	CS-SY	YO-IS	DF/DS
1.351	1.451	1.493	1.544	1.544	1.643	1.782	1.853

Cell75

design Dorigo



1 2 3 4 5 6 7 8 9 10
C E 2 B B 6 0 0 0 1

Sofa

Fixed base with 4-leg in natural painted beech wood



Cushion option on page 95

Volume: 0,746 m³
Net weight: 35,70 kg
Gross weight: 49,50 kg
Packaging: 1X
COM seat requirement: 1,20 m/l - H 1,40 m
COM body requirement: 3,00 m/l - H 1,40 m

1	2	3	4	4	5	9	8
AL	ME	CH	SCI7-SC24-SCI8	AV-ST-COM	CS-SY	YO-IS	DF/DS
1.647	1.749	1.793	1.845	1.845	1.944	2.086	2.157


Cell75

design Dorigo



Options

Cushion with removable cover, 55 mm thick, in CFC-free flexible shaped polyurethane foam

Volume:	0,016 m³
Net weight:	0,25 kg
Gross weight:	0,75 kg
Packaging:	1X 
COM requirement:	0,30 m/l - H 1,40 m

1 2 3 4 5 6 7 8 9 10	Cushion 385 x 270 mm , available for Cell75 armchair	1	2	3	4	5	9	8
C E C 2 0 0 0 0 0 0		AL	ME	CH	AV - ST - COM	CS - SY	YO - IS	DF/DS
		53	63	69	73	84	97	104

1 2 3 4 5 6 7 8 9 10	Cushion 400 x 270 mm, available for Cell75 sofa	1	2	3	4	5	9	8
C E D 2 0 0 0 0 0 0		AL	ME	CH	AV - ST - COM	CS - SY	YO - IS	DF/DS
		53	63	69	73	84	97	104

Packaging and delivery: the codes refer to those cushions shipped in the same box of the sofa/armchair. In case of orders of cushions to be sent separately, please use option “1” in position 10 of the code and refer to the correct volume shown for the packaging.

E.g. cushion which goes with a sofa/armchair:

1 2 3 4 5 6 7 8 9 10
C E C 2 0 0 0 0 0 0

E.g. cushion shipped separately:

1 2 3 4 5 6 7 8 9 10
C E C 2 0 0 0 0 0 1



TECHNICAL SPECIFICATIONS

- 1 Nylon swivel seat CFC-free flame retardant rubber padding*
- 2 Nylon shell
- 3 Patent pending system for activating height adjustment to 360°
- 4 3D tilting system

* Flame test according to:

MVSS Motor Vehicle Safety STD 302; California Technical Bulletin 117/2013 - Section 3;
UNI ISO 3795; FAR./JAR./CS.25 - Appendix F Part

I - (a)(1)(ii); UNI 9175 (classe 1 IM); IMO Resolution A 652 (16); Arrêté du 28 Août 1991
Classement M4

Awards




Additional seat option on page 95


On

Seat

design Bertolini - Ferrarese - Scagnellato



Seat with shell and cover in nylon
CFC-free flame retardant rubber padding


Volume: 0,038 m³
Net weight: 4,50 kg
Gross weight: 5,30 kg
Packaging: 1X 
COM requirement: 0,32 m/l - H 1,40 m

1 2 3 4 5 6 7 8 9 10 Shell in nylon, white colour
O N S W O 0 0 0 0 0

2	3	4	5	9	8
ME	CH	AV - COM - SC	CS - SY	YO - IS	DF/DS
280	283	289	297	301	309

1 2 3 4 5 6 7 8 9 10 Shell in nylon, black colour
O N S **B** O 0 0 0 0 0

+ 0



Stool

Height-adjustable stool H 500 ÷ 750 mm

Metal central base ø 380 mm

Seat with shell and cover in nylon

CFC-free flame retardant rubber padding

Additional seat option on page 97

Volume:	0,119 m³
Net weight:	7,80 kg
Gross weight:	9,20 kg
Packaging:	1X
COM requirement:	0,32 m/l - H 1,40 m

1 2 3 4 5 6 7 8 9 10
O N T W O O W O O

White painted metal central base, seat shell
in nylon white colour

2	3	4	5	9	8
ME	CH	AV - COM - SC	CS -SY	YO - IS	DF/DS
468	470	478	487	490	500

1 2 3 4 5 6 7 8 9 10
O N T B O O O B O O


Black painted metal central base, seat shell
in nylon black colour

+ 0

On

Stool

design Bertolini - Ferrarese - Scagnellato



Stool H 510 mm

Black non-slip feet

4-star trestle base in birch wood ø 440 mm

Seat with shell and cover in nylon


CFC-free flame retardant rubber padding

Additional seat option on page 97

Volume: 0,054 m³

Net weight: 6,10 kg


Gross weight: 6,55 kg

Packaging: 1X 

COM requirement: 0,32 m/l - H 1,40 m

1	2	3	4	5	6	7	8	9	10	Whit seat shell in nylon white colour, natural painted birch wood 4-star trestle base, white painted aluminium connecting element	
O	N	4	W	O	W	O	N	O	O		
1	2	3	4	5	6	7	8	9	10	Whit seat shell in nylon black colour, natural painted birch wood 4-star trestle base, black painted aluminium connecting element	+ 0
O	N	4	B	O	B	O	N	O	O		
1	2	3	4	5	6	7	8	9	10	Whit seat shell in nylon white colour, white painted birch wood 4-star trestle base, white painted aluminium connecting element	+ 22
O	N	4	W	O	W	O	W	O	O		
1	2	3	4	5	6	7	8	9	10	Whit seat shell in nylon black colour, black painted birch wood 4-star trestle base, black painted aluminium connecting element	+ 22
O	N	4	B	O	B	O	B	O	O		
1	2	3	4	5	6	7	8	9	10	Whit seat shell in nylon white colour, white painted birch wood 4-star trestle base, polished aluminium connecting element	+ 22
O	N	4	W	O	P	O	W	O	O		
1	2	3	4	5	6	7	8	9	10	Whit seat shell in nylon black colour, black painted birch wood 4-star trestle base, polished aluminium connecting element	+ 22
O	N	4	B	O	P	O	B	O	O		

design Bertolini - Ferrarese - Scagnellato



Bench


- 3-seater bench structure H 335 mm
- Metal bar with metal double leg
- Equipped for assembling no. 3 swivel seats

Additional seat option on page 97

Volume:	0,081 m³
Net weight:	17,00 kg
Gross weight:	21,50 kg
Packaging:	1X  

1 2 3 4 5 6 7 8 9 10	Metal bar with double leg white colour	+ 693
O N P T O O 3 W O O		

1 2 3 4 5 6 7 8 9 10	Metal bar with double leg black colour	+ 0
O N P T O O 3 B O O		



Bench module

3-seater bench module kit H. 535 mm for composition

Metal bar with metal connecting leg


Equipped for assembling no. 3 swivel seats

Additional seat option on page 97

Volume:	0,081 m³
Net weight:	14,20 kg
Gross weight:	17,70 kg
Packaging:	1X  

1 2 3 4 5 6 7 8 9 10	Metal bar with leg white colour	+ 614
O N P T O O A W O O		

1 2 3 4 5 6 7 8 9 10	Metal bar with leg black colour	+ 0
O N P T O O A B O O		



Wall-mounted bench

- Wall-mounted 3-seater bench structure
- Double metal wall support
- Equipped for assembling no. 3 swivel seats
- IMPORTANT: the customer is responsible for checking the suitability of the wall for anchoring according to the data provided by Sitland**

Additional seat option on page 97



Volume:	0,096 m³
Net weight:	18,80 kg
Gross weight:	23,30 kg
Packaging:	1X  

1 2 3 4 5 6 7 8 9 10	Metal bar with double metal wall support white colour	+ 693
O N P M O O 3 W O O		

1 2 3 4 5 6 7 8 9 10	Metal bar with double metal wall support black colour	+ 0
O N P M O O 3 B O O		

Joy

design Sergio Bellin



TECHNICAL SPECIFICATIONS

- 1 Polystyrene frame
- 2 CFC-free shaped polyurethane foam
- 3 Steel core
- 4 Seat in wood chipboard
- 5 CFC-free shaped polyurethane foam
- 6 3D swinging base
- 7 Base with casters ø 37 mm

TWO-TONE UPHOLSTERY OPTION


This product can be made two-tone upholstery. This option is indicated in the upholstery categories with the symbol (two-tone). A 10% increase will be charged in the price list. Product code composition:

Product code										Colour seat				Body colour			
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18
J	Y																

For any further information and quotations please contact our Customer Service at service@sitland.com


Joy

design Sergio Bellin










Pouf

Pouf H 500 mm


Volume:	0,156 m³
Net weight:	9,37 kg
Gross weight:	7,70 kg
Packaging:	1X 
COM seat requirement:	0,40 m/l - H 1,40 m
COM body requirement:	1,30 m/l - H 1,40 m

1 2 3 4 5 6 7 8 9 10
J Y A 0 2 0 A 0 1 0 Casters ø 37 mm

1 	2 	3 	4 	5 	9 	8 
AL	ME	CH	AV - IP - COM	CS - SY	YO - IS	DF/DS
295	316	334	346	394	423	450


1 2 3 4 5 6 7 8 9 10 3D swinging base in birch plywood + 45
J Y A 0 1 0 A 0 0 0 upholstered with non-slip material

1 2 3 4 5 6 7 8 9 10 Handle in leather, natural colour + 23
J Y A 0 - 0 A 1 - 0



Pouf








Pouf H 600 mm

Volume:	0,185 m³
Net weight:	8,40 kg
Gross weight:	10,22 kg
Packaging:	1X 
COM seat requirement:	0,40 m/l - H 1,40 m
COM body requirement:	1,50 m/l - H 1,40 m

12345678910

JYB020A010

Casters ø 37 mm

1 	2 	3 	4 	5 	9 	8 
AL	ME	CH	AV - IP - COM	CS - SY	YO - IS	DF/DS
311	334	350	364	412	439	469

12345678910

JYB010A000

3D swinging base in birch plywood upholstered with non-slip material

+ 45

12345678910



JYB0-0A1-0

Handle in leather, natural colour

+ 23

UseMe

design Bertolini - Ferrarese - Scagnellato



TECHNICAL SPECIFICATIONS

- 1 Top in HPL laminate or Polaris laminate
- 2 Rigid polyurethane top shell
- 3 ABS handle
- 4 ABS ball joint
- 5 Support: steel shaft in aluminium

Pad System option on page 108

Top option on page 108


Casters option on page 109

UseMe

design Bertolini - Ferrarese - Scagnellato


STANDARD

UseMe on feet with shaft H 462 mm - Total height 740 mm




OPTION 1

UseMe on casters with shaft H 390 mm - Total height 740 mm





OPTION 2

UseMe on casters with shaft H 462 mm - Total height 842 mm



PAD SYSTEM AND HORIZONTAL STACKING





In the version with Pad System, inclining the table top by 30°, a support system automatically activates allowing the use of tablets, smartphones or any other object on the surface.

The 30° inclination of the table top ensures proper ergonomic posture and minimizes reflection for a comfortable visual activity.

The UseMe table top can be reclined to three positions: 0°, 30° and 90°.

UseMe can be opened to 0° when necessary and easily folded to 90° to be stored it in a limited space: 10 tables in 1.50 m.





Round table

Table H 740 mm (available on wheels H 740 mm or H 842 mm)

Round top in 411 white HPL laminate (for the other colour of the top see the available options)

Pad System option on page 108


Top option on page 108

Casters option on page 109

Volume: 0,122 m³
Net weight: 6,30 kg
Gross weight: 8,95 kg
Packaging: 1X

1 2 3 4 5 6 7 8 9 10	11 12 13 14 15 16	Body and support, black colour	380
U S 2 B I O C A O 6	P B 0 4 1 1		

1 2 3 4 5 6 7 8 9 10	11 12 13 14 15 16	Body and support, white colour	+ 9
U S 1 B I O A B O 6	P B 0 4 1 1		



Rectangular table

Table H 740 mm (available on wheels H 740 mm or H 842 mm)

Rectangular top in 411 white HPL laminate (for the other colour of the top see the available options)

Pad System option on page 108

Top option on page 108

Casters option on page 109

Volume: 0,118 m³
Net weight: 6,30 kg
Gross weight: 8,95 kg
Packaging: 1X

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	Body and support, black colour	380
U	S	6	B	I	O	C	A	O	6	P	B	O	4	1	1		

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	Body and support, white colour	+ 9
U	S	5	B	I	O	A	B	O	6	P	B	O	4	1	1		

design Bertolini - Ferrarese - Scagnellato

Pad System option

1	2	3	4	5	6	7	8	9	10	Pad System	+ 33
-	-	-	-	-	1	-	-	-	-		

Top option

11	12	13	14	15	16	Top in 1611 maple-wood look HPL laminate	+ 0
P	B	1	6	1	1		

11	12	13	14	15	16	Top in black Polaris laminate anti-fingerprint, scratch resistant, heat resistant, shock resistant	+ 43
P	F	0	0	0	2		

design Bertolini - Ferrarese - Scagnellato

Casters option - Table H 740 mm (option 1)

For UseMe with shaft with three-spoke base black painted

1	2	3	4	5	6	7	8	9	10	2 swivel castors and 1 castor with brake, black, ø 60 mm	+ 17
-	-	-	-	-	-	-	A	0	2		

1	2	3	4	5	6	7	8	9	10	Free black "Design" casters ø 53 mm	+ 31
-	-	-	-	-	-	-	A	0	1		

1	2	3	4	5	6	7	8	9	10	Hollow free casters ø 65 mm Moebius by Starck®, black colour	+ 26
-	-	-	-	-	-	-	A	0	3		

1	2	3	4	5	6	7	8	9	10	Hollow free casters ø 65 mm Moebius by Starck®, black colour and chromed support	+ 26
-	-	-	-	-	-	-	A	0	4		

Casters option - Table H 740 mm (option 1)

For UseMe with shaft with three-spoke base white painted

1	2	3	4	5	6	7	8	9	10	2 swivel castors and 1 castor with brake, black, ø 60 mm	+ 17
-	-	-	-	-	-	-	B	0	2		

1	2	3	4	5	6	7	8	9	10	Free black "Design" casters ø 53 mm	+ 31
-	-	-	-	-	-	-	B	0	1		

1	2	3	4	5	6	7	8	9	10	Hollow free casters ø 65 mm Moebius by Starck®, white colour	+ 26
-	-	-	-	-	-	-	B	0	5		

1	2	3	4	5	6	7	8	9	10	Hollow free casters ø 65 mm Moebius by Starck®, orange colour and white support	+ 26
-	-	-	-	-	-	-	B	0	A		

1	2	3	4	5	6	7	8	9	10	Hollow free casters ø 65 mm Moebius by Starck®, acid green colour and white support	+ 26
-	-	-	-	-	-	-	B	0	B		

1	2	3	4	5	6	7	8	9	10	Hollow free casters ø 65 mm Moebius by Starck®, fuchsia colour and white support	+ 26
-	-	-	-	-	-	-	B	0	C		

design Bertolini - Ferrarese - Scagnellato

Casters option - Table H 842 mm (option 2)

For UseMe with shaft with three-spoke base black painted

1	2	3	4	5	6	7	8	9	10	2 swivel castors and 1 castor with brake, black, ø 60 mm	+ 17
-	-	-	-	-	-	-	D	0	2		

1	2	3	4	5	6	7	8	9	10	Free black "Design" casters ø 53 mm	+ 31
-	-	-	-	-	-	-	D	0	1		

1	2	3	4	5	6	7	8	9	10	Hollow free casters ø 65 mm Moebius by Starck®, black colour	+ 26
-	-	-	-	-	-	-	D	0	3		

1	2	3	4	5	6	7	8	9	10	Hollow free casters ø 65 mm Moebius by Starck®, black colour and chromed support	+ 26
-	-	-	-	-	-	-	D	0	4		

Casters option - Table H 842 mm (option 2)

For UseMe with shaft with three-spoke base white painted

1	2	3	4	5	6	7	8	9	10	2 swivel castors and 1 castor with brake, black, ø 60 mm	+ 17
-	-	-	-	-	-	-	E	0	2		

1	2	3	4	5	6	7	8	9	10	Free black "Design" casters ø 53 mm	+ 31
-	-	-	-	-	-	-	E	0	1		

1	2	3	4	5	6	7	8	9	10	Hollow free casters ø 65 mm Moebius by Starck®, white colour	+ 26
-	-	-	-	-	-	-	E	0	5		



1	2	3	4	5	6	7	8	9	10	Hollow free casters ø 65 mm Moebius by Starck®, orange colour and white support	+ 26
-	-	-	-	-	-	-	E	0	A		

1	2	3	4	5	6	7	8	9	10	Hollow free casters ø 65 mm Moebius by Starck®, acid green colour and white support	+ 26
-	-	-	-	-	-	-	E	0	B		

1	2	3	4	5	6	7	8	9	10	Hollow free casters ø 65 mm Moebius by Starck®, fuchsia colour and white support	+ 26
-	-	-	-	-	-	-	E	0	C		

UseMe

design Bertolini - Ferrarese - Scagnellato



TECHNICAL SPECIFICATIONS

- 1 Top in HPL laminate or Polaris laminate
- 2 Rigid polyurethane top shell
- 3 Support: steel shaft in aluminium
- 4 Anti-tilting feet
- 5 ABS handle
- 6 ABS ball joint
- 7 Height adjustment


Pad System option on page 115

Top option on page 115


UseMe

design Bertolini - Ferrarese - Scagnellato

HEIGHT ADJUSTMENT



PAD SYSTEM AND HORIZONTAL STACKING






In the version with Pad System, inclining the table top by 30°, a support system automatically activates allowing the use of tablets, smartphones or any other object on the surface.

The 30° inclination of the table top ensures proper ergonomic posture and minimizes reflection for a comfortable visual activity.

The UseMe table top can be reclined to three positions: 0°, 30° and 90°.

UseMe can be opened to 0° when necessary and easily folded to 90° to be stored in a limited space: 10 tables in 1.50 m.





Round table with height adjustment


Table with height adjustment

Anti-tilting feet

Round top in 411 white HPL laminate (for the other colour of the top see the available options)

Pad System option on page 115

Top option on page 115


Volume: 0,154 m³
Net weight: 10,30 kg
Gross weight: 13,00 kg
Packaging: 1X  

1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 Body and support, black colour
U S 2 B R 0 C A 0 2 P B 0 4 1 1

534

1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 Body and support, white colour
U S 1 B R 0 A B 0 2 P B 0 4 1 1

+ 9



1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 Body and support, black colour
U S 6 B R 0 C A 0 2 P B 0 4 1 1

534

1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 Body and support, white colour
U S 5 B R 0 A B 0 2 P B 0 4 1 1

+ 9

Rectangular table with height adjustment

Table with height adjustment

Anti-tilting feet

Rectangular top in 411 white HPL laminate (for the other colour of the top see the available options)

Pad System option on page 115

Top option on page 115

Volume: 0,154 m³
Net weight: 10,30 kg
Gross weight: 13,00 kg
Packaging: 1X  

design Bertolini - Ferrarese - Scagnellato

Pad System option

1	2	3	4	5	6	7	8	9	10	Pad System	+ 33
-	-	-	-	-	2	-	-	-	-		


Top option

11	12	13	14	15	16	Top in 1611 maple-wood look HPL laminate	+ 0
P	B	0	6	1	1		

11	12	13	14	15	16	Top in black Polaris laminate anti-fingerprint, scratch resistant, heat resistant, shock resistant	+ 43
P	F	0	0	0	2		

Tab

design Bertolini - Ferrarese - Scagnellato




TECHNICAL SPECIFICATIONS

- 1 Round top \varnothing 600 mm, 10 mm thick
- 2 Aluminium tripod to support the top
- 3 Steel shaft
- 4 4-star die-cast aluminium base \varnothing 600 mm

Tab

design Bertolini - Ferrarese - Scagnellato



Coffee table


Coffee table H 365 mm

Volume:	0,128 m ³
Net weight:	5,25 kg
Gross weight:	7,95 kg
Packaging:	1X  

1 2 3 4 5 6 7 8 9 10 T A B O 1 0 1 1 E 0	White painted base, top in laminate with "Noce Savoia" wood finish	404
1 2 3 4 5 6 7 8 9 10 T A B O 1 0 1 1 8 0	White painted base, top in FENIX NTM®, white colour	+ 86
1 2 3 4 5 6 7 8 9 10 T A B O 1 0 1 1 7 0	White painted base, top in FENIX NTM®, black colour	+ 27
1 2 3 4 5 6 7 8 9 10 T A B O 1 0 2 1 - 0	Black painted base	+ 0

Tab

design Bertolini - Ferrarese - Scagnellato



Coffee table

Coffee table H 740 mm

Volume: 0,128 m³
Net weight: 6,15 kg
Gross weight: 8,85 kg
Packaging: 1X  

1 2 3 4 5 6 7 8 9 10	White painted base, top in laminate with	418
T A B 0 2 0 1 1 E 0	"Noce Savoia" wood finish	


1 2 3 4 5 6 7 8 9 10	White painted base, top in FENIX NTM®,	+ 86
T A B 0 2 0 1 1 8 0	white colour	

1 2 3 4 5 6 7 8 9 10	White painted base, top in FENIX NTM®,	+ 27
T A B 0 2 0 1 1 7 0	black colour	

1 2 3 4 5 6 7 8 9 10	Black painted base	+ 0
T A B 0 2 0 2 1 - 0		

Tab

design Bertolini - Ferrarese - Scagnellato



Coffee table


Coffee table H 1056 mm

Volume: 0,128 m³
Net weight: 6,85 kg
Gross weight: 9,55 kg
Packaging: 1X  

1 2 3 4 5 6 7 8 9 10	White painted base, top in laminate with "Noce Savoia" wood finish	449
T A B 0 3 0 1 1 E 0		
<hr/>		
1 2 3 4 5 6 7 8 9 10	White painted base, top in FENIX NTM®, white colour	+ 86
T A B 0 3 0 1 1 8 0		
<hr/>		
1 2 3 4 5 6 7 8 9 10	White painted base, top in FENIX NTM®, black colour	+ 27
T A B 0 3 0 1 1 7 0		
<hr/>		
1 2 3 4 5 6 7 8 9 10	Black painted base	+ 0
T A B 0 3 0 2 1 - 0		


Tov

design Dorigo



TECHNICAL SPECIFICATIONS

- 1** Round top 10 mmm thick
- 4** Metal base



Coffee table

Coffee table H 492 mm
Round top ø 600 mm


Volume: 0,220 m³
Net weight: 16,00 kg
Gross weight: 20,00 kg
Packaging: 1X 

1 2 3 4 5 6 7 8 9 10	White painted base, top in laminate with	
T O V O 1 0 1 1 D 0	"Noce Savoia" wood finish	468

1 2 3 4 5 6 7 8 9 10	White painted base, top in FENIX NTM®,	
T O V O 1 0 1 1 6 0	white colour	+ 86

1 2 3 4 5 6 7 8 9 10	White painted base, top in FENIX NTM®,	
T O V O 1 0 1 1 5 0	black colour	+ 27

1 2 3 4 5 6 7 8 9 10	Black painted base	
T O V O 1 0 2 1 - 0		+ 0



Coffee table

Coffee table H 342 mm
Round top ø 790 mm

Volume: 0,270 m³
Net weight: 22,00 kg
Gross weight: 27,00 kg
Packaging: 1X 

1 2 3 4 5 6 7 8 9 10	White painted base, top in laminate with	611
T O V O 2 0 1 3 D 0	"Noce Savoia" wood finish	


1 2 3 4 5 6 7 8 9 10	White painted base, top in FENIX NTM®,	+ 96
T O V O 2 0 1 3 6 0	white colour	

1 2 3 4 5 6 7 8 9 10	White painted base, top in FENIX NTM®,	+ 38
T O V O 2 0 1 3 5 0	black colour	

1 2 3 4 5 6 7 8 9 10	Black painted base	+ 0
T O V O 2 0 2 3 - 0		

Fil


design Dorigo



TECHNICAL SPECIFICATIONS

- 1** Round top 10 mmm thick
- 4** Base in metal rod

Coffee table H 497 mm
Round top ø 600 mm



Volume: 0,240 m³
Net weight: 7,90 kg
Gross weight: 10,40 kg
Packaging: 1X

1 2 3 4 5 6 7 8 9 10	White painted base, top in laminate with ash wood finish	372
T F I O 1 0 2 0 C 0		


1 2 3 4 5 6 7 8 9 10	White painted base, top in laminate with "Noce Savoia" wood finish	+ 37
T F I O 1 0 2 0 D 0		

1 2 3 4 5 6 7 8 9 10	White painted base, top in FENIX NTM®, white colour	+ 123
T F I O 1 0 2 0 6 0		

1 2 3 4 5 6 7 8 9 10	White painted base, top in FENIX NTM®, black colour	+ 64
T F I O 1 0 2 0 5 0		

1 2 3 4 5 6 7 8 9 10	Black painted base	+ 0
T F I O 1 0 3 0 - 0		

1 2 3 4 5 6 7 8 9 10	Chromed base	+ 29
T F I O 1 0 1 0 - 0		



Coffee table

Coffee table H 342 mm
Round top ø 790 mm

Volume: 0,240 m³
Net weight: 7,90 kg
Gross weight: 10,40 kg
Packaging: 1X 

1 2 3 4 5 6 7 8 9 10	White painted base, top in laminate with ash wood finish	537
T F I O 2 0 2 0 C 0		

1 2 3 4 5 6 7 8 9 10	White painted base, top in laminate with "Noce Savoia" wood finish	+ 48
T F I O 2 0 2 0 D 0		

1 2 3 4 5 6 7 8 9 10	White painted base, top in FENIX NTM®, white colour	+ 144
T F I O 2 0 2 0 6 0		

1 2 3 4 5 6 7 8 9 10	White painted base, top in FENIX NTM®, black colour	+ 85
T F I O 2 0 2 0 5 0		

	Black painted base	+ 0
--	--------------------	-----

1 2 3 4 5 6 7 8 9 10	Chromed base	+ 29
T F I O 2 0 1 0 - 0		

General sale and warranty conditions

These General Terms and Conditions of Supply of Sitland S.p.A (“GTCS” and “Sitland”), govern the supply of any product or line/s of product/s ordered by the client (the “Products” and the “Client”)) and supersede any prior different oral or written agreement between the parties. All offers, supplies and agreements executed between Sitland and the Client are based exclusively on these GTCS.

Sitland explicitly contradicts any other Terms and Conditions of Business and/or Purchase of the purchaser. Sitland is not committed to them, even if Sitland did not contradict them at the time the contract is concluded.

1. Orders

1.1 Orders are submitted by Client only in writing and are to be considered as an irrevocable proposal. The Orders received must be always approved by Sitland in writing. The minimum order value is set at Euro 300.00. Sitland at its sole discretion may accept or refuse, within 7 (seven) working days, any Order placed by the Client and duly received by Sitland, provided, however, no Order shall be unreasonably rejected; Sitland reserves the right to refuse orders of the Customer if the information about its solvency are insufficient. Orders placed by the Client shall for each Product indicate the complete code number, the relevant description, quantity, price, requested delivery date, method of transport and name of the shipping agent or carrier in case transport will be arranged by the Client. Official holidays or non-business days occurring during the period of acceptance are not included in calculating the period. Orders may be sent either by e-mail: order@sitland.com or by fax: +39 0444 63 84 07.

1.2 Any Client's request to modify terms and/or delivery time in an Order must be transmitted in writing within 48 hours from the receipt of the Order Confirmation. Communications after this period of time will not be considered, unless otherwise agreed in writing between the Client and Sitland.

After this period any further request of modification of the Order by the Client will be reasonably evaluated by Sitland which shall be bound only after the issue of a new written confirmation containing the agreed modifications and related price adjustment, if any. In any case, urgent Orders and/or Orders with special delivery conditions will not be subject to any modification and/or dispute.

2. Prices

2.1 Prices for Orders are expressed in Euro, VAT excluded, and will be those stated in Sitland's price list in force on the date of the Order, unless otherwise agreed in writing by Sitland and the Client. Sitland reserves the right to modify the prices at any time and without prior notice. The Price's variation will not apply to the Orders already confirmed by Sitland at the date of prices change.

2.2 In case of supply of special products or in case the fabric / leather or any other material is supplied by the Client, it is necessary to contact Sitland for the confirmation of the reference codes, of the prices and the delivery date which will be valid for this sole supply. To such extent the Client will contact Sitland's Customer Service and send an e-mail at service@sitland.com

3. Deliveries

3.1 Products' deliveries shall be effected pursuant to the delivery terms indicated in the Order's Confirmation. Delivery shall be effected EX WORKS (INCOTERMS 2010) Sitland's premises in Nanto and/or Campiglia dei Berici (Vicenza, Italy). In any case the delivery terms are not to be considered as of the essence.

3.2 Any request of changing the delivery dates due to Client's request shall be reasonably considered by Sitland but it will not engage Sitland in fulfilling such request.

3.3 In case the Client defers the delivery of the goods once they are ready and stored at Sitland, Sitland reserves the right to invoice the available goods after three (3) working days from their warehousing and the relevant payment's terms will run. Sitland may debit the storage costs and anything else will be necessary to do in relation to the goods in storage.

3.4 The delivery date in the Order's Confirmation must be understood as indicative, the delivery date will be communicate in writing with a Delivery Confirmation sent by email or by telefax. In case of any delay in deliveries Sitland shall notify as soon as possible the Client in writing of any reasonable cause occurring subsequent to the transmission of the Order's Confirmation which may prevent Sitland from meeting the relevant delivery date and

providing, at that time, an explanation of the cause of delay and an estimate of the new delivery date. A reasonable delay in the delivery of Products shall not cause termination of the sale agreement, provided that Sitland has furnished the Client an explanation of the reasonable cause for the delay and an estimate of the new delivery date.

3.5 The Products must be promptly taken over by Client at the port of destination in case of CIF or CFR Incoterms 2010. Should the Products ordered and regularly delivered to the shipping agent not be collected within 15 (fifteen) days from arrival at the port of destination, the Client will immediately pay Sitland, if not previously paid, the sum invoiced for such Products plus an amount equal to 20% (twenty percent) of the invoiced price as a preliquidated amount of damages according to art. 1382 of the Italian civil code covering Sitland's loss of profits and costs, such amount representing a reasonable and good faith estimate of the damages. Sitland's rights under this clause shall be in addition to any other rights and/or remedies that Sitland may have under the applicable law. It is understood that this clause shall not apply in case of force majeure.

3.6 In case the Client requests Sitland to arrange the delivery, Sitland reserves the right to select the carrier and the terms are for goods “unloaded” unless otherwise specified on the Order Confirmation.

3.7 It is in the Client's interest to verify the good status of the packaging and the correct number of the packages at the moment the Products are downloaded, and to give prompt notification in writing to the carrier in the shipping documents about its claim, with PRECISE indications of the damage and NOT with generic reserves which will be deemed null and void. The Client must send a written communication (within maximum 6 working days) to Sitland and the carrier of any claim caused by the carrier and relative damage with the precise indications reported on the delivery documents and NOT with generic reserves which will be null and void.

4. Passing of Risk

4.1 The risk passes to the Client pursuant to the Incoterms© 2010 shown in the Order's Confirmation. As a general rule, in case of carriage of Products, the risk passes to Client when the Products are handed over to the first carrier for transmission to the Client. By partial derogation from Incoterms© 2010, this also applies to CFR or CIF cases when the transport cost is charged on the invoice.

4.2 In case the Client fails to take over the Products in due time the risk passes from the time the Products are placed at his disposal and the Client commits the breach

of contract by failing to take the delivery. In case the Client is bound to take over the Products at a place other than the Sitland's premises, the risk passes when delivery is due and the Client is aware of the fact that the Products are placed at his disposal.

5. Payments

5.1 Unless otherwise agreed in writing by Sitland and the Client, the Client shall pay for the Products according to the means of payment set forth in the Order's Confirmation. In case of payment by irrevocable letter of credit such letter of credit will always be confirmed by a high standing Italian bank and shall be notified to Sitland immediately after the Proforma Invoice; the Order's Confirmation will be issued only when the proper and correct Letter of Credit will be notified to Sitland. Any delay in delivering the irrevocable letter of credit may cause an admissible delay in delivering the Products.

5.2 Should the Client not comply with the payment requirements set forth in the Order's confirmation for any reason whatsoever, Sitland shall be entitled: i) to add in its invoice to the Client a late payment charge computed at a rate equal to BCE interest rate, as reported in the Gazzetta Ufficiale of the Italian Government published in the fifth working day of each semester, plus eight (8) points, on the amount of such late payment to be billed on a pro-rata monthly basis.

5.3 In case of delay in payments lasting more than 30 days after the term set forth in the Order's Confirmation and/or relative invoice, Sitland will have the faculty to reject any pending Order and the right to pick up the delivered, partially or totally unpaid goods, without any notification. Any amount already paid by Client will be considered as a consideration for the damages caused for such breach.

6. Retention of Title

6.1 The Products shall remain in property of Sitland until paid for in full to the extent that such retention of title is valid under the relevant applicable law.

6.2 The Client shall at the request of Sitland assist it in taking any measures necessary to protect Sitland's title to the Products. The retention of title shall not affect the passing of risk under Clause 4.

6.3 This clause is expressly construed and governed pursuant to English Law.

7. Packaging

7.1 Products are properly packed according to the transport conditions to guarantee the appropriate protection of the goods in transit. Some models are packed fully assembled and some others are partially assembled.

7.2 The Client is required to provide for the packaging's disposal at his own cost. In case of request of special packaging, Sitland reserves the right to apply additional costs arising from the Client's request.

Any special packaging has to be required at the moment of the Order.

8. Continuous Improvements – Changing

Considering the constant improvements and the technical evolution of the Products, Sitland reserves the rights to make any modification to the Products and to the manufacturing processes without prior notice. Sitland informs that the dimensions shown in the Products' catalogues, in Sitland's price list, or in Sitland's web site www.sitland.com, or in any other advertising material can be slightly different from the real ones. The pictures are purely indicative and they don't engage contractually Sitland. As far as the finishing and upholstery materials are concerned, the Client shall refer to what is stated on Sitland's fabrics, mesh and leather charts.

9. Warranty

9.1 Without prejudice to the provisions contained in point 9.2, SITLAND recognizes the warranty on its products for a period of validity of five (5) years from the date of delivery of the products to the Customer pursuant to clause 3 above. Any extension of the validity period will be agreed between the parties.

9.2 Sitland does not grant any kind of warranty and the above warranties do not apply with reference to the following cases:

- defects due to natural wear and tear of the materials (e.g. fabrics, castors, table tops,...), to their natural aging and any other defects related to the use of the materials and the Products and/or to any cleaning and maintenance interventions on them as well as defects caused by scratches, coloring due to the user's clothes, (ex. blue denim), or metal studs;
- imperfections, modifications and normal tolerances of natural materials and fibers due to the properties of the material as for example in the case of leather and wood;
- defects due to abnormal and / or excessive use of products (use exceeding 8 hours a day for 220 days a year);
- defects due to any special production operation requested by the Customer including defects due to any material supplied by the Customer or by third parties and processed by SITLAND at the request of the Customer;
- defects caused by interventions made outside Sitland's premises;
- defects due to incorrect and faulty assembly of any part, material or Product supplied by Sitland;
- defects due to humidity where acid or salt are present in the atmosphere;
- products whose price has not been fully paid.

9.3 Sitland will not be responsible for, nor the above warranties will cover any further collateral request, claim or demand of the Client, not strictly inherent to the defects covered by Sitland's warranties as above stated, except from what expressly provided for by the applicable law, as the case may be.

9.4 The costs for the replacement of the defective Products, parts or materials are covered as follows:

a) during the first twelve (12) months of validity of the warranties set forth in clause 9.1, Sitland will cover only the costs regarding the replacement of any possible defective parts of the Products. Any other cost regarding the transportation for the delivery of any relevant material shall remain at Client's charge save for the Clients located in Italy, France and Germany. As to the logistics' costs regarding the spare parts and any intervention for their substitution at the Client's customer premises, they will remain at the Client's charge.

b) after the first twelve (12) months of validity of the warranties set forth in clause 9.1 Sitland will cover the costs for any defective material, while any other logistics' costs for spare parts and their substitution will remain at Client's charge.

10. Claims' procedure

10.1 Possible manufacturing defects on Products must be reported by the Client:

a) in writing to Sitland (sending an email addressed to service@sitland.com), with the detailed description of the defects and with digital pictures illustrating the problem and showing the Product code fixed on the Product's label or reported in the commercial invoice;

b) within six (6) working days from the moment in which Products are delivered at Client's premises or, in case of hidden defects, from the moment of their discovery.

10.2 The ascertainment of a possible defect of production or of the materials may be validated only by Sitland's Quality team, through surveys on the defective parts duly forwarded to Sitland or, at Sitland's discretion, on base of the pictures and documents sent by the Client and showing the relevant problem.

10.3 Reparations can be effected: i) by sending back to Sitland the single part/parts to be replaced, if the defect is simple and well-defined; ii) by sending back to Sitland the defective Product, which must be protected by proper packaging, through an agreed express carrier.

Returning goods will not be accepted unless previously authorized by Sitland in writing.

Maintenance and cleaning of upholstery materials : see materials technical sheet at www.sitland.com or require it at service@sitland.com.

Maintenance and cleaning of the product: see technical sheet at www.sitland.com or require it at service@sitland.com.

10.4 If after checking Sitland finds out that the defects have been caused by the Client or any customer, Sitland will charge the Client all the relative costs, including transport freight.

10.5 Replacement of faulty components will be shipped to the address of the invoice. It is under the Client responsibility to ship the replacement to final destination.

Also in case of valid claim, the Client cannot suspend or delay the payments due.

11. Sales support material Property

The drawings, the pictures and the files of the Products, and all the material supplied to the Client while making an offer and during the commercial relationship, are property of Sitland. Such material, under written request of Sitland, has to be sent back to the company and it cannot be transferred to third party, neither in copy without the written approval of Sitland.

12. Privacy – protection of third party

The Client accepts that his company's data are held in Sitland to be put into Sitland company databases; Sitland rejects to send special communications according to the Privacy Law. For all the export supplies, Sitland is not in charge for any possible violation of rights of guardianship of third party.

13. Force Majeure

Neither Party shall be responsible for delays in performance or non-performance caused by strikes, riots, acts of war, acts of God, governmental action or similar events beyond the reasonable control of either Party and none of such events shall constitute "cause" for which any Order/sale contract may be terminated, unless such event continues for more than 60 days. For the purposes of interpretation of this clause the Parties agree to refer to the "ICC Force Majeure Clause".

14. Alternative Dispute Resolution and Jurisdiction

Any dispute regarding the interpretation, execution, termination or request/liquidation of damages arising out of or connected with any Order/sale agreement executed pursuant to these GTCS (the "Dispute") may be submitted to mediation according to the Rules of Mediation and Conciliation of the Chamber of Commerce of Milan , at the sole discretion of Sitland , and in that case each Party shall endeavor to mediate the Dispute in good faith as a first step, prior to taking any other action. Failing to reach the mediation for the resolution of the Dispute or in case the mediation will not be activated , the parties shall submit the Dispute to the exclusive jurisdiction of the Court of Trento – Italy.

15. Applicable Law

Without prejudice to what set forth in clause 6 hereabove (Retention of Title), these GTCS are subject to and enforced in accordance with the laws of Italy and Incoterms© 2010. The United Nations Convention on Contracts for the International Sale of Goods (Wien Convention 1980) shall apply if it is not in contradiction with the terms of these GTCS which shall prevail in case of any conflict.

These General Terms and Conditions of Sale have been duly examined by the Client who expressly accepts them in full without any objections or reserves.

Sale general conditions for customized products with upholsteries out of our proposed range, or Customer's Own Material COM

Sitland. reserves the right to accept orders that foresee the realization of its products with upholstery textiles which are not included in the standard collections of Sitland, or which may be provided by the customer.

Prices for such special requests refer to upholstery category n. 4.

Please, contact Sitland's customer service (service@sitland.com) for information on minimum quantities or any further enquire.

Before accepting an order which provides the use of customer's material, Sitland S.p.A. requires a sample of fabric to be submitted DDP (Delivered Duty Paid), together with the duly completed materials chart, see the following form, for a pre-feasibility study. The sample must have a size of at least 300 mm x 300 mm; if the fabric features a decorative pattern, the customer is required to contact Sitland S.p.A. customer service to ask for the exact size of the sample to be sent.

After a preliminary evaluation, Sitland S.p.A. could ask the customer to supply a different quantity of material from that indicated in this price list. This might lengthen the delivery times. The client is requested to send the material only after Sitland's acceptance of the order. If the covering material is sent by any delivery method other than DDP (Delivered Duty Paid), Sitland S.p.A. reserves the right to reject the material or charge the additional cost to the customer.

The customer's own fabric must always be sent along with the related invoice in order to complete the administration procedures or the custom's exporting procedures in case the product is then exported. The initial quote made by Sitland for products produced in customer's own material is valid exclusively for the quantities set out in it; for quantities less than those set out, Sitland reserves the right to increase the price to the customer.

In Sitland pricelists, the COM (Customer's Own Material) prices are for a minimum quantity of 6 pieces per model / colour. For quantities of less than 6 pieces per model / colour or if the material supplied does not conform to the characteristics of Sitland products, thus causing production over-costs, a specific quotation must be requested from the customer service Sitland S.p.A. (service@sitland.com).

According to Sitland General Sale and Warranty conditions, the products produced with customer's own material are excluded from the Sitland standard warranty; even if COM is accepted, Sitland S.p.A. will not be responsible for the appearance, durability, brightness of colours or any other type of quality problem encountered with the material supplied by the customer and produced by Sitland. The responsibility of Sitland S.p.A. is limited to those defects referable to the manufacturing with the special material and the warranty will not be extended to the technical performance and/ or aesthetic results obtained with non standard materials.

Sitland doesn't accept COM orders with fabric already listed in the Sitland S.p.A. standard upholstery collection at the moment of the order.

CUSTOMER MATERIALS FORM

Customer:

Date:

Order reference:

Customer reference:

Name of fabric's manufacturer	Name of collection	Material composition	Fabric width
Note:			



Company certifications:

UNI EN ISO 9001:2015

UNI EN ISO 14001:2015

Sitland spa

via Cà Silvestre 52
36024 Nanto, Vicenza - I
t +39 0444 637 100
f +39 0444 638 407
info@sitland.com

www.sitland.com

follow us on



