



Induction Cookers

GD Midea Consumer Electric MFG. Co., LTD
#19 Sanle Road, Shunde, Foshan, Guangdong, PRC

www.midea.com

A black and white photograph of industrial machinery, likely a robotic assembly line, serves as the background. The machinery features various metal components, pipes, and mechanical arms. A semi-transparent blue rectangle is overlaid on the right side of the image, containing the table of contents.

CONTENTS

+ Story About Midea

03

+ Cooking Appliance

Induction Cookers

10



ABOUT MIDEA⁺

Established in 1968, Midea (SZ:000333) is a publicly listed and since July 2016 Fortune 500 company that offers one of the most comprehensive ranges in the home appliance industry.

Our Midea headquarter is based in Southern China, and we currently operate with over 100,000 employees, 21 production facilities worldwide in more than 200 countries. Almost 50 years of persistent growth has brought Midea's global revenue to \$22.17 billion USD in 2015.

- **Midea Mission**
Create a beautiful life for human beings
- **Midea Spirit**
Open Harmonious Practical Innovative
- **Midea Core Value**
Care for people Rational pursuit Innovative
reform Authorized operation Cooperating &
sharing



MIDEA SMALL DOMESTIC APPLIANCES DIVISION (SDA)

Midea Small Domestic Appliances Division(SDA), founded in 2002, is one of the core divisions of Midea Group.

We have advantages in the manufacturing of small domestic appliances. Some categories rank No.1 of the 2016 exporting data(China), such as rice cookers, electric pressure cookers, induction cookers.

We set out to make the best Small domestic appliances in the world

Over 300 new products are launched into the global market annually in average.

The main products of SDA include Rice Cooker, Induction Cooker,Electrical Pressure Cooker, Electric Kettle, Coffee maker, Slow Cooker, Bread maker, Food Preparation Appliances, etc.



OUR PRODUCT COVERAGE

Midea has a full range of small domestic appliances, covering kettles, food preparation appliances and cooking appliances.

Cooking appliance



Rice cooker/
Multi-cooker



Pressure cooker



Induction cooker



Kettle



Thermal Pot



Bread maker



Slow cooker



Air Fry



Soybean milk maker/
NutRiceGrain extractor

Food preparation appliance



Food processor



Juicer



Countertop mixer



Meat mincer



Countertop
blender



Hand Blender



Hand Mixer

Our quality



OUR MARKET POSITION



We are leading the industry of small cooking appliance, providing a surprisingly friendly cooking experiences for you.



World's No.1 Small Cooking Appliances Brand
Source Euromonitor International Limited;Consumer Appliances
17ed,per Small Cooking Appliances category definition,retail
volume sales in units,2016 data.



World's No.1 Rice Cooking Brand
Source Euromonitor International Limited;Consumer Appliances
17ed,retail volume sales in units,2016 data.



World's No.1 Kettles Brand
Source Euromonitor International Limited;Consumer Appliances
17ed,retail volume sales in units,2016 data.



Asia Pacific's No.1 Consumer Appliances Brand
Source Euromonitor International Limited;Consumer Appliances
17ed,retail volume sales in units,2016 data.

The application of claims is subject to the local laws and regulations in the country.

Rice Cooker	Induction Cooker	Electric Pressure Cooker	Electric Kettle	Motor Driven	Slow Cooker	Bread Maker
No.1	No.1	No.1	Leader	Leader	Leader	Leader

Source: China exporting data, 2016

OUR AWARD

Every year 40+ design awards at different global design shows are won, like reddot, iF, Good Design Award, etc.

2014
|
2015



pressure cooker
(HT5073H)



Intelligent cooking



Rice cooker
(MB-FZ4086)

2016



Mini series





Rice cooker
(MY-HT5096H IH)



Rice cooker
(MB-FZ4001 IH)



Rice cooker
(FZ2001)



Halo series



Rice cooker
(MB-WFZ4000XM)

2016



Rice cooker authentic
firewood rice
series packaging



Rice cooker
(FS4005)

2017



kettle



Soup maker



Mixer



Dual-use
Stew Cooker



MINI Breakfast
Maker



Rice cooker
(MB-FS4005)



Rice cooker
(PFZ-3503)



Health pot
(MK-GE150)

Midea Induction Cooker

Tech of Induction Cooker

Midea's Induction cooker solution extends the method of cooking and pioneers a new route to improve human life

- Big Coil


188mm coil bring 56% bigger heating zone.

- Even Coil

12 piece of high quality magnet.The magnetic field near by the cookware.

- Heating Duration

The coil made by 3X99 wires.Cooking long time work in high power.



4D Waterproofs

- Waterproof design in 4ways

1. Transverse air outlet
2. Double-staggered outlet
3. PCB water channel
4. Component waterproof wall




Special ic

Spafety
Auto shut off when the electrical surge/overheating/voltage out of the way



2 Ways Control Power

Touch
Slider touch
It is easily control the power.



2 Display Windows

Time and power display
by 2LED



2 IC for Control

Display and control by 2
IC Control easy.



4D Heat Dissipation

Hidden fan/Heat insulation mica
plate/wind channel/Layout PCB



Induction Cooker

QHW2007

Features

- + 40mm Slim design
- + Slider touch control
- + 10 hours timer
- + 10-stage power setting
- + Symmetrical induction coil
- + Keep warm, simmer, boil, fry, deeply, boost
- + Pause function
- + Colorful glass optional

Specifications

- + Voltage (V) : 220-240
- + Power (W): 2000
- + Certifications: CE/GS/CB/EMC

Dimensions

- + Product Size (mm): 410X300X45
- + Gift box size (mm): 500x370x110
- + Outer Carton Size (mm): 517x390x240
- + N.W/GW (KG): 3/3.2
- + FCL (20'/40'/40 HQ): 1188/2484/3036



Induction Cooker

RTS2057

Features

- + touch control
- + 45mm slim design
- + 8 cooking programs
- + 8-stage power setting
- + 1min-3hours timer
- + Child lock
- + High temperature protection
- + LED display

Specifications

- + Voltage (V) : 220-240
- + Power (W): 2000
- + Certifications: CCC

Dimensions

- + Product Size (mm): 360x290x45
- + Gift box size (mm): 360x111x452
- + Outer Carton Size (mm): 464/375/472
- + N.W/GW (KG): 2.26/2.73
- + FCL (20'/40'/40 HQ): 1366/2743/3040



QHW2001

Features


- + 40mm Slim design
- + Slider touch control
- + 3 hours timer
- + 10-stage power setting
- + Symmetrical induction coil
- + Keep warm, simmer, boil, fry, deeply, boost
- + Pause function
- + Child lock
- + Colorful glass optional

Specifications

- + Voltage (V) : 220-240
- + Power (W): 2000
- + Certifications: CE/GS/CB/EMC

Dimensions

- + Product Size (mm): 380x396x40
- + Gift box size (mm): 418x376x486
- + Outer Carton Size (mm): 386x470x465
- + N.W/GW (KG): 2.5/2.9
- + FCL (20'/40'/40 HQ): 1464/3096/3420



MC-RTS2155

Features

- + 40mm Slim design
- + Touch control
- + 3 hours timer
- + 8-stage power setting
- + Soup, steam, boil, simmer, boost, hot-pot, fry, stirfry
- + Pause function
- + Child lock
- + Colorful glass optional

Specifications

- + Voltage (V) : 220-240
- + Power (W): 2100
- + Certifications: CB

Dimensions

- + Product Size (mm): 290x360x45
- + Gift box size (mm): 378x223x438
- + Outer Carton Size (mm): 776x461x458
- + N.W/GW (KG): 2.8/3.2
- + FCL (20'/40'/40 HQ): 660/1400/1700



Induction Cooker

RTS2160

Features


- + Feather touch control
- + 45mm slim design
- + 6 cooking programs
- + 8-stage power setting
- + 1min-3hours timer
- + Pause
- + High temperature protection

Specifications

- + Voltage (V) : 220-240
- + Power (W): 2100
- + Certifications: CB/ROHS

Dimensions

- + Product Size (mm): 350x280x45
- + Gift box size (mm): 380x253x417
- + Outer Carton Size (mm): 783x524x437
- + N.W/GW (KG): 2.4/4.8
- + FCL (20'/40'/40 HQ): 625/1256/1432



RH2133

Features

- + touch control
- + 8-stage power setting
- + Special Hot pot function
- + High temperature protection
- + 2 hours timer
- + keep warm
- + LED display

Specifications

- + Voltage (V) : 220
- + Power (W): 2100
- + Certifications: CCC

Dimensions

- + Product Size (mm): 360x280x60
- + Gift box size (mm): 358x288x457
- + Outer Carton Size (mm): 736x591x477
- + N.W/GW (KG): 2.4/5.75
- + FCL (20'/40'/40 HQ): 540/1085/1232



Induction Cooker

MC-RTW2005

Features

- + Slider touch control
- + 3 hours timer
- + 10-stage power setting
- + Keep warm, simmer, boil, fry, boost
- + Child lock
- + Colorful glass optional

Specifications

- + Voltage (V) : 220-240
- + Power (W): 2000
- + Certifications: CE/GS/CB/EMC

Dimensions

- + Product Size (mm): 380x296x60
- + Gift box size (mm): 365x128x455
- + Outer Carton Size (mm): 530x378x480
- + N.W/GW (KG): 2.8/3.2
- + FCL (20'/40'/40 HQ): 1248/2496/2980



MC-RTW2006

Features

- + Slider touch control
- + 3 hours timer
- + 10-stage power setting
- + Keep warm, simmer, boil, fry, boost
- + Child lock
- + Colorful glass optional

Specifications

- + Voltage (V) : 220-240
- + Power (W): 2000
- + Certifications: CE/GS/CB/EMC

Dimensions

- + Product Size (mm): 380x296x60
- + Gift box size (mm): 368x141x482
- + Outer Carton Size (mm): 584x383x502
- + N.W/GW (KG): 2.5/2.9
- + FCL (20'/40'/40 HQ): 1152/2400/2800



Induction Cooker

MC-STW2019

Features

- + Touch control
- + 3 hours timer
- + 10-stage power setting
- + Keep warm

Specifications

- + Voltage (V) : 220-240
- + Power (W): 2000
- + Certifications: CE/GS/CB/EMC

Dimensions

- + Product Size (mm): 350x280x65
- + Gift box size (mm): 340x110x425
- + Outer Carton Size (mm): 460x360x445
- + N.W/GW (KG): 2.5/2.9
- + FCL (20'/40'/40 HQ): 1520/3040/3720



MC-STW2020

Features

- + Touch control
- + 3 hours timer
- + 10-stage power setting
- + Keep warm
- + Boost

Specifications

- + Voltage (V) : 220-240
- + Power (W): 2000
- + Certifications: CE/GS/CB/EMC

Dimensions

- + Product Size (mm): 350x280x65
- + Gift box size (mm): 340x110x425
- + Outer Carton Size (mm): 360x235x445
- + N.W/GW (KG): 2.5/2.9
- + FCL (20'/40'/40 HQ): 1520/3000/3500



Induction Cooker

MC-RTY1610

Features

- + Touch control
- + Digital timer
- + 8-stage power setting
- + 8 India cooking program
- + Pause
- + Child lock

Specifications

- + Voltage (V) : 220-240
- + Power (W): 1600
- + Certifications: CB

Dimensions

- + Product Size (mm): 358x280x62
- + Gift box size (mm): 335x108x407
- + Outer Carton Size (mm): 452x350x432
- + N.W/GW (KG): 2.1/2.5
- + FCL (20'/40'/40 HQ): 1740/3520/4080



MC-RTY1613

Features

- + Touch control
- + Digital timer
- + 8-stage power setting
- + 8 India cooking program
- + Pause
- + Child lock

Specifications

- + Voltage (V) : 220-240
- + Power (W): 1600
- + Certifications: CB

Dimensions

- + Product Size (mm): 358x280x62
- + Gift box size (mm): 310x105x405
- + Outer Carton Size (mm): 460x330x430
- + N.W/GW (KG): 2.1/2.5
- + FCL (20'/40'/40 HQ): 1560/3168/3484



Induction Cooker

MC-RTY1614

Features

- + Touch control
- + Digital timer
- + 8-stage power setting
- + 8 India cooking program
- + Pause
- + Child lock

Specifications

- + Voltage (V) : 220-240
- + Power (W): 1600
- + Certifications: CB

Dimensions

- + Product Size (mm): 355x270x65
- + Gift box size (mm): 310x105x405
- + Outer Carton Size (mm): 440x325x430
- + N.W/GW (KG): 2.1/2.5
- + FCL (20'/40'/40 HQ): 1750/3600/4200



MC-RTY1619

Features

- + Touch control
- + Digital timer
- + 8-stage power setting
- + 8 India cooking program
- + Pause
- + Child lock

Specifications

- + Voltage (V) : 220-240
- + Power (W): 1600
- + Certifications: CB

Dimensions

- + Product Size (mm): 290x290x65
- + Gift box size (mm): 360x120x375
- + Outer Carton Size (mm): 500x375x400
- + N.W/GW (KG): 2.1/2.5
- + FCL (20'/40'/40 HQ): 1464/3048/3600



Induction Cooker

MC-RTY2014

Features

- + Touch control
- + Digital timer
- + 8-stage power setting
- + 8 India cooking program
- + Pause
- + Child lock

Specifications

- + Voltage (V) : 220-240
- + Power (W): 2000
- + Certifications: CB

Dimensions

- + Product Size (mm): 350x280x65
- + Gift box size (mm): 329x218x412
- + Outer Carton Size (mm): 460x355x422
- + N.W/GW (KG): 2.1/2.5
- + FCL (20'/40'/40 HQ): 678x455x437



MC-SKY1606

Features

- + Membranes switch
- + 3 hours timer
- + 8-stage power setting
- + 5 cooking programs

Specifications

- + Voltage (V) : 220-240
- + Power (W): 1600
- + Certifications: CB

Dimensions

- + Product Size (mm): 355x270x65
- + Gift box size (mm): 310x105x405
- + Outer Carton Size (mm): 440x325x430
- + N.W/GW (KG): 2.1/2.5
- + FCL (20'/40'/40 HQ): 1750/3600/4200



Induction Cooker

MC-SKY1608

Features

- + Membranes switch
- + 3 hours timer
- + 8-stage power setting
- + 7 cooking programs

Specifications

- + Voltage (V) : 220-240
- + Power (W): 1600
- + Certifications: CB

Dimensions

- + Product Size (mm): 355x270x65
- + Gift box size (mm): 310x105x405
- + Outer Carton Size (mm): 440x325x430
- + N.W/GW (KG): 2.1/2.5
- + FCL (20'/40'/40 HQ): 1750/3600/4200



CB

MC-SKY1611

Features

- + Membranes switch
- + 3 hours timer
- + 8-stage power setting
- + 6 cooking programs

Specifications

- + Voltage (V) : 220-240
- + Power (W): 1600
- + Certifications: CB

Dimensions

- + Product Size (mm): 365x271x65
- + Gift box size (mm): 315x110x410
- + Outer Carton Size (mm): 460x330x430
- + N.W/GW (KG): 2.1/2.5
- + FCL (20'/40'/40 HQ): 1700/3500/4000



CB

Induction Cooker

MC-SKY1613

Features

- + Membranes switch
- + 3 hours timer
- + 8-stage power setting
- + 6 cooking programs

Specifications

- + Voltage (V) : 220-240
- + Power (W): 1600
- + Certifications: CB

Dimensions

- + Product Size (mm): 355x270x65
- + Gift box size (mm): 310x105x405
- + Outer Carton Size (mm): 440x325x430
- + N.W/GW (KG): 2.1/2.5
- + FCL (20'/40'/40 HQ): 1750/3600/4200



CB

MC-SKY1614

Features

- + Membranes switch
- + 3 hours timer
- + 8-stage power setting
- + 9 cooking programs

Specifications

- + Voltage (V) : 220-240
- + Power (W): 1600
- + Certifications: CB

Dimensions

- + Product Size (mm): 355x270x65
- + Gift box size (mm): 310x105x405
- + Outer Carton Size (mm): 440x325x430
- + N.W/GW (KG): 2.1/2.5
- + FCL (20'/40'/40 HQ): 1750/3600/4200



CB

Induction Cooker

MC-SKY1615

Features

- + Membrane switch
- + 3 hours timer
- + 8-stage power setting
- + 6 cooking programs
- + Pause

Specifications

- + Voltage (V) : 220-240
- + Power (W): 1600
- + Certifications: CB



Dimensions

- + Product Size (mm): 360x270x65
- + Gift box size (mm): 334x218x410
- + Outer Carton Size (mm): 688x453x430
- + N.W/GW (KG): 2.1/2.5
- + FCL (20'/40'/40 HQ): 820/1720/2064

MC-SKY1616

Features

- + Membrane switch
- + 3 hours timer
- + 8-stage power setting
- + 6 cooking programs
- + Pause

Specifications

- + Voltage (V) : 220-240
- + Power (W): 1600
- + Certifications: CB



Dimensions

- + Product Size (mm): 360x270x65
- + Gift box size (mm): 334x218x410
- + Outer Carton Size (mm): 688x453x430
- + N.W/GW (KG): 2.1/2.5
- + FCL (20'/40'/40 HQ): 820/1720/2064

Induction Cooker

SKY1910

Features

- + 8-stage power control
- + 8-stage temperature control
- + 8 cooking programs

Specifications

- + Voltage (V) : 220-240
- + Power (W): 1900
- + Certifications: /



Dimensions

- + Product Size (mm): 360*280*65
- + Gift box size (mm): 315*110*410
- + Outer Carton Size (mm): 460*330*430
- + N.W/GW (KG): 2.1/2.7
- + FCL (20'/40'/40 HQ): 1700/3500/4000

MC-SKY2106

Features

- + Membranes switch
- + 3 hours timer
- + 8-stage power setting
- + 5 cooking program

Specifications

- + Voltage (V) : 220-240
- + Power (W): 2100
- + Certifications: CB



Dimensions

- + Product Size (mm): 331x282x65
- + Gift box size (mm): 335x110x397
- + Outer Carton Size (mm): 460x355x422
- + N.W/GW (KG): 2.1/2.5
- + FCL (20'/40'/40 HQ): 1560/3168/3484

Induction Cooker


MC-SKY2110

Features

- + Membranes switch
- + 3 hours timer
- + 8-stage power setting
- + 8 cooking program

Specifications

- + Voltage (V) : 220-240
- + Power (W): 2100
- + Certifications: CB



Dimensions

- + Product Size (mm): 360x272x65
- + Gift box size (mm): 334x218x410
- + Outer Carton Size (mm): 688x453x430
- + N.W/GW (KG): 2.1/2.5
- + FCL (20'/40'/40 HQ): 820/1720/2064

MC-SKY2113

Features

- + Membranes switch
- + 3 hours timer
- + 8-stage power setting
- + 6 cooking programs: measuring cup and spoon

Specifications

- + Voltage (V) : 220-240
- + Power (W): 2100
- + Certifications: CB



Dimensions

- + Product Size (mm): 355x269x65
- + Gift box size (mm): 348x238x492
- + Outer Carton Size (mm): 716x491x512
- + N.W/GW (KG): 2.1/2.5
- + FCL (20'/40'/40 HQ): 1248/2496/2980

Induction Cooker

MC-SKY2114

Features

- + Membranes switch
- + 3 hours timer
- + 8-stage power setting
- + 5 cooking program

Specifications

- + Voltage (V) : 220-240
- + Power (W): 2100
- + Certifications: CB



Dimensions

- + Product Size (mm): 355x269x65
- + Gift box size (mm): 348x238x492
- + Outer Carton Size (mm): 716x491x512
- + N.W/GW (KG): 2.1/2.5
- + FCL (20'/40'/40 HQ): 1248/2496/2980

MC-RTY2010C

Features

- + touch control
- + 8-stage power control
- + 8 cooking programs
- + LED display
- + pause
- + timer
- + high temperature protection

Specifications

- + Voltage (V) : 220-240
- + Power (W): 2000
- + Certifications: CB/ROHS



Dimensions

- + Product Size (mm): 350x280x65
- + Gift box size (mm): 329x218x412
- + Outer Carton Size (mm): 678x455x437
- + N.W/GW (KG): 2.27/3.81
- + FCL (20'/40'/40 HQ): 856/1724/1972

Induction Cooker

MC-RTY2011C

Features

- + touch control
- + 8-stage power control
- + 5 cooking programs
- + LED display
- + keep warm
- + pause
- + timer
- + high temperature protection

Specifications

- + Voltage (V) : 220-240
- + Power (W): 2000
- + Certifications: CB/ROHS

Dimensions

- + Product Size (mm): 350*280*65
- + Gift box size (mm): 329*218*412
- + Outer Carton Size (mm): 678*455*437
- + N.W/GW (KG): 2.27/3.81
- + FCL (20'/40'/40 HQ): 856/1724/1972



MC-RTY2012C

Features

- + touch control
- + 8-stage power control
- + 6 cooking programs
- + LED display
- + pause
- + timer
- + pre-set
- + child lock
- + high temperature protection

Specifications

- + Voltage (V) : 220-240
- + Power (W): 2000
- + Certifications: CB/ROHS

Dimensions

- + Product Size (mm): 350x280x65
- + Gift box size (mm): 329x218x412
- + Outer Carton Size (mm): 678x455x437
- + N.W/GW (KG): 2.27/3.81
- + FCL (20'/40'/40 HQ): 856/1724/1972



Induction Cooker

MC-RTY2013C

Features

- + touch control
- + 8-stage power control
- + 7 cooking programs
- + LED display
- + pause
- + timer
- + keep warm
- + high temperature protection

Specifications

- + Voltage (V) : 220-240
- + Power (W): 2000
- + Certifications: CB/ROHS

Dimensions

- + Product Size (mm): 350x280x65
- + Gift box size (mm): 329x218x412
- + Outer Carton Size (mm): 678x455x437
- + N.W/GW (KG): 2.27/3.81
- + FCL (20'/40'/40 HQ): 856/1724/1972



MC-RTY2014C

Features

- + touch control
- + 8-stage power control
- + 7 cooking programs
- + LED display
- + pause
- + timer
- + high temperature protection

Specifications

- + Voltage (V) : 220-240
- + Power (W): 2000
- + Certifications: CB/ROHS

Dimensions

- + Product Size (mm): 350x280x62
- + Gift box size (mm): 329x218x412
- + Outer Carton Size (mm): 678x455x437
- + N.W/GW (KG): 2.27/3.81
- + FCL (20'/40'/40 HQ): 856/1724/1972



Induction Cooker

HB1303

Features

- + touch control
- + automatic cooking with multifunction
- + strong and efficient heat power
- + variable power selection, easy to control
- + non-fire cooking, safe and clean

Specifications

- + Voltage (V) : 110
- + Power (W): 1300
- + Certifications: /



Dimensions

- + Product Size (mm): 360x290x62
- + Gift box size (mm): 343x88x400
- + Outer Carton Size (mm): 548x358x420
- + N.W/GW (KG): 2.7/3.1
- + FCL (20'/40'/40 HQ): 1980/4080/4680

VIC10

Features

- + 10-stage power setting
- + 8 cooking programs
- + 1min-4hours timer
- + High temperature protection
- + LED display

Specifications

- + Voltage (V) : 220-240
- + Power (W): 2000
- + Certifications: /



Dimensions

- + Product Size (mm): 356x280x62.5
- + Gift box size (mm): 340x114x422
- + Outer Carton Size (mm): 590x355x442
- + N.W/GW (KG): 2.2/2.56
- + FCL (20'/40'/40 HQ): 1590/3225/3800

Induction Cooker

STW1521

Features

- + touch control
- + 10-stage power setting
- + High temperature protection
- + 4 hours timer
- + Child lock
- + Pause
- + LED display

Specifications

- + Voltage (V) : 120
- + Power (W): 1500
- + Certifications: UL/CUL/FCC/ROHS



Dimensions

- + Product Size (mm): 365x316x68
- + Gift box size (mm): 430x121x387
- + Outer Carton Size (mm): 506x450x407
- + N.W/GW (KG): 2.95/3.5
- + FCL (20'/40'/40 HQ): /

HR20W01

Features

- + touch control
- + External knob control
- + 10-stage power setting
- + Child lock
- + 1min-3hour timer
- + LED lighting
- + High temperature protection

Specifications

- + Voltage (V) : 220-240
- + Power (W): 2000
- + Certifications: GS/CE/EMC/CB/ROSH



Dimensions

- + Product Size (mm): 341x295x75
- + Gift box size (mm): 380x105x380
- + Outer Carton Size (mm): 398x233x405
- + N.W/GW (KG): 2.8/3.5
- + FCL (20'/40'/40 HQ): 2860/5740/6888

CB