



GD Midea Consumer Electric MFG. Co., LTD  
#19 Sanle Road, Shunde, Foshan, Guangdong, PRC

[www.midea.com](http://www.midea.com)



## CONTENTS

+ Story About Midea

---

03

+ Cooking Appliance

---

Kettle

---

10



# ABOUT MIDEA<sup>+</sup>

Established in 1968, Midea (SZ:000333) is a publicly listed and since July 2016 Fortune 500 company that offers one of the most comprehensive ranges in the home appliance industry.

Our Midea headquarter is based in Southern China, and we currently operate with over 100,000 employees, 21 production facilities worldwide in more than 200 countries. Almost 50 years of persistent growth has brought Midea's global revenue to \$22.17 billion USD in 2015.

- **Midea Mission**  
Create a beautiful life for human beings
- **Midea Spirit**  
Open Harmonious Practical Innovative
- **Midea Core Value**  
Care for people Rational pursuit Innovative  
reform Authorized operation Cooperating &  
sharing





# MIDEA SMALL DOMESTIC APPLIANCES DIVISION (SDA)

Midea Small Domestic Appliances Division(SDA), founded in 2002, is one of the core divisions of Midea Group.

We have advantages in the manufacturing of small domestic appliances. Some categories rank No.1 of the 2016 exporting data(China), such as rice cookers, electric pressure cookers, induction cookers.

**We set out to make the best Small domestic appliances in the world**

Over 300 new products are launched into the global market annually in average.

The main products of SDA include Rice Cooker, Induction Cooker, Electrical Pressure Cooker, Electric Kettle, Coffee maker, Slow Cooker, Bread maker, Food Preparation Appliances, etc.



# OUR PRODUCT COVERAGE

Midea has a full range of small domestic appliances, covering kettles, food preparation appliances and cooking appliances.

## Cooking appliance



Rice cooker/  
Multi-cooker      Pressure cooker      Induction cooker



Bread maker      Slow cooker      Air Fry      Soybean milk maker/  
NutRiceGrain extractor

## Food preparation appliance



Food processor      Juicer      Countertop mixer      Meat mincer      Countertop blender



Hand Blender      Hand Mixer

## Our quality



# OUR MARKET POSITION

We are leading the industry of small cooking appliance, providing a surprisingly friendly cooking experiences for you.



World's No.1 Small Cooking Appliances Brand  
Source Euromonitor International Limited;Consumer Appliances  
17ed,per Small Cooking Appliances category definition,retail  
volume sales in units,2016 data.



World's No.1 Rice Cooking Brand  
Source Euromonitor International Limited;Consumer Appliances  
17ed,retail volume sales in units,2016 data.



World's No.1 Kettles Brand  
Source Euromonitor International Limited;Consumer Appliances  
17ed,retail volume sales in units,2016 data.



Asia Pacific's No.1 Consumer Appliances Brand  
Source Euromonitor International Limited;Consumer Appliances  
17ed,retail volume sales in units,2016 data.

The application of claims is subject to the local laws and regulations in the country.


Rice Cooker	Induction Cooker	Electric Pressure Cooker	Electric Kettle	Motor Driven	Slow Cooker	Bread Maker
No.1	No.1	No.1	Leader	Leader	Leader	Leader



Source: China exporting data, 2016

# OUR AWARD

Every year 40+ design awards at different global design shows are won, like reddot, iF, Good Design Award, etc.



# Midea Kettle

Experience smart boiling with Midea Electric Kettle. The smart 6 boiling options allows you to have perfect temperatures for brewing tea, coffee and other hot drinks. Start making your favorite hot drinks at home.



The smart 6 boiling options are perfect for making coffee and various teas



Temperature control a perfect brew of hot beverages



LED Touch Control Panel for easy use



Automatic switch off to prevent dryboiling



**MK-17S18P-E4****Features**

- + 1.7L S.S. kettle
- + Pop up S.S. lid
- + Water gauge
- + Slide control base

**Specifications**

- + Capacity (L): 1.7
- + Voltage (V) : 220
- + Power (W): 1850-2200
- + Certifications: CE/GS/CB

**Dimensions**

- + Product Size (mm): 234x166x266
- + Gift box size (mm): 235x192x262
- + Outer Carton Size (mm): 595x255x282
- + N.W/GW (KG): 1.35 /1.79
- + FCL (20'/40'/40 HQ): 2028/4176/4866

**MK-M110A2A-E1****Features**

- + 1.0L S.S. kettle
- + Pop up S.S. lid
- + Water gauge
- + Push button base

**Specifications**

- + Capacity (L): 1
- + Voltage (V) : 220/240
- + Power (W): 1850-2200
- + Certifications: CE/GS/CB

**MK-16S01A-E4/MK-17S01A-E4****Features**

- + 1.6L/1.7L S.S. kettle
- + Pop up S.S. lid
- + Chrome painting handle
- + Rubber cladding handle
- + Water window
- + Slide control base

**Specifications**

- + Capacity (L): 1.6/1.7
- + Voltage (V) : 220
- + Power (W): 1850-2200
- + Certifications: CE/GS/CB

**Dimensions**

- + Product Size (mm): 234x166x266
- + Gift box size (mm): 235x192x262
- + Outer Carton Size (mm): 595x255x282
- + N.W/GW (KG): 1.38/1.83
- + FCL (20'/40'/40 HQ): 2544/5328/5856

**MK-12E01B****Features**

- + 1.2L S.S. kettle
- + Pop up S.S. lid
- + Water gauge
- + Push button base

**Specifications**

- + Capacity (L): 1.2
- + Voltage (V) : 120-220/240
- + Power (W): 1850-2200
- + Certifications: CE/GS/CB

**Dimensions**

- + Product Size (mm): 213x196x226
- + Gift box size (mm): 211x166x228
- + Outer Carton Size (mm): 515x225x478
- + N.W/GW (KG): 0.96/1.1
- + FCL (20'/40'/40 HQ): 2958/6012/7368

**MK-15S10A-E1****Features**

- + 1.5L S.S. kettle
- + Pop up S.S. lid
- + Water gauge
- + Push button base

**Specifications**

- + Capacity (L): 1.5
- + Voltage (V) : 220
- + Power (W): 1850-2200
- + Certifications: CE/GS/CB

**Dimensions**

- + Product Size (mm): 217x152x260
- + Gift box size (mm): 235x192x262
- + Outer Carton Size (mm): 595x255x536
- + N.W/GW (KG): 1.12/1.22
- + FCL (20'/40'/40 HQ): 2130/4329/4866

**MK-M317C2A-E8****Features**

- + 1.7L S.S. kettle
- + Pop up S.S. lid
- + Water gauge
- + Push button base

**Specifications**

- + Capacity (L): 1.7
- + Voltage (V) : 220
- + Power (W): 1850-2200
- + Certifications: CE/GS/CB

**MK-17S18P-E1****Features**

- + 1.7L S.S. kettle
- + Pop up S.S. lid
- + Water gauge
- + Push button base

**Specifications**

- + Capacity (L): 1.5
- + Voltage (V) : 220
- + Power (W): 1850-2200
- + Certifications: CE/GS/CB

**Dimensions**

- + Product Size (mm): 217x152x260
- + Gift box size (mm): 235x192x262
- + Outer Carton Size (mm): 595x255x282
- + N.W/GW (KG): 1.13/1.58
- + FCL (20'/40'/40 HQ): 2130/4329/4866

**Features**

- + 1.6L/1.7LS.S. kettle
- + Pop up S.S. lid
- + Chrome painting handle
- + Rubber cladding handle
- + Water window
- + Slide control base

**Specifications**

- + Capacity (L): 1.6/1.7
- + Voltage (V) : 220
- + Power (W): 1850-2200
- + Certifications: CE/GS/CB

**Dimensions**

- + Product Size (mm): 230x192x253
- + Gift box size (mm): 235x192x262
- + Outer Carton Size (mm): 595x255x282
- + N.W/GW (KG): 1.3/1.75
- + FCL (20'/40'/40 HQ): 2028/4176/4866

**MK-17G01B2-E8****Features**

- + 1.7L glass kettle
- + Pop up S.S. lid
- + Schott glass body
- + Electroplating handle
- + Push button base

**Specifications**

- + Capacity (L): 1.7
- + Voltage (V) : 220
- + Power (W): 1850-2200
- + Certifications: CE/GS/CB

**Dimensions**

- + Product Size (mm): 235x192x268
- + Gift box size (mm): 255x225x298
- + Outer Carton Size (mm): 700x475x325
- + N.W/GW (KG): 1.5/1.96
- + FCL (20'/40'/40 HQ): 1536/3234/3642

**MK-17S25B2-E5****Features**

- + Full S.S. body
- + Chrome painting handle
- + Digital handle for temperature controlling
- + Pop up lid
- + Optional painting color

**Specifications**

- + Capacity (L): 1.7
- + Voltage (V) : 220/240
- + Power (W): 1850/2200
- + Certifications: CE/GS/CB

**MK-17S25B2-E3****Features**

- + 1.7L S.S. kettle
- + Pop up S.S. lid
- + Dual high transparency water windows
- + Touch control base

**Specifications**

- + Capacity (L): 1.7
- + Voltage (V) : 220
- + Power (W): 1850-2200
- + Certifications: CE/GS/CB

**Dimensions**

- + Product Size (mm): 231x221x245
- + Gift box size (mm): 235x192x268
- + Outer Carton Size (mm): 595x255x566
- + N.W/GW (KG): 1.44/1
- + FCL (20'/40'/40 HQ): 2016/4176/4536

**MK-17S18E-E5****Features**

- + 1.7L S.S. kettle
- + Pull off lid
- + Digital control on handle

**Specifications**

- + Capacity (L): 1.7
- + Voltage (V) : 120-220/150
- + Power (W): 1850-2200/1500
- + Certifications: CE/GS/CB

**Dimensions**

- + Product Size (mm): 227x153x247
- + Gift box size (mm): 220x182x252
- + Outer Carton Size (mm): 563x233x530
- + N.W/GW (KG): 0.95/1.3
- + FCL (20'/40'/40 HQ): 2544/5328/5856

**MK-17G01F****Features**

- + Pop up lid
- + S.S. decoration

**Specifications**

- + Capacity (L): 1.7
- + Voltage (V) : 220/240
- + Power (W): 1850- 2200
- + Certifications: CE/GS/CB

**Dimensions**

- + Product Size (mm): 239x152x250
- + Gift box size (mm): 235x192x268
- + Outer Carton Size (mm): 490x398x294
- + N.W/GW (KG): 1.2/1.6
- + FCL (20'/40'/40 HQ): 2000/4136/4840

**MK-17G01F-E8****Features**

- + Pop up lid
- + S.S. decoration
- + Removable S.S. tea basket
- + Digital base for temperature controlling

**Specifications**

- + Capacity (L): 1.7
- + Voltage (V) : 220-240/120
- + Power (W): 1850- 2200/1500
- + Certifications: CE/GS/CB/UL/CUL

**Dimensions**

- + Product Size (mm): 240x208x288
- + Gift box size (mm): 255x192x274
- + Outer Carton Size (mm): 525x400x300
- + N.W/GW (KG): 1.57/2
- + FCL (20'/40'/40 HQ): 1792/3636/4312

**MK-17G01F-E5****Features**

- + Pop up lid
- + S.S. decoration
- + Removable S.S. tea basket
- + Digital handle for temperature controlling

**Dimensions**

- + Product Size (mm): 234x152x272
- + Gift box size (mm): 235x192x278
- + Outer Carton Size (mm): 485x400x303
- + N.W/GW (KG): 1.39/1.8
- + FCL (20'/40'/40 HQ): 1972/3944/4728



**MK-17G01B2****Features**

- + Pop up S.S. lid
- + Electroplating handle

**Specifications**

- + Capacity (L): 1.7
- + Voltage (V) : 220
- + Power (W): 1850-2200
- + Certifications: /

**Dimensions**

- + Product Size (mm): 230x152x250
- + Gift box size (mm): 225x225x298
- + Outer Carton Size (mm): 700x475x325
- + N.W/GW (KG): 1.19/1.65
- + FCL (20'/40'/40 HQ): 1536/3234/3642

**MK-G112A2A****Features**

- + Pop up S.S. lid
- + Removable Brita filter

**Specifications**

- + Capacity (L): 1.7
- + Voltage (V) : 220
- + Power (W): 1850-2200
- + Certifications: /

**Dimensions**

- + Product Size (mm): 230x152x250
- + Gift box size (mm): 225x225x298
- + Outer Carton Size (mm): 700x475x325
- + N.W/GW (KG): 1.4/2.4
- + FCL (20'/40'/40 HQ): 1536/3234/3642

**MK-G117A2A****Features**

- + Pop up S.S. lid

**Specifications**

- + Capacity (L): 1.7
- + Voltage (V) : 220
- + Power (W): 1850-2200
- + Certifications: CE/GS/CB

**Dimensions**

- + Product Size (mm): 230x152x250
- + Gift box size (mm): 225x225x298
- + Outer Carton Size (mm): 700x475x325
- + N.W/GW (KG): 1.3/2.3
- + FCL (20'/40'/40 HQ): 1536/3234/3642

**MK-17G01B-E5****Features**

- + 1.7L glass kettle
- + Pop up lid
- + Digital control on handle

**Specifications**

- + Capacity (L): 1.7
- + Voltage (V) : 220/120
- + Power (W): 500/1500
- + Certifications: CE/GS/CB/UL/CUL

**Dimensions**

- + Product Size (mm): 230x152x250
- + Gift box size (mm): 225x225x298
- + Outer Carton Size (mm): 700x475x325
- + N.W/GW (KG): 1.15/1.61
- + FCL (20'/40'/40 HQ): 1536/3234/3642



## Glass Series

### MK-17G01C3

#### Features

- + Pop up lid
- + S.S. decoration subbase
- + Rubber cladding handle

#### Specifications

- + Capacity (L): 1.7
- + Voltage (V) : 220
- + Power (W): 2500-3000
- + Certifications: CE/GS/CB

#### Dimensions

- + Product Size (mm): /
- + Gift box size (mm): /
- + Outer Carton Size (mm): /
- + N.W/GW (KG): 1.08/1.42
- + FCL (20'/40'/40 HQ): 2544/5238/5856



## Double Wall Series

### MK-HJ1705A

#### Features

- + Double wall for protection of hot exterior
- + Pop up lid
- + Optional color

#### Specifications

- + Capacity (L): 1.7
- + Voltage (V) : 220/240
- + Power (W): 1850- 2200
- + Certifications: CE/GS/CB



### MK-17G01D3

#### Features

- + Pop up lid

#### Specifications

- + Capacity (L): 1.7
- + Voltage (V) : 220
- + Power (W): 2500-3000
- + Certifications: /



#### Dimensions

- + Product Size (mm): /
- + Gift box size (mm): /
- + Outer Carton Size (mm): /
- + N.W/GW (KG): 1.08/1.42
- + FCL (20'/40'/40 HQ): 2544/5238/5856

### MK-HJ1505A

#### Features

- + Double wall for protection of hot exterior
- + Pop up lid
- + Optional color

#### Specifications

- + Capacity (L): 1.7
- + Voltage (V) : 220/240
- + Power (W): 1850-2200
- + Certifications: CE/GS/CB



#### Dimensions

- + Product Size (mm): 214x153x237
- + Gift box size (mm): 235x192x252
- + Outer Carton Size (mm): 594x250x570
- + N.W/GW (KG): 0.987/1.367
- + FCL (20'/40'/40 HQ): 2160/4476/5160

**MK-15H01A****Features**

- + Double wall for protection of hot exterior
- + Seamless inner pot for easy cleaning
- + Pop up lid

**Specifications**

- + Capacity (L): 1.5
- + Voltage (V) : 220-240/120
- + Power (W): 1850-2200/1500
- + Certifications: CE/GS/CB/UL/CUL

**Dimensions**

- + Product Size (mm): 225x156x229
- + Gift box size (mm): 228x217x262
- + Outer Carton Size (mm): 702x451x288
- + N.W/GW (KG): 1.2/1.52
- + FCL (20'/40'/40 HQ): 1932/3882/4428



CE GS CB UL US  
LISTED

**MK-HE1504W****Features**

- + Double S.S. wall for protection of hot exterior
- + Seamless inner pot for easy cleaning
- + Pop up lid
- + Digital handle for temperature controlling

**Specifications**

- + Capacity (L): 1.5
- + Voltage (V) : 220/240
- + Power (W): 1850-2200
- + Certifications: CE/GS/CB

**Dimensions**

- + Product Size (mm): 225x137x230
- + Gift box size (mm): 216x210x256
- + Outer Carton Size (mm): 449x437x271
- + N.W/GW (KG): 1.4/1.8
- + FCL (20'/40'/40 HQ): 2200/4444/5172



CE GS CB

**MK-15H01B****Features**

- + Double S.S. wall for protection of hot exterior
- + Seamless inner pot for easy cleaning
- + Pop up lid

**Specifications**

- + Capacity (L): 1.5
- + Voltage (V) : 220/240
- + Power (W): 1850-2200
- + Certifications: CE/GS/CB



CE GS CB

**MK-17H05E****Features**

- + Double wall for protection of hot exterior
- + Pop up lid
- + Optional color and graphic
- + Seamless inner pot for easy cleaning

**Specifications**

- + Capacity (L): 1.7
- + Voltage (V) : 220
- + Power (W): 1850-2200
- + Certifications: CE/GS/CB

**Dimensions**

- + Product Size (mm): 223x162x266
- + Gift box size (mm): 220x182x270
- + Outer Carton Size (mm): 561x458x300
- + N.W/GW (KG): 1.19 /1.6
- + FCL (20'/40'/40 HQ): 2100/4356/4980



CE GS CB

**Dimensions**

- + Product Size (mm):
- + Gift box size (mm):
- + Outer Carton Size (mm):
- + N.W/GW (KG):
- + FCL (20'/40'/40 HQ):

## Double Wall Series

### MK-H317E2B

#### Features

- + Double wall for protection of hot exterior
- + Pop up lid
- + Optional color and graphic

#### Specifications

- + Capacity (L): 1.7
- + Voltage (V) : 220
- + Power (W): 1850-2200
- + Certifications: CE/GS/CB

#### Dimensions

- + Product Size (mm): 211x146x265
- + Gift box size (mm): 220x186x298
- + Outer Carton Size (mm): 458x573x318
- + N.W/GW (KG): 1.13/1.5
- + FCL (20'/40'/40 HQ): 2106/4362/4986



## Double Wall Series

### MK-16S01A/MK-17S01A

#### Features

- + Pop up S.S. lid
- + S.S. subbase
- + S.S. power base
- + Chrome painting handle
- + Rubber cladding handle
- + Water window

#### Specifications

- + Capacity (L): 1.6/1.7
- + Voltage (V) : 220
- + Power (W): 2500-3000/1850-2200
- + Certifications: /



### MK-17H03A

#### Features

- + Double wall for protection of hot exterior
- + Pop up lid
- + Optional color and graphic
- + Seamless inner pot for easy cleaning

#### Specifications

- + Capacity (L): 1.7
- + Voltage (V) : 220
- + Power (W): 1850-2200
- + Certifications: CE/GS/CB



#### Dimensions

- + Product Size (mm): 218x156x265
- + Gift box size (mm): 230x182x270
- + Outer Carton Size (mm): 561x458x300
- + N.W/GW (KG): 1.36/1.77
- + FCL (20'/40'/40 HQ): 2100/4356/4980

### MK-17S18P

#### Features

- + Pop up S.S. lid
- + S.S. subbase
- + S.S. power base
- + Water gauge
- + Neon power indicator

#### Specifications

- + Capacity (L): 1.7
- + Voltage (V) : 220
- + Power (W): 1850-2200
- + Certifications: /



#### Dimensions

- + Product Size (mm): 218x153x240
- + Gift box size (mm): 220x182x252
- + Outer Carton Size (mm): 563x233x530
- + N.W/GW (KG): 1.1/1.3
- + FCL (20'/40'/40 HQ): 2544/5328/5856



## Color Series

### MK-15S10B

#### Features

- + Pop up lid
- + Water gauge
- + Neon power indicator

#### Specifications

- + Capacity (L): 1.5
- + Voltage (V) : 220
- + Power (W): 2500-3000
- + Certifications: CE/GS/CB

#### Dimensions

- + Product Size (mm): 227x153x247
- + Gift box size (mm): 220x182x252
- + Outer Carton Size (mm): 563x233x530
- + N.W/GW (KG): 1.17/1.27
- + FCL (20'/40'/40 HQ): 2544/5328/5856



## Color Series

### MK-17S24A

#### Features

- + Pop up lid
- + Water gauge
- + Neon power indicator

#### Specifications

- + Capacity (L): 1.7
- + Voltage (V) : 220
- + Power (W): 1850-2200/2500-3000
- + Certifications: CE/GS/CB

#### Dimensions

- + Product Size (mm): 250x186x282
- + Gift box size (mm): 235x192x268
- + Outer Carton Size (mm): 490x398x288
- + N.W/GW (KG): 1.05/1.42
- + FCL (20'/40'/40 HQ): 2048/4320/4852



### MK-17S18D

#### Features

- + Pop up S.S. lid
- + Water gauge
- + Neon power indicator

#### Specifications

- + Capacity (L): 1.7
- + Voltage (V) : 220
- + Power (W): 1850-2200
- + Certifications: CE/GS/CB



#### Dimensions

- + Product Size (mm): 227x153x247
- + Gift box size (mm): 220x182x252
- + Outer Carton Size (mm): 563x233x530
- + N.W/GW (KG): 0.87/1.27
- + FCL (20'/40'/40 HQ): 2544/5328/5856

### MK-15S10E

#### Features

- + Pop up S.S. lid
- + Elegant S.S. base
- + Dual water windows
- + Neon power indicator
- + Led illumination optional

#### Specifications

- + Capacity (L): 1.5
- + Voltage (V) : 220
- + Power (W): 1850-2200
- + Certifications: CE/GS/CB



#### Dimensions

- + Product Size (mm): 227x153x247
- + Gift box size (mm): 220x182x252
- + Outer Carton Size (mm): 563x233x530
- + N.W/GW (KG): 1.25/1.54
- + FCL (20'/40'/40 HQ): 2544/5328/5856

**MK-17S24E****Features**

- + Pop up S.S. lid
- + Water gauge
- + Neon power indicator

**Specifications**

- + Capacity (L): 1.7
- + Voltage (V) : 220
- + Power (W): 1850-2200/2500-3000
- + Certifications: CE/GS/CB

**Dimensions**

- + Product Size (mm): 227x153x247
- + Gift box size (mm): 220x182x252
- + Outer Carton Size (mm): 563x233x530
- + N.W/GW (KG): 1.07/1.38
- + FCL (20'/40'/40 HQ): 2544/5328/5856

**MK-M317D2A****Features**

- + Pop up S.S. lid
- + Water gauge
- + Neon power indicator

**Specifications**

- + Capacity (L): 1.7
- + Voltage (V) : 220
- + Power (W): 1850-2200
- + Certifications: CE/GS/CB

**MK-M317C2A****Features**

- + Pop up S.S. lid
- + Full S.S. body
- + S.S. subbase
- + S.S. power base
- + Water gauge
- + Neon power indicator

**Specifications**

- + Capacity (L): 1.7
- + Voltage (V) : 220
- + Power (W): 1850-2200
- + Certifications: CE/GS/CB

**MK-17S25A****Features**

- + Pop up lid
- + S.S. base
- + Water gauge
- + Neon power indicator

**Specifications**

- + Capacity (L): 1.7
- + Voltage (V) : 220
- + Power (W): 1850-2200
- + Certifications: CE/GS/CB

**Dimensions**

- + Product Size (mm): /
- + Gift box size (mm): /
- + Outer Carton Size (mm): /
- + N.W/GW (KG): 1.0/1.3
- + FCL (20'/40'/40 HQ): 2616/5456/6160

**Dimensions**

- + Product Size (mm): /
- + Gift box size (mm): /
- + Outer Carton Size (mm): /
- + N.W/GW (KG): 0.93/1.26
- + FCL (20'/40'/40 HQ): 2544/5328/5856

**MK-SJ1703a****Features**

- + Pop up S.S. lid
- + Neon power indicator

**Specifications**

- + Capacity (L): 1.7
- + Voltage (V) : 220
- + Power (W): 1850-2200
- + Certifications: CE/GS/CB

**Dimensions**

- + Product Size (mm): 222x152x240
- + Gift box size (mm): 220x181x263
- + Outer Carton Size (mm): 561x457x288
- + N.W/GW (KG): 0.88/1.15
- + FCL (20'/40'/40 HQ): CE/GS/CB

**MK-17S27A****Features**

- + Pop up lid
- + Water gauge
- + Neon power indicator

**Specifications**

- + Capacity (L): 1.7
- + Voltage (V) : 220/240
- + Power (W): 1850-2200
- + Certifications: CE/GS/CB

**MK-12S03E****Features**

- + Pop up lid
- + Neon power indicator

**Specifications**

- + Capacity (L): 1.2
- + Voltage (V) : 220-240
- + Power (W): 1850-2200
- + Certifications: CE/GS/CB

**MK-17S27B****Features**

- + Pop up lid
- + Water gauge
- + Neon power indicator

**Specifications**

- + Capacity (L): 1.7
- + Voltage (V) : 220/240
- + Power (W): 1850-2200
- + Certifications: CE/GS/CB

**Dimensions**

- + Product Size (mm): 210x153x203
- + Gift box size (mm): 202x164x200
- + Outer Carton Size (mm): 214x344x428
- + N.W/GW (KG): 0.77
- + FCL (20'/40'/40 HQ): /

**Dimensions**

- + Product Size (mm): 232x146x225
- + Gift box size (mm): 220x182x252
- + Outer Carton Size (mm): 563x233x530
- + N.W/GW (KG): 0.9/1.2
- + FCL (20'/40'/40 HQ): 2520/5112/5904

**MK-17S27C****Features**

- + Pop up S.S. lid
- + Water gauge
- + Neon power indicator

**Specifications**

- + Capacity (L): 1.7
- + Voltage (V) : 220-240
- + Power (W): 1850-2200
- + Certifications: CE/GS/CB

**Dimensions**

- + Product Size (mm): 215x145x210
- + Gift box size (mm): 220x182x252
- + Outer Carton Size (mm): 563x233x530
- + N.W/GW (KG): 0.9/1.2
- + FCL (20'/40'/40 HQ): 2520/5112/5904

**MK-17S28A****Features**

- + Pop up S.S. lid
- + Water gauge
- + Neon power indicator

**Specifications**

- + Capacity (L): 1.7
- + Voltage (V) : 220/240
- + Power (W): 1850-2200
- + Certifications: CE/GS/CB

**MK-17S27D****Features**

- + Pop up S.S. lid
- + Water gauge
- + Neon power indicator

**Specifications**

- + Capacity (L): 1.7
- + Voltage (V) : 220/240
- + Power (W): 1850-2200
- + Certifications: CE/GS/CB

**Dimensions**

- + Product Size (mm): 232x146x225
- + Gift box size (mm): 220x182x252
- + Outer Carton Size (mm): 563x233x530
- + N.W/GW (KG): 0.9/1.2
- + FCL (20'/40'/40 HQ): 2520/5112/5904

**MK-17S28B****Features**

- + Pop up S.S. lid
- + Water gauge
- + Neon power indicator

**Specifications**

- + Capacity (L): 1.7
- + Voltage (V) : 220/240
- + Power (W): 1850-2200
- + Certifications: CE/GS/CB

**Dimensions**

- + Product Size (mm): 216x150x235
- + Gift box size (mm): 220x182x252
- + Outer Carton Size (mm): 563x233x530
- + N.W/GW (KG): 0.92/1.3
- + FCL (20'/40'/40 HQ): 2520/5112/5904

Stainless Steel Sries

## MK-17S28C

### Features

- + Pop up S.S. lid
- + Dual water window (0.3L min)
- + Eletroplating handle
- + Neon power indicator

### Specifications

- + Capacity (L): 1.7
- + Voltage (V) : 220/240
- + Power (W): 1850-2200
- + Certifications: CE/GS/CB

### Dimensions

- + Product Size (mm): 216x150x235
- + Gift box size (mm): 220x182x252
- + Outer Carton Size (mm): 563x233x530
- + N.W/GW (KG): 1.05/1.33
- + FCL (20'/40'/40 HQ): 2520/5112/5904



CE SGS CB

Stainless Steel Sries


## MK-17S26C2

### Features

- + Classic pyramid shape
- + Pull off lid
- + Neon power indicator
- + Optional painting color

### Specifications

- + Capacity (L): 1.7
- + Voltage (V) : 220
- + Power (W): 1850-2200
- + Certifications: CE/GS/CB



CE SGS CB

## MK-17S28D

### Features

- + Pop up S.S. lid
- + Dual water window (0.3L min)
- + Eletroplating handle
- + Neon power indicator

### Specifications

- + Capacity (L): 1.7
- + Voltage (V) : 220/240
- + Power (W): 1850-2200
- + Certifications: CE/GS/CB

### Dimensions

- + Product Size (mm): 216x150x235
- + Gift box size (mm): 220x182x252
- + Outer Carton Size (mm): 563x233x530
- + N.W/GW (KG): 1.06/1.45
- + FCL (20'/40'/40 HQ): 2520/5112/5904



CE SGS CB

## MK-M110A2A

### Features

- + Pop up S.S. lid
- + Full S.S. body
- + S.S. subbase
- + S.S. power base
- + Water gauge
- + Neon power indicator

### Specifications

- + Capacity (L): 1
- + Voltage (V) : 220/240
- + Power (W): 1850-2200
- + Certifications: CE/GS/CB/UL/CUL



CE SGS CB c UL US LISTED

### Dimensions

- + Product Size (mm): 202x136x198
- + Gift box size (mm): 201x163x216
- + Outer Carton Size (mm): 512x214x458
- + N.W/GW (KG): 0.85/1.2
- + FCL (20'/40'/40 HQ): 3444/7182/8040

## M317B2A

### Features


- + Pop up S.S. lid
- + Water gauge
- + Neon power indicator

### Specifications

- + Capacity (L): 1.7
- + Voltage (V) : 220-240
- + Power (W): 1850-2200
- + Certifications: CE/GS/CB

### Dimensions

- + Product Size (mm): 215x146x216
- + Gift box size (mm): 220x182x252
- + Outer Carton Size (mm): 462x380x272
- + N.W/GW (KG): 1.13
- + FCL (20'/40'/40 HQ): 2616/5456/6160



## MK-16S01A/MK-17S01A

### Features

- + Pop up S.S. lid
- + S.S. subbase
- + S.S. power base
- + Chrome painting handle
- + Rubber cladding handle
- + Water window

### Specifications

- + Capacity (L): 1.6/1.7
- + Voltage (V) : 220/240
- + Power (W): 1850-2200/2500-3000
- + Certifications: CE/GS/CB



## M317C2A

### Features

- + Pop up S.S. lid
- + Full S.S. body
- + S.S. subbase
- + S.S. power base
- + Water gauge
- + Neon power indicator

### Specifications

- + Capacity (L): 1.7
- + Voltage (V) : 220-240
- + Power (W): 1850-2200
- + Certifications: CE/GS/CB



### Features

- + Pop up S.S. lid
- + Water gauge
- + Neon power indicator

### Specifications

- + Capacity (L): 1.6/1.7
- + Voltage (V) : 220/240
- + Power (W): 1850-2200/2500-3000
- + Certifications: CE/GS/CB



### Dimensions

- + Product Size (mm): 215x146x216
- + Gift box size (mm): 220x182x252
- + Outer Carton Size (mm): 462x380x272
- + N.W/GW (KG): 1.13
- + FCL (20'/40'/40 HQ): 2616/5456/6160

### Dimensions

- + Product Size (mm): 227x153x247
- + Gift box size (mm): 220x182x252
- + Outer Carton Size (mm): 462x380x272
- + N.W/GW (KG): 1.08/1.42
- + FCL (20'/40'/40 HQ): 2616/5456/6160

**MK-17S18N/MK-15S09B****Features**

- + Pop up S.S. lid
- + Water windows
- + Neon power indicator

**Specifications**

- + Capacity (L): 1.7/1.5
- + Voltage (V) : 220/240
- + Power (W): 1850-2200/2500-3000
- + Certifications: CE/GS/CB

**Dimensions**

- + Product Size (mm): 227x153x247
- + Gift box size (mm): 220x182x252
- + Outer Carton Size (mm): 462x380x272
- + N.W/GW (KG): 1.08/1.42
- + FCL (20'/40'/40 HQ): 2616/5456/6160



**CE** SGS **CB**

**MK-17S18D****Features**

- + Pop up S.S. lid
- + Water gauge
- + Neon power indicator

**Specifications**

- + Capacity (L): 1.7
- + Voltage (V) : 220-240
- + Power (W): 1850-2200
- + Certifications: CE/GS/CB



**CE** SGS **CB**

**MK-15S09C****Features**

- + Pop up S.S. lid
- + Water gauge
- + Neon power indicator

**Specifications**

- + Capacity (L): 1.5
- + Voltage (V) : 220-240
- + Power (W): 1850-2200
- + Certifications: CE/GS/CB



**CE** SGS **CB**

**MK-17S18E****Features**

- + Pop up S.S. lid
- + Water windows
- + Neon power indicator

**Specifications**

- + Capacity (L): 1.7
- + Voltage (V) : 220-240
- + Power (W): 1850-2200
- + Certifications: CE/GS/CB



**CE** SGS **CB**

**Dimensions**

- + Product Size (mm): 227x153x247
- + Gift box size (mm): 220x182x252
- + Outer Carton Size (mm): 462x380x272
- + N.W/GW (KG): 1.08/1.42
- + FCL (20'/40'/40 HQ): 2616/5456/6160

**Dimensions**

- + Product Size (mm): 227x153x247
- + Gift box size (mm): 220x182x252
- + Outer Carton Size (mm): 462x380x272
- + N.W/GW (KG): 1.08/1.4
- + FCL (20'/40'/40 HQ): 2616/5456/6160

**MK-17S18P****Features**

- + Pop up S.S. lid
- + S.S. subbase
- + Water gauge
- + S.S. power base
- + Neon power indicator

**Specifications**

- + Capacity (L): 1.7
- + Voltage (V) : 220-240
- + Power (W): 1850-2200
- + Certifications: CE/GS/CB

**Dimensions**

- + Product Size (mm): 227x153x247
- + Gift box size (mm): 220x182x252
- + Outer Carton Size (mm): 462x380x272
- + N.W/GW (KG): 1.08/1.42
- + FCL (20'/40'/40 HQ): 2616/5456/6160

**MK-15S10B****Features**

- + Pop up lid
- + Water gauge
- + Neon power indicator

**Specifications**

- + Capacity (L): 1.5
- + Voltage (V) : 220-240
- + Power (W): 2500-3000
- + Certifications: CE/GS/CB

**MK-17S24D/MK-15S10A****Features**

- + Pop-up S.S. lid
- + Water gauge
- + Neon power indicator

**Specifications**

- + Capacity (L): 1.7/1.5
- + Voltage (V) : 220/240
- + Power (W): 1850-2200/2500-3000
- + Certifications: CE/GS/CB

**Dimensions**

- + Product Size (mm): 227x153x247
- + Gift box size (mm): 220x182x252
- + Outer Carton Size (mm): 462x380x272
- + N.W/GW (KG): 1.08/1.42
- + FCL (20'/40'/40 HQ): 2616/5456/6160

**MK-15S10D****Features**

- + Pop up lid
- + Dual water windows
- + Neon power indicator

**Specifications**

- + Capacity (L): 1.5
- + Voltage (V) : 220-240
- + Power (W): 2500-3000
- + Certifications: CE/GS/CB

**Dimensions**

- + Product Size (mm): 227x153x247
- + Gift box size (mm): 220x182x252
- + Outer Carton Size (mm): 563x233x530
- + N.W/GW (KG): 1.17/1.27
- + FCL (20'/40'/40 HQ): 2544/5328/5856

**MK-15S10E****Features**

- + Pop up S.S. lid
- + Elegant S.S. base
- + Dual water windows
- + Neon power indicator
- + Led illumination optional

**Specifications**

- + Capacity (L): 1.5
- + Voltage (V) : 220-240
- + Power (W): 2500-3000
- + Certifications: CE/GS/CB

**Dimensions**

- + Product Size (mm): 227x153x247
- + Gift box size (mm): 220x182x252
- + Outer Carton Size (mm): 563x233x530
- + N.W/GW (KG): 1.25/1.54
- + FCL (20'/40'/40 HQ): 2544/5328/5856

**MK-17S24C****Features**

- + Pop up S.S. lid
- + Dual water windows
- + Neon power indicator

**Specifications**

- + Capacity (L): 1.7
- + Voltage (V) : 220-240
- + Power (W): 1850- 2200
- + Certifications: CE/GS/CB

**MK-17S24A****Features**

- + Pop up S.S. lid
- + Water gauge
- + Neon power indicator

**Specifications**

- + Capacity (L): 1.7
- + Voltage (V) : 220-240
- + Power (W): 1850/2200
- + Certifications: CE/GS/CB

**Dimensions**

- + Product Size (mm): 250x186x282
- + Gift box size (mm): 235x192x268
- + Outer Carton Size (mm): 490x398x288
- + N.W/GW (KG): 1.05/1.42
- + FCL (20'/40'/40 HQ): 2048/4320/4852

**MK-17S24E****Features**

- + Pop up S.S. lid
- + Water gauge
- + Neon power indicator

**Specifications**

- + Capacity (L): 1.7
- + Voltage (V) : 220-240
- + Power (W): 1850-2200
- + Certifications: CE/GS/CB

**Dimensions**

- + Product Size (mm): 227x153x247
- + Gift box size (mm): 220x182x252
- + Outer Carton Size (mm): 563x233x530
- + N.W/GW (KG): 1.07/1.38
- + FCL (20'/40'/40 HQ): 2544/5328/5856

**MK-17S26E2****Features**

- + Classic pyramid shape;
- + Pull off lid;
- + Neon power indicator.



CE SGS CB

**Specifications**

- + Capacity (L): 1.7
- + Voltage (V) : 220-240
- + Power (W): 1850- 2200
- + Certifications: CE/GS/CB

**Dimensions**

- + Product Size (mm):
- + Gift box size (mm):
- + Outer Carton Size (mm):
- + N.W/GW (KG): 0.93/1.26
- + FCL (20'/40'/40 HQ): 2544/5328/5856

**MK-17S18Q****Features**

- + Pop up S.S. lid
- + Water gauge
- + Neon power indicator



UL US  
LISTED

**Specifications**

- + Capacity (L): 1.7
- + Voltage (V) : 120
- + Power (W): 1500
- + Certifications: UL/CUL

**Dimensions**

- + Product Size (mm): 222x153x242
- + Gift box size (mm): 220x182x252
- + Outer Carton Size (mm): 382x233x272
- + N.W/GW (KG): 1.0/1.35
- + FCL (20'/40'/40 HQ): 2408/5020/5516

**MK-17S25A****Features**

- + Pop up lid
- + S.S. base
- + Water gauge
- + Neon power indicator



CE SGS CB

**Specifications**

- + Capacity (L): 1.7
- + Voltage (V) : 220-240
- + Power (W): 1850- 2200
- + Certifications: CE/GS/CB

**Dimensions**

- + Product Size (mm):
- + Gift box size (mm):
- + Outer Carton Size (mm):
- + N.W/GW (KG): 0.93/1.26
- + FCL (20'/40'/40 HQ): 2544/5328/5856

**MK-M317D2A****Features**

- + Pop up S.S. lid
- + Neon power indicator



CE SGS CB

**Specifications**

- + Capacity (L): 1.7
- + Voltage (V) : 220-240
- + Power (W): 1850/2200
- + Certifications: CE/GS/CB

**Dimensions**

- + Product Size (mm): 215x146x216
- + Gift box size (mm): 220x182x252
- + Outer Carton Size (mm): 563x233x530
- + N.W/GW (KG): 1.02/1.38
- + FCL (20'/40'/40 HQ): 2376/4962/5448

## MK-M317E2A

### Features

- + Pop up lid
- + S.S. base
- + Water gauge
- + Neon power indicator

### Specifications

- + Capacity (L): 1.7
- + Voltage (V) : 220-240
- + Power (W): 1850-2200
- + Certifications: CE/GS/CB

### Dimensions

- + Product Size (mm): 215x146x216
- + Gift box size (mm): 220x182x252
- + Outer Carton Size (mm): 563x233x530
- + N.W/GW (KG): 1.02/1.38
- + FCL (20'/40'/40 HQ): 2376/4962/5448



## MK-M110B2A

### Features

- + Pop up lid
- + S.S. base
- + Water gauge
- + Neon power indicator

### Specifications

- + Capacity (L): 1.0
- + Voltage (V) : 220-240
- + Power (W): 1850-2200
- + Certifications: CE/GS/CB

### Dimensions

- + Product Size (mm): 202x136x198
- + Gift box size (mm): 210x163x216
- + Outer Carton Size (mm): 512x214x458
- + N.W/GW (KG): 0.85/1.2
- + FCL (20'/40'/40 HQ): 3444/7182/8040



## MK-15S11A

### Features

- + Neon power indicator



### Specifications

- + Capacity (L): 1.0
- + Voltage (V) : 220-240
- + Power (W): 1850-2200
- + Certifications: CE/GS/CB

### Dimensions

- + Product Size (mm): 227x153x247
- + Gift box size (mm): 220x182x252
- + Outer Carton Size (mm): 563x233x530
- + N.W/GW (KG): 1.17/1.27
- + FCL (20'/40'/40 HQ): 2544/5328/5856



**MK-15S11B****Features**

- + Adjustable heating temperature.

**Specifications**

- + Capacity (L): 1.5
- + Voltage (V) : 220-240
- + Power (W): 1850-2200
- + Certifications: CE/GS/CB

**Dimensions**

- + Product Size (mm): 227x153x247
- + Gift box size (mm): 220x182x252
- + Outer Carton Size (mm): 563x233x530
- + N.W/GW (KG): 1.17/1.27
- + FCL (20'/40'/40 HQ): 2544/5328/5856

**MK-M317G2A****Features**

- + Pop up S.S. lid
- + S.S. subbase
- + S.S. power base
- + Water gauge
- + Neon power indicator

**Specifications**

- + Capacity (L): 1.7
- + Voltage (V) : 220-240
- + Power (W): 1850-2200
- + Certifications: CE/GS/CB

**Dimensions**

- + Product Size (mm): 215x146x216
- + Gift box size (mm): 220x182x252
- + Outer Carton Size (mm): 462x380x272
- + N.W/GW (KG): 0.94/1.45
- + FCL (20'/40'/40 HQ): 2376/4962/5448

**MK-M110G2A****Features**

- + Pop up S.S. lid
- + S.S. subbase
- + S.S. power base
- + Water gauge
- + Neon power indicator

**Specifications**

- + Capacity (L): 1.0
- + Voltage (V) : 220-240
- + Power (W): 1850-2200
- + Certifications: CE/GS/CB

**Dimensions**

- + Product Size (mm): 202x136x198
- + Gift box size (mm): 201x163x216
- + Outer Carton Size (mm): 512x214x458
- + N.W/GW (KG): 0.85/1.2
- + FCL (20'/40'/40 HQ): 3280/7120/1720

**MK-17S25D3****Features**

- + Pop up S.S. lid
- + S.S. power base
- + Neon power indicator

**Specifications**

- + Capacity (L): 1.7
- + Voltage (V) : 220-240
- + Power (W): 2500-3000
- + Certifications: CE/GS/CB

**Dimensions**

- + Product Size (mm): 216x154x235
- + Gift box size (mm): 220x182x252
- + Outer Carton Size (mm): 563x233x530
- + N.W/GW (KG): 0.93/1.26
- + FCL (20'/40'/40 HQ): 2544/5328/5856



**MK-17S25E2****Features**

- + Pop up lid
- + S.S. power base
- + Dual water window
- + Neon power indicator

**Specifications**

- + Capacity (L): 1.7
- + Voltage (V) : 220-240
- + Power (W): 1850-2200
- + Certifications: CE/GS/CB/UL/CUL

**Dimensions**

- + Product Size (mm):
- + Gift box size (mm):
- + Outer Carton Size (mm):
- + N.W/GW (KG): 0.93/1.26
- + FCL (20'/40'/40 HQ): 2544/5328/5856

**MK-17D18A****Features**

- + Concealed heating element;
- + Pull off lid;
- + Single water window;
- + Neon power indicator;
- + Removable timescale filter;
- + 360° base with cord storage.

**Specifications**

- + Capacity (L): 1.7
- + Voltage (V) : 220-240
- + Power (W): 1850-2200
- + Certifications: CE/GS/CB

**Dimensions**

- + Product Size (mm): 210x126x233
- + Gift box size (mm): 176x156x253
- + Outer Carton Size (mm): 484x186x520
- + N.W/GW (KG): 0.85/1.06
- + FCL (20'/40'/40 HQ): 3624/7560/8760

**MK-17D18B****Features**

- + Concealed heating element
- + Pop up lid
- + Single water window
- + Neon power indicator
- + Removable timescale filter
- + 360°base with cord storage

**Specifications**

- + Capacity (L): 1.7
- + Voltage (V) : 220/240
- + Power (W): 1850/2200
- + Certifications: CE/GS/CB

**Dimensions**

- + Product Size (mm): 215x155x235
- + Gift box size (mm): 210x173x228
- + Outer Carton Size (mm): 482x223x536
- + N.W/GW (KG): 1/1.2
- + FCL (20'/40'/40 HQ): 2976/6216/7206

**MK-17P14A****Features**

- + Immersed heating element
- + Hinged locking lid
- + Single water window
- + Illuminated power switch
- + Removable timescale filter
- + Cord storage in base

**Specifications**

- + Capacity (L): 1.7
- + Voltage (V) : 220-240/120
- + Power (W): 1850-2200/1500
- + Certifications: CE/GS/CB/UL/CUL

**Dimensions**

- + Product Size (mm): 200x138x235
- + Gift box size (mm): 174x157x229
- + Outer Carton Size (mm): 489x365x254
- + N.W/GW (KG): 0.68/0.85
- + FCL (20'/40'/40 HQ): 3780/7740/8982

**MK-17D16A****Features**

- + Concealed heating element
- + Pull off lid
- + Dual water windows
- + Power switch on handle
- + Neon indicator light
- + Removable timescale filter
- + Cord storage in base

**Specifications**

- + Capacity (L): 1.7
- + Voltage (V) : 220-240/120
- + Power (W): 1850-2200/1500
- + Certifications: CE/GS/CB

**MK-17P15A****Features**

- + Immersed heating element
- + Hinged locking lid
- + Single water window
- + Illuminated power switch
- + Removable timescale filter
- + Cord storage in base

**Specifications**

- + Capacity (L): 1.7
- + Voltage (V) : 220-240/120
- + Power (W): 1850-2200/1500
- + Certifications: CE/GS/CB/UL/CUL

**Dimensions**

- + Product Size (mm): 241x150x245
- + Gift box size (mm): 191x191x233
- + Outer Carton Size (mm): 397x206x490
- + N.W/GW (KG): 1.39/1.74
- + FCL (20'/40'/40 HQ): 3696/7656/9570

**MK-17D17A****Features**

- + Concealed heating element
- + Pull off lid
- + Dual water windows
- + Neon indicator light
- + Removable timescale filter
- + Cord storage in base

**Specifications**

- + Capacity (L): 1.7
- + Voltage (V) : 220-240
- + Power (W): 1850-2200
- + Certifications: CE/GS/CB

**Dimensions**

- + Product Size (mm): 225x160x238
- + Gift box size (mm): 235x192x268
- + Outer Carton Size (mm): 490x398x288
- + N.W/GW (KG): 1.04/1.34
- + FCL (20'/40'/40 HQ): 2080/4320/4860



## E1/E2

### Features

- + Push button
- + Variable temperature control from 40°C to 100°C, 20°C per space
- + Variable keep warm temperature setting from 50°C to 95°C, 5°C per space
- + Temperature display.



## E3

### Features

- + Touch control
- + Variable temperature control from 40°C to 100°C, 20°C per space;
- + Variable keep warm temperature setting from 50°C to 95°C, 5°C per space
- + Temperature display.



## E4

### Features

- + Touch control
- + Illuminated slide touch for variable temperature setting from 40°C to 100°C, 10°C per space
- + Touch for NO/OFF
- + Touch for keep warm



## E5

### Features

- + Variable temperature control from 50°C to 100°C, 5°C per space
- + Touch for NO/OFF
- + Touch for keep warm



## E8

### Features

- + Push button
- + Variable temperature control from 40°C to 100°C, 20°C per space
- + Variable keep warm temperature setting from 50°C to 95°C, 5°C per space
- + Temperature display



## E9

### Features

- + Touch control
- + Variable temperature control from 50°C to 100°C, 10°C per space
- + Variable keep warm temperature setting from 50°C to 95°C, 5°C per space
- + Temperature display

