

Pressure Cookers Slow Cookers

GD Midea Consumer Electric MFG. Co., LTD
#19 Sanle Road, Shunde, Foshan, Guangdong, PRC

www.midea.com

A black and white photograph of industrial machinery, likely a food processing line, with various pipes, valves, and mechanical components. A semi-transparent blue rectangle is overlaid on the right side of the image, containing the table of contents.

CONTENTS

+ Story About Midea

03

+ Cooking Appliance

Pressure Cookers

10

Slow Cookers

24



ABOUT MIDEA⁺

Established in 1968, Midea (SZ:000333) is a publicly listed and since July 2016 Fortune 500 company that offers one of the most comprehensive ranges in the home appliance industry.

Our Midea headquarter is based in Southern China, and we currently operate with over 100,000 employees, 21 production facilities worldwide in more than 200 countries. Almost 50 years of persistent growth has brought Midea's global revenue to \$22.17 billion USD in 2015.

- **Midea Mission**
Create a beautiful life for human beings
- **Midea Spirit**
Open Harmonious Practical Innovative
- **Midea Core Value**
Care for people Rational pursuit Innovative
reform Authorized operation Cooperating &
sharing



MIDEA SMALL DOMESTIC APPLIANCES DIVISION (SDA)

Midea Small Domestic Appliances Division(SDA), founded in 2002, is one of the core divisions of Midea Group.

We have advantages in the manufacturing of small domestic appliances. Some categories rank No.1 of the 2016 exporting data(China), such as rice cookers, electric pressure cookers, induction cookers.

We sets out to make the best Small domestic appliances in the world

Over 300 new products are launched into the global market annually in average.

The main products of SDA include Rice Cooker, Induction Cooker,Electrical Pressure Cooker, Electric Kettle, Coffee maker, Slow Cooker, Bread maker, Motor Driven products, etc.



OUR PRODUCT COVERAGE

Midea has a full range of small domestic appliances, covering kettles, food preparation appliances and cooking appliances.

Cooking appliance



Rice cooker/
Multi-cooker



Pressure cooker



Induction cooker



Kettle



Thermal Pot



Bread maker



Slow cooker



Air Fry



Soybean milk maker/
NutRiceGrain extractor

Food preparation appliance



Food processor



Juicer



Countertop mixer



Meat mincer



Countertop
blender



Hand Blender



Hand Mixer

Our quality



OUR MARKET POSITION



We are leading the industry of small cooking appliance, providing a surprisingly friendly cooking experiences for you.



World's No.1 Small Cooking Appliances Brand
Source Euromonitor International Limited;Consumer Appliances
17ed,per Small Cooking Appliances category definition,retail
volume sales in units,2016 data.



World's No.1 Rice Cooking Brand
Source Euromonitor International Limited;Consumer Appliances
17ed,retail volume sales in units,2016 data.



World's No.1 Kettles Brand
Source Euromonitor International Limited;Consumer Appliances
17ed,retail volume sales in units,2016 data.



Asia Pacific's No.1 Consumer Appliances Brand
Source Euromonitor International Limited;Consumer Appliances
17ed,retail volume sales in units,2016 data.

The application of claims is subject to the local laws and regulations in the country.

Rice Cooker	Induction Cooker	Electric Pressure Cooker	Electric Kettle	Motor Driven	Slow Cooker	Bread Maker
No.1	No.1	No.1	Leader	Leader	Leader	Leader

Source: China exporting data, 2016

OUR AWARD

Every year 40+ design awards at different global design shows are won, like reddot, iF, Good Design Award, etc.

2014
|
2015



pressure cooker
(HT5073H)



Intelligent cooking



Rice cooker
(MB-FZ4086)

2016



Mini series



IDEX
INTERNATIONAL DESIGN
EXCELLENCE AWARDS



Rice cooker
(MY-HT5096H IH)



Rice cooker
(MB-FZ4001 IH)



Rice cooker
(FZ2001)



Halo series



Rice cooker
(MB-WFZ4000XM)

2016



Rice cooker authentic
firewood rice
series packaging



Rice cooker
(FS4005)

2017



kettle



Soup maker



Mixer



Dual-use
Stew Cooker



MINI Breakfast
Maker



Rice cooker
(MB-FS4005)



Rice cooker
(PFZ-3503)



Health pot
(MK-GE150)

Midea Pressure Cooker

Technology

The high-precision solenoid valve controls continuous low-emission venting in the cooking process, causes significant change in internal and external pressure difference, brings severe rolling of food in the juice for 98 times, and discharges excess water! It brings two changes

First
rolling and boiling cause sufficient friction of the food, and fully release juice and nutrients to increase the soup concentration;



98 times of rolling and boiling
Continuous rolling and boiling

Second
intermittent venting discharges excess water and won't affect the taste.



Reduce pressure for 180 times
Pressure changes more significantly

98 Times Tumbling, Completely Friction of Foods, Release the Essence of Foods


Nutri Dense Technology



Flavor rolling
Nutritional index is increased by 27.3%
Flavor sense is increased by 30.43%
Soup concentration is increased by 61.6%

VS

Traditional Pressure Cooker



Watery and
tastless soup



MY-HT5073

Features

- + Superior induction heating technology , boiling under pressure
- + T3.5mm colorful thick Aluminum inner pot
- + Easy to read LED Display
- + Colorful metallic body
- + Magnetic Valve automatic pressure release function
- + Multi-function cooking by menu settings, 15 preset menu
- + 7 level pressure, smart pressure control
- + Self-cleaning function

Specifications

- + Capacity (L): 5
- + Voltage (V) : 220
- + Power (W): 1300
- + Certifications: CCC

Dimensions

- + Product Size (mm): 439X301X301
- + Gift box size (mm): 505X365X520
- + Outer Carton Size (mm): 750X520X540
- + GW (KG): 6.9/10
- + FCL (20'/40'/40 HQ): 224/480/480



MY-HT5083

Features

- + Superior induction heating technology, boiling under pressure
- + T3.5mm colorful thick Aluminum inner pot
- + Easy to read LED Display, touch control on the upper lid
- + IMD technology for lid decoration
- + Colorful metallic body
- + Magnetic Valve automatic pressure release function
- + Multi-function cooking by menu settings, 12 preset menu
- + 7 level pressure, smart pressure control
- + Self-cleaning function

Specifications

- + Capacity (L): 5
- + Voltage (V) : 220
- + Power (W): 1300
- + Certifications: CCC

Dimensions

- + Product Size (mm): 420X357X344
- + Gift box size (mm): 440X377X339
- + Outer Carton Size (mm): 774X455X364
- + GW (KG): 8.0
- + FCL (20'/40'/40 HQ): 420/864/1008



MY-HS5060P

Features

- + Superior induction heating technology , boiling under pressure
- + T3.5mm colorful thick Aluminum inner pot
- + Easy to read LED Display
- + Colorful metallic body
- + Magnetic Valve automatic pressure release function
- + Multi-function cooking by menu settings, 17 preset menu
- + 7 level pressure, smart pressure control
- + Self-cleaning function

Specifications

- + Capacity (L): 5
- + Voltage (V) : /
- + Power (W): 1300
- + Certifications: CB/GS

Dimensions

- + Product Size (mm): 420X270X260
- + Gift box size (mm): 485X385X340
- + Outer Carton Size (mm): 500X400X360
- + N.W/GW (KG): 7.9/9.8
- + FCL (20'/40'/40 HQ): 660/1320/1540



MY-SS5051P

Features

- + Boiling technology
- + T2.5mm Aluminum inner pot with handle
- + Large LED display on the upper lid and it is easy to control
- + IMD technology for lid decoration
- + Plastic body with colorful decoration
- + Removable inner cover for easy cleaning
- + Multi-function cooking by menu settings, 16 preset menu
- + 24 hours preset timer
- + Manual pressure release function
- + 7 level pressure, smart pressure control

Specifications

- + Capacity (L): 5
- + Voltage (V) : /
- + Power (W): 900
- + Certifications: GS/CB

Dimensions

- + Product Size (mm): 415X314X296
- + Gift box size (mm): 485X385X342
- + Outer Carton Size (mm): 790X500X362
- + N.W/GW (KG): 6.2/19
- + FCL (20'/40'/40 HQ): 336/720/840



MY-SS5033

Features

- + T1.8mm two side painting Aluminum inner pot
- + 4-Dight LED display, large screen LCD display
- + Plastic body
- + 24 hours preset timer
- + Multi-function cooking by menu settings, 12 preset menu
- + 7 level pressure, smart pressure control
- + Manual pressure release function

Specifications

- + Capacity (L): 5
- + Voltage (V) : 220-240
- + Power (W): 900
- + Certifications: CB/GS

Dimensions

- + Product Size (mm): 360x280x280
- + Gift box size (mm): 410x346x332
- + Outer Carton Size (mm): 718x428x372
- + N.W/GW (KG): 6.2/6.5
- + FCL (20'/40'/40 HQ): 488/986/1162



MY-SS5062/MY-SS6062

Features

- + T1.8mm two side painting Aluminum inner pot
- + 4-Dight LED display, large panel and it is easy to control
- + When the lid is not properly secured, function keys will be blocked by a failsafe switch
- + 24 hours preset timer
- + Pressure timer, Pressure time is available for selection
- + Multi-function, 20 preset menu
- + Push-key automatic pressure release function
- + Operates at 70 kPa
- + 9 Safety Mechanisms

Specifications

- + Capacity (L): 5/6
- + Voltage (V) : 220
- + Power (W): 900/1000
- + Certifications: CB

Dimensions

- + Product Size (mm): 305x275x310
- + Gift box size (mm): 351X351X360
- + Outer Carton Size (mm): 720X365X395
- + N.W/GW (KG): 6.2/6.5
- + FCL (20'/40'/40 HQ): 450/930/1116



CB

MY-CS5039P

Features


- + T1.8mm two side painting Aluminum inner pot
- + 4-Dight LED display , large panel and it is easy to control
- + When the lid is not properly secured, function keys will be blocked by a failsafe switch
- + 24 hours preset timer
- + Pressure timer.Pressure time is available for selection
- + Multi-function, 16 preset menu
- + Push-key automatic /manual pressure release function
- + Operates at 70 kPa
- + 9 Safety Mechanisms

Specifications

- + Capacity (L): 5
- + Voltage (V) : /
- + Power (W): 900
- + Certifications: CB

Dimensions

- + Product Size (mm): 312X303X297
- + Gift box size (mm): 360X360X370
- + Outer Carton Size (mm): 740X375X390
- + GW (KG): 6.8/15.2
- + FCL (20'/40'/40 HQ): 450/930/1116



MY-CS6006WP

Features


- + T1.5mm two side painting Aluminum inner pot
- + 4-Dight LED display
- + When the lid is not properly secured, function keys will be blocked by a failsafe switch
- + 24 hours preset timer
- + Pressure time is available for selection
- + Multi-function, 14 preset menu
- + Operates at 70 kPa
- + 9 Safety Mechanisms

Specifications

- + Capacity (L): 6
- + Voltage (V) : 220
- + Power (W): 1000
- + Certifications: UL/CB

Dimensions

- + Product Size (mm): 310X305X320
- + Gift box size (mm): 370x370x360
- + Outer Carton Size (mm): 760x385x380
- + GW (KG): 6.0
- + FCL (20'/40'/40 HQ): 420/900/900



MY-CS6005W

Features

- + T1.7mm two side painting Aluminum inner pot
- + 4-Dight LED display
- + When the lid is not properly secured, function keys will be blocked by a failsafe switch
- + 24 hours preset timer
- + Pressure time is available for selection
- + Multi-function, 10 preset menu
- + Operates at 70 kPa
- + 9 Safety Mechanisms

Specifications

- + Capacity (L): 6
- + Voltage (V) : 220
- + Power (W): 1000
- + Certifications: UL

Dimensions

- + Product Size (mm): 310X305X320
- + Gift box size (mm): 315X315X348
- + Outer Carton Size (mm): 650X330X373
- + N.W/ GW (KG): 5.2/11.8
- + FCL (20'/40'/40 HQ): 708/1464/1708



MY-CS6007WP

Features


- + T1.5mm two side painting Aluminum inner pot
- + 4-Dight LED display
- + When the lid is not properly secured, function keys will be blocked by a failsafe switch
- + 24 hours preset timer
- + Pressure time is available for selection
- + Multi-function, 14 preset menu
- + Operates at 70 kPa
- + 9 Safety Mechanisms

Specifications

- + Capacity (L): 6
- + Voltage (V) : 220
- + Power (W): 1000
- + Certifications: UL/CB

Dimensions

- + Product Size (mm): 310X305X320
- + Gift box size (mm): 320X320X350
- + Outer Carton Size (mm): 651X333X380
- + GW (KG): 5.4
- + FCL (20'/40'/40 HQ): 708/1460/1694



MY-CS6019WP

Features

- + T1.7mm two side painting Aluminum inner pot
- + 4-Dight LED display
- + When the lid is not properly secured, function keys will be blocked by a failsafe switch
- + 24 hours preset timer
- + Pressure time is available for selection
- + Multi-function, 15 preset menu
- + Operates at 70 kPa
- + 9 Safety Mechanisms

Specifications

- + Capacity (L): 6
- + Voltage (V) : 220
- + Power (W): 1000
- + Certifications: UL

Dimensions

- + Product Size (mm): 310X305X320
- + Gift box size (mm): 315X315X348
- + Outer Carton Size (mm): 650X330X373
- + N.W/ GW (KG): 5.2/11.8
- + FCL (20'/40'/40 HQ): 708/1464/1708



MY-CS5004W/MY-CS6004W

Features

- + T1.5mm two side painting Aluminum inner pot
- + Large control box and 4-Dight Led display
- + Pressure indicator showing the pressure status
- + Multi-function, 15 preset menu
- + 24 hours preset timer
- + When the lid is not properly secured, function keys will be blocked by a failsafe switch
- + 9 safety guard
- + Working pressure 70KPa
- + Stainless steel and tin-plate housing optional

Specifications

- + Capacity (L): 5/6
- + Voltage (V) : 200
- + Power (W): 1000
- + Certifications: /

Dimensions

- + Product Size (mm): 310x305x300/310x305x320
- + Gift box size (mm): 315x315x330/315x315x348
- + Outer Carton Size (mm): 650x330x357/650x330x373
- + GW (KG): 5.2/5.4
- + FCL (20'/40'/40 HQ): 708/1464/1708



MY-CS50G/MY-CS60G

Features

- + T1.8mm two side painting Aluminum inner pot
- + 3-Dight LED display
- + When the lid is not properly secured, function keys will be blocked by a failsafe switch
- + 24 hours preset timer
- + Pressure timer, Pressure time is available for selection
- + Multi-function, 8 preset menu
- + Operates at 70 kpa
- + 9 Safety Mechanisms
- + Stainless steel and tin-plate housing optional

Specifications

- + Capacity (L): 5/6
- + Voltage (V) : 220
- + Power (W): 900/1000
- + Certifications: CB/CE

Dimensions

- + Product Size (mm): 310x305x300/310x305x320
- + Gift box size (mm): 320x320x330/320x320x350
- + Outer Carton Size (mm): 651x333x350/651x333x380
- + N.W/ GW (KG): 5.5/6.4
- + FCL (20'/40'/40 HQ): 708/1460/1694



MY-13CS602W

Features

- + T1.8mm two side painting Aluminum inner pot
- + 3-Dight LED display
- + When the lid is not properly secured, function keys Will be blocked by a failsafe switch
- + 24 hours preset timer
- + Pressure timer, Pressure time is available for selection
- + Multi-function, 15 preset menu
- + Operates at 70 kpa
- + 9 Safety Mechanisms
- + Stainless steel and tinplate housing optional

Specifications

- + Capacity (L): 6
- + Voltage (V) : 220
- + Power (W): 1000
- + Certifications: UL

Dimensions

- + Product Size (mm): 310x305x320
- + Gift box size (mm): 320x320x350
- + Outer Carton Size (mm): 651x333x380
- + N.W/ GW (KG): 5.5/6.4
- + FCL (20'/40'/40 HQ): 708/1460/1694



MY-13CS603W

Features

- + T1.8mm two side painting Aluminum inner pot
- + 4-Dight LED display
- + When the lid is not properly secured, function keys Will be blocked by a failsafe switch
- + 24 hours preset timer
- + Pressure timer, Pressure time is available for selection
- + Multi-function, 15 preset menu
- + Operates at 70 kpa
- + 9 Safety Mechanisms
- + Stainless steel and tinplate housing optional

Specifications

- + Capacity (L): 6
- + Voltage (V) : 220
- + Power (W): 1000
- + Certifications: UL

Dimensions

- + Product Size (mm): 310x305x320
- + Gift box size (mm): 320x320x350
- + Outer Carton Size (mm): 651x333x380
- + N.W/ GW (KG): 5.5/6.4
- + FCL (20'/40'/40 HQ): 708/1460/1694



MY-WCS603

Features

- + T1.8mm two side painting Aluminum inner pot
- + 3-Dight LED display
- + When the lid is not properly secured, function keys Will be blocked by a failsafe switch
- + 24 hours preset timer
- + Pressure timer. Pressure time is available for selection
- + Multi-function, 15 preset menu
- + Operates at 70 kpa
- + 9 Safety Mechanisms
- + Stainless steel and tinplate housing optional

Specifications

- + Capacity (L): 6
- + Voltage (V) : 220
- + Power (W): 1000
- + Certifications: UL

Dimensions

- + Product Size (mm): 310x305x320
- + Gift box size (mm): 320x320x350
- + Outer Carton Size (mm): 651x333x380
- + N.W/ GW (KG): 5.5/6.4
- + FCL (20'/40'/40 HQ): 708/1460/1694



MY-CS6016WP

Features

- + T1.5mm two side painting Aluminum inner pot
- + 4-Dight LED display
- + Pressure indicator showing the pressure status
- + Multi-function, 12 preset menu
- + 24 hours preset timer
- + Special lid location design
- + 9 safety guard
- + Working pressure 70KPa
- + Stainless steel housing

Specifications

- + Capacity (L): 6
- + Voltage (V) : 220
- + Power (W): 1000
- + Certifications: UL

Dimensions

- + Product Size (mm): 305X305X320
- + Gift box size (mm): 315X315X348
- + Outer Carton Size (mm): 650X330X373
- + N.W/ GW (KG): 5.4/12.5
- + FCL (20'/40'/40 HQ): 708/1464/1708



MY-12LS505A/MY-12LS605A

Features

- + T1.5mm two side painting Aluminum inner pot
- + 4-Dight LED display
- + Pressure indicator showing the pressure status
- + Multi-function, 11 preset menu
- + 24 hours preset timer
- + Special lid location design
- + 8 safety guard
- + Working pressure 70KPa
- + Stainless steel and tinplate housing optional

Specifications

- + Capacity (L): 5/6
- + Voltage (V) : 220
- + Power (W): 900/1000
- + Certifications: CB/CE

Dimensions

- + Product Size (mm): 305x305x300/310x305x320
- + Gift box size (mm): 315x315x330/315x315x348
- + Outer Carton Size (mm): 660x370x350/651x333x380
- + N.W/ GW (KG): 5.5/6.4
- + FCL (20'/40'/40 HQ): 708/1646/1708



MY-CS5002W/MY-CS6002W

Features

- + T1.5mm two side painting Aluminum inner pot
- + 4-Dight LED display
- + Pressure indicator showing the pressure status
- + Multi-function, 15 preset menu
- + 24 hours preset timer
- + Special lid location design
- + 9 safety guard
- + Working pressure 70KPa
- + Stainless steel and tin-plate housing optional

Specifications

- + Capacity (L): 5/6
- + Voltage (V) : 220
- + Power (W): 900/1000
- + Certifications: CB/EL

Dimensions

- + Product Size (mm): 305x305x300/310x305x320
- + Gift box size (mm): 315x315x330/315x315x348
- + Outer Carton Size (mm): 660x370x350/651x333x380
- + N.W/ GW (KG): 5.5/6.4
- + FCL (20'/40'/40 HQ): 708/1646/1708



MY-CS6028WP

Features

- + T1.5mm two side painting Aluminum inner pot
- + 2-Dight LED display
- + When the lid is not properly secured, function keys will be blocked by a failsafe switch
- + 24 hours preset timer
- + Pressure time is available for selection
- + Multi-function, 6 preset menu
- + Operates at 70 kPa
- + 9 Safety Mechanisms

Specifications

- + Capacity (L): 6
- + Voltage (V) : 220
- + Power (W): 1000
- + Certifications: CB

Dimensions

- + Product Size (mm): 305X305X320
- + Gift box size (mm): 315X315X348
- + Outer Carton Size (mm): 650X330X373
- + N.W/ GW (KG): 5.4/12.5
- + FCL (20'/40'/40 HQ): 708/1464/1708



MY-SS2521

Features

- + T1.2mm two side painting Aluminum inner pot
- + Large control box and 4-Dight LED display
- + Pressure indicator showing the pressure status
- + Multi-function, 8 preset menu
- + 24 hours preset timer
- + When the lid is not properly secured, function keys will be blocked by a failsafe switch
- + 9 safety guard
- + Working pressure 70KPa
- + Stainless steel and tin-plate housing optional

Specifications

- + Capacity (L): 5
- + Voltage (V) : 220
- + Power (W): 900/1000
- + Certifications: UL

Dimensions

- + Product Size (mm): 310x305x300
- + Gift box size (mm): 320x320x330
- + Outer Carton Size (mm): 651x333x350
- + N.W/ GW (KG): 5.5/6.4
- + FCL (20'/40'/40 HQ): 708/1460/1694



MY-CS3001WP

Features

- + T1.7mm two side painting Aluminum inner pot
- + 4-Dight LED display
- + When the lid is not properly secured, function keys will be blocked by a failsafe switch
- + 24 hours preset timer
- + Pressure time is available for selection
- + Multi-function, 8 preset menu
- + Operates at 70 kPa
- + 9 Safety Mechanisms

Specifications

- + Capacity (L): 3
- + Voltage (V) : 220
- + Power (W): 700
- + Certifications: UL

Dimensions

- + Product Size (mm): 280X260X272
- + Gift box size (mm): 305X305X308
- + Outer Carton Size (mm): 320X320X326
- + N.W/ GW (KG): 3.8/5
- + FCL (20'/40'/40 HQ): 882/1764/2016



MY-CJ5001W/MY-CJ6001W

Features

- + T1.5mm two side painting Aluminum inner pot
- + Pressure indicator showing the pressure status
- + Unique "mechanical saute" technology
- + Mechanical control with max 60/90min timer
- + Multi-function,8 preset menu
- + 9 safety guard
- + Working pressure 70KPa
- + Stainless steel and tin-plate housing optional

Specifications

- + Capacity (L): 5/6
- + Voltage (V) : 120/220-240
- + Power (W): 900/1000
- + Certifications: /

Dimensions

- + Product Size (mm): 310x305x300/310x305x320
- + Gift box size (mm): 315x315x330/315x315x348
- + Outer Carton Size (mm): 650x330x357/650x330x373
- + N.W/GW(KG): 5.2/5.9
- + FCL (20'/40'/40 HQ): 708/1464/1708



MY-12CH503A

Features

- + T1.5mm two side painting Aluminum inner pot
- + Pressure indicator showing the pressure status
- + Special lid location design
- + Mechanical control with max 30min timer, power off memory function
- + Multi-function,8 preset menu
- + 24 hour preset timer
- + 9 safety guard
- + Working pressure 40KPa
- + Stainless steel and tin-plate housing optional

Specifications

- + Capacity (L): 5
- + Voltage (V) : 220
- + Power (W): 900
- + Certifications: CB/CE

Dimensions

- + Product Size (mm): 305x305x300
- + Gift box size (mm): 315x315x330
- + Outer Carton Size (mm): 660x370x350
- + N.W/ GW (KG): 5.3/6.0
- + FCL (20'/40'/40 HQ): 708/1646/1708



MY-12CH502A

Features

- + T1.5mm two side painting Aluminum inner pot
- + Pressure indicator showing the pressure status
- + Special lid location design
- + Mechanical control with max 30min timer, power off memory function
- + Multi-function,8 preset menu
- + 24 hour preset timer
- + 9 safety guard
- + Working pressure 40KPa
- + Stainless steel and tin-plate housing optional

Specifications

- + Capacity (L): 5
- + Voltage (V) : 220
- + Power (W): 900
- + Certifications: UL

Dimensions

- + Product Size (mm): 310x305x300
- + Gift box size (mm): 320x320x330
- + Outer Carton Size (mm): 651x333x350
- + N.W/ GW (KG): 5.5/6.4
- + FCL (20'/40'/40 HQ): 708/1460/1694



MY-CH4028WP

Features

- + T1.5mm two side painting Aluminum inner pot
- + Pressure indicator showing the pressure status
- + Special lid location design
- + Mechanical control with max 30min timer
- + Multi-function
- + 8 safety guard
- + Working pressure 70KPa
- + Stainless steel housing

Specifications

- + Capacity (L): 4
- + Voltage (V) : 220
- + Power (W): 800
- + Certifications: CB

Dimensions

- + Product Size (mm): 285X285X300
- + Gift box size (mm): 295X295X320
- + Outer Carton Size (mm): 610X310X340
- + N.W/ GW (KG): 4.1/9.3
- + FCL (20'/40'/40 HQ): 708/1464/1708



Midea Slow Cooker

Simmer your favorite dishes to delicious, low-fat creations with the Midea Slow Cooker 8000 Series. Consistent and even heating ensures slow-cooked and delicious foods that maintain their full nutrients. The locking system with tight seal avoids spilling and makes transportation of foods hassle-free.



MD-YHB06

Features

- + 0.6QT capacity
- + Self-locking designed lid
- + Elegant design with various pattern choices
- + Safe low wattage simmering(38watts)
- + Multi-color optional

Specifications

- + Capacity : 0.6QT
- + Voltage (V) : 120
- + Power (W): 38
- + Certifications: ETL

Dimensions

- + Product Size (mm): /
- + Gift box size (mm): /
- + Outer Carton Size (mm): /
- + N.W/GW (KG): 1.0/1.2
- + FCL (20'/40'/40 HQ): 5304/10848/12360



Midea Slow Cooker

MD-YHB20

Features

- + Luxury stainless steel housing
- + High, low and keep warm settings
- + Compact design handles
- + Removable, dishwasher safe crock
- + Stoneware and glass lid
- + Slide-proof rubber feet for more safety

Specifications

- + Capacity (L): 1.7QT
- + Voltage (V) : 120
- + Power (W): 90
- + Certifications: CB/GS

Dimensions

- + Product Size (mm): /
- + Gift box size (mm): /
- + Outer Carton Size (mm): /
- + N.W/GW (KG): 2.9/3.4
- + FCL (20'/40'/40 HQ): 1760/3520/3962



MD-YHJ20F

Features

- + Luxury metallic housing
- + High, low and keep warm settings
- + Compact design handles
- + Removable, dishwasher safe crock stoneware and glass lid
- + Slide-proof rubber feet for more safety

Specifications

- + Capacity (L): 2QT
- + Voltage (V) : 120
- + Power (W): 90
- + Certifications: GS

Dimensions

- + Product Size (mm): 460X267X263
- + Gift box size (mm): 491X291X343
- + Outer Carton Size (mm): 505X303X365
- + N.W/GW (KG): 2.9/3.4
- + FCL (20'/40'/40 HQ): 1760/3520/3962



MD-THJ35/45/55

Features

- + Oval Stoneware
- + Luxury metallic housing
- + High, low and keep warm settings
- + Indicator light optional
- + Tempered glass lid
- + Dishwasher-safe designed and removable stoneware inner crock
- + Slide-proof rubber feet for more safety

Specifications

- + Capacity : 3.5/4.5/6.0QT
- + Voltage (V) : 120
- + Power (W): 160/200/240
- + Certifications: UL/GS

Dimensions

- + Product Size (mm):
- + Gift box size (mm):
- + Outer Carton Size (mm):
- + N.W/GW (KG): 3.4/4.4 4.7/5.4 5.1/5.8
- + FCL (20'/40'/40 HQ): 1032/2100/2450 864/1728/1968 670/1416/1638



MD-THB35/45/60

Features

- + Oval style
- + Luxury stainless steel housing
- + High, low and keep warm settings
- + Indicator light optional
- + Tempered glass lid
- + Removable, dishwasher safe crock stoneware and glass lid
- + Slide-proof rubber feet for more safety

Specifications

- + Capacity : 3.5QT/4.5QT/6.0QT
- + Voltage (V) : 120
- + Power (W): 160/200/240
- + Certifications: UL/GS

Dimensions

- + Product Size (mm): /
- + Gift box size (mm): /
- + Outer Carton Size (mm): /
- + N.W/GW (KG): 3.4/4.4 / 5.9/6.3
- + FCL (20'/40'/40 HQ): 1032/2100/2450 830/1660/1900 634/1288/1504



MD-TC6004B

Features

- + Oval Stoneware
- + Luxury stainless steel housing
- + Digital LED display with working time reminder
- + Tempered glass lid
- + Dishwasher-safe designed and removable stoneware inner crock
- + Slide-proof rubber feet for more safety

Specifications

- + Capacity (L): 6.0QT
- + Voltage (V) : 120
- + Power (W): 220
- + Certifications: UL

Dimensions

- + Product Size (mm): /
- + Gift box size (mm): /
- + Outer Carton Size (mm): /
- + N.W/GW (KG): 5.1/6.2
- + FCL (20'/40'/40 HQ): 780/1632/1894



MD-TC6004D

Features

- + Oval aluminum pot
- + Luxury stainless steel housing
- + Digital LED display with working time reminder
- + Tempered glass lid
- + Removable glass lid
- + Slide-proof rubber feet for more safety

Specifications

- + Capacity (L): 6.0QT
- + Voltage (V) : 120
- + Power (W): 200
- + Certifications: GS

Dimensions

- + Product Size (mm): /
- + Gift box size (mm): /
- + Outer Carton Size (mm): /
- + N.W/GW (KG): 3.1/3.8
- + FCL (20'/40'/40 HQ): 792/1608/1922



MD-TC6008B/7008B

Features

- + Oval style
- + Removable aluminum pot with nonstick coating , and cool touch handle
- + High, low and keep warm settings, and digital control with timer and LED display
- + Stainless steel housing
- + Tempered glass lid
- + Slide-proof rubber feet for more safety

Specifications

- + Capacity (L): 6.0QT
- + Voltage (V) : 120
- + Power (W): 200/240
- + Certifications: /

Dimensions

- + Product Size (mm): /
- + Gift box size (mm): /
- + Outer Carton Size (mm): /
- + N.W/GW (KG): 4.9/5.6 5.8/6.4
- + FCL (20'/40'/40 HQ): 766/1588/1684 702/1452/1728



MD-TC6006M

Features

- + Luxury stainless steel housing
- + Digital LED display with working time reminder
- + Walk-away convenience with 1-10 hour digital timer setting
- + Tempered glass lid
- + Removable, dishwasher safe crock stoneware and glass lid
- + Slide-proof rubber feet for more safety
- + Easy-to-use locking lid

Specifications

- + Capacity: 6.0QT
- + Voltage (V) : 120
- + Power (W): 260
- + Certifications: UL

Dimensions

- + Product Size (mm): 361X221X267
- + Gift box size (mm): 378X246X378
- + Outer Carton Size (mm): 503X388X393
- + N.W/GW (KG): /
- + FCL (20'/40'/40 HQ): 275/550/660



MD-TC7004

Features

- + Oval Stoneware
- + Luxury stainless steel housing
- + Digital LED display with working time reminder
- + Tempered glass lid
- + Removable, dishwasher safe crock stoneware and glass lid
- + Slide-proof rubber feet for more safety

Specifications

- + Capacity: 6.5QT
- + Voltage (V) : 120
- + Power (W): 270
- + Certifications: UL

Dimensions

- + Product Size (mm): /
- + Gift box size (mm): /
- + Outer Carton Size (mm): /
- + N.W/GW (KG): 6.4/7.4
- + FCL (20'/40'/40 HQ): 484/988/1152



MD-TC7004D

Features

- + Removable, dishwasher safe crock stoneware
- + High, low and keep warm settings,and red lamp display
- + Stainless steel housing
- + Tempered glass lid
- + Slide-proof rubber feet for more safety

Specificationsv

- + Capacity : 6.5QT
- + Voltage (V) : 120
- + Power (W): 270
- + Certifications: UL

Dimensions

- + Product Size (mm): 460x267x263
- + Gift box size (mm): 491x291x343
- + Outer Carton Size (mm): 505x303x365
- + N.W/GW (KG): /
- + FCL (20'/40'/40 HQ): 462/924/1078



MD-QH4501M

Features

- + Three 1.5-quart crocks
- + Up to 3 units can plug in together using 1 outlet
- + Perfect for parties
- + High, low and warm settings
- + Removable stoneware and lids are dishwasher safe
- + Units are stackable for convenient storage

Specifications

- + Capacity : 1.5X3QT
- + Voltage (V) : 120
- + Power (W): 270
- + Certifications: UL

Dimensions

- + Product Size (mm): 610x150x290
- + Gift box size (mm): 639.5x178.5x309.5
- + Outer Carton Size (mm): 659x372x338
- + N.W/GW (KG): /
- + FCL (20'/40'/40 HQ): 288/612/714



MD-TGS40W

Features

- + Removable, dishwasher safe spherical crock stoneware and it can be cook on the fire directly
- + Timer and keep warm settings,and red lamp display
- + Hot Safe cover
- + Infrared radiation heating plate and it makes heating speed faster and more even
- + easy stored power cord

Specificationsv

- + Capacity (L): 4
- + Voltage (V) : 220
- + Power (W): 650
- + Certifications: CCC

Dimensions

- + Product Size (mm): 342x299x300
- + Gift box size (mm): 336x336x510
- + Outer Carton Size (mm): 685x352x531
- + N.W/GW (KG): 8.4/18.4
- + FCL (20'/40'/40 HQ): 384/768/768



MD-WBG401

Features

- + Removable, dishwasher safe crock stoneware
- + Ceramic cover
- + large window display, one-press setting for multifunction automatically start with best cooking time
- + 24 hours timer control
- + easy stored power cord

Specifications

- + Capacity (L): 4
- + Voltage (V) : 220
- + Power (W): 280
- + Certifications: CCC

Dimensions

- + Product Size (mm): 292x312x287
- + Gift box size (mm): 335x360x336
- + Outer Carton Size (mm): 724x360x366
- + N.W/GW (KG): 5.6/12.4
- + FCL (20'/40'/40 HQ): 504/1080/1260

