

**Rice Cookers  
Bread Makers**

GD Midea Consumer Electric MFG. Co., LTD  
#19 Sanle Road, Shunde, Foshan, Guangdong, PRC

[www.midea.com](http://www.midea.com)



## CONTENTS

+ Story About Midea

---

03

+ Cooking Appliance

---

Rice Cookers

10

Bread Makers

24



## ABOUT MIDEA<sup>+</sup>

Established in 1968, Midea (SZ:000333) is a publicly listed and since July 2016 Fortune 500 company that offers one of the most comprehensive ranges in the home appliance industry.

Our Midea headquarter is based in Southern China, and we currently operate with over 100,000 employees, 21 production facilities worldwide in more than 200 countries. Almost 50 years of persistent growth has brought Midea's global revenue to \$22.17 billion USD in 2015.

- **Midea Mission**  
Create a beautiful life for human beings
- **Midea Spirit**  
Open Harmonious Practical Innovative
- **Midea Core Value**  
Care for people Rational pursuit Innovative  
reform Authorized operation Cooperating &  
sharing



# MIDEA SMALL DOMESTIC APPLIANCES DIVISION (SDA)

Midea Small Domestic Appliances Division(SDA), founded in 2002, is one of the core divisions of Midea Group.

We have advantages in the manufacturing of small domestic appliances. Some categories rank No.1 of the 2016 exporting data(China), such as rice cookers, electric pressure cookers, induction cookers.

**We set out to make the best Small domestic appliances in the world**

Over 300 new products are launched into the global market annually in average.

The main products of SDA include Rice Cooker, Induction Cooker, Electrical Pressure Cooker, Electric Kettle, Coffee maker, Slow Cooker, Bread maker, Food Preparation Appliances, etc.



# OUR PRODUCT COVERAGE

Midea has a full range of small domestic appliances, covering kettles, food preparation appliances and cooking appliances.

## Cooking appliance



Rice cooker/  
Multi-cooker      Pressure cooker      Induction cooker



Bread maker      Slow cooker      Air Fry      Soybean milk maker/  
NutRiceGrain extractor

## Food preparation appliance



Food processor      Juicer      Countertop mixer      Meat mincer      Countertop blender



Hand Blender      Hand Mixer

## Our quality



# OUR MARKET POSITION

We are leading the industry of small cooking appliance, providing a surprisingly friendly cooking experiences for you.



World's No.1 Small Cooking Appliances Brand  
Source Euromonitor International Limited;Consumer Appliances  
17ed,per Small Cooking Appliances category definition,retail  
volume sales in units,2016 data.



World's No.1 Rice Cooking Brand  
Source Euromonitor International Limited;Consumer Appliances  
17ed,retail volume sales in units,2016 data.



World's No.1 Kettles Brand  
Source Euromonitor International Limited;Consumer Appliances  
17ed,retail volume sales in units,2016 data.



Asia Pacific's No.1 Consumer Appliances Brand  
Source Euromonitor International Limited;Consumer Appliances  
17ed,retail volume sales in units,2016 data.


The application of claims is subject to the local laws and regulations in the country.

| Rice Cooker | Induction Cooker | Electric Pressure Cooker | Electric Kettle | Motor Driven | Slow Cooker | Bread Maker |
|-------------|------------------|--------------------------|-----------------|--------------|-------------|-------------|
| No.1        | No.1             | No.1                     | Leader          | Leader       | Leader      | Leader      |

Source: China exporting data, 2016

# OUR AWARD

Every year 40+ design awards at different global design shows are won, like reddot, iF, Good Design Award, etc.



# Midea Rice Cooker


## Midea IH Tech

Induction Heating , make the whole inner pot heats rice directly , so it cooks delicate and glossy with higher power heating to reach boil in 5min, 1/3 time of normal RC, to reduce the destroy to the rice.



## Smart intelligent cooking

ideal heating curve, allowing rice to sufficiently absorb moisture, be blanched and boiled without starch loss or swelling damage. The result is the delicious rice soft and smooth, and easy to eat.



## Patented Steam Turbo

Quickly Release the bubble inside the pot , to make sure keep boring inside pot , and no condensation drip back to rice.



## Titanium Tripod Pot

2.5 mm thickness, vacuum titanium process, diamond powder coating, to ensure the rice well heated and cooked.

## MB-FZ4001

### Features

- + T3.5mm Multi-layer inner pot
- + LED display touch control on the panel
- + Stainless inner plate
- + Multi-function cooking by menu
- + settings
- + 24hours preset timer
- + Automatic keep warm function
- + Steam function

### Specifications

- + Capacity (L): 4
- + Voltage (V) : 220
- + Power (W): 1250
- + Certifications: CCC

### Dimensions

- + Product Size (mm): 392x308x268
- + Gift box size (mm): 508x378x378
- + Outer Carton Size (mm): 780x525x405
- + N.W/GW (KG): 6.4/8.4
- + FCL (20'/40'/40 HQ): 400X850X1000



## FZ4099/FZ5099

### Features

- + Induction heating technology
- + Steam Turbo technology for better cooking
- + T2.0mm inner pot with non-stick coating
- + Easy-to-read LCD display
- + Multi-function cooking by menu settings
- + 24 hours preset timer
- + Automatic keep warm function
- + Removable large steam vent

### Specifications

- + Capacity (L): 4/5
- + Voltage (V) : 220
- + Power (W): 1000/1250
- + Certifications: CCC



## MB-FS4006

### Features

- + Advanced induction heating technology cooking time and improve food taste
- + T2.0mm Multi-layer inner pot with handle
- + Touch control on the glass panel
- + Removable inner plate
- + LED display
- + Multi-function cooking by menu settings
- + 24hours preset timer




## MB-FS5094W

### Features

- + Induction heating technology
- + T2.0mm Spherical inner pot with handle
- + Easy-to-read LED display
- + Multi-function cooking by menu settings
- + 24 hours preset timer
- + Automatic keep warm function
- + Removable large steam vent

### Specifications

- + Capacity (L): 5
- + Voltage (V) : 220
- + Power (W): 1250
- + Certifications: CCC



### Dimensions

- + Product Size (mm): 364x300x242
- + Gift box size (mm): 435x330x327
- + Outer Carton Size (mm): 685x457x689
- + N.W/GW (KG): 6.2/7.7
- + FCL (20'/40'/40 HQ): /

### Dimensions

- + Product Size (mm): 410x281x261
- + Gift box size (mm): 456x334x305
- + Outer Carton Size (mm): 701x468x650
- + N.W/GW (KG): 5/6.4
- + FCL (20'/40'/40 HQ): 432/900/1200

## MB-FZ5087B

### Features

- + Induction heating technology
- + Steam Turbo technology for better cooking
- + T2.0mm inner pot with non-stick coating
- + Slide control on the panel
- + Easy-to-read LED display
- + Multi-function cooking by menu settings
- + 24 hours preset timer
- + Automatic keep warm function



### Specifications

- + Capacity (L): 5
- + Voltage (V) : 220/120/120
- + Power (W): 1250/1200
- + Certifications: CCC/BMSI/UL

### Dimensions

- + Product Size (mm): 360x297x283
- + Gift box size (mm): 435x330x327
- + Outer Carton Size (mm): 685x457x689
- + N.W/GW (KG): 5.3/6.7
- + FCL (20'/40'/40 HQ): 492/1032/1032



## MB-FZ2001

### Features

- + Induction heating technology
- + T2.0mm Multi-layer inner pot
- + LED Display touch control on the panel
- + Multi-function cooking by menu settings
- + 24 hours preset timer
- + Automatic keep warm function
- + Advanced steamer structure retains heat and moisture during cooking



### Specifications

- + Capacity (L): 2
- + Voltage (V) : 220
- + Power (W): 820
- + Certifications: CCC

### Dimensions

- + Product Size (mm): 283x349x225
- + Gift box size (mm): 355x270x266
- + Outer Carton Size (mm): 562x370x565
- + N.W/GW (KG): 4.3/4.6
- + FCL (20'/40'/40 HQ): 1000/1500/1650



## MB-FS3089/MB-FS4089/MB-FS5089

### Features

- + Induction heating technology
- + Steam Turbo technology for better cooking
- + T2.0mm Spherical inner pot
- + Slide control on the panel
- + Easy-to-read LED display
- + Multi-function cooking by menu settings
- + 24 hours preset timer
- + Automatic keep warm function



### Specifications

- + Capacity (L): 3/4/5
- + Voltage (V) : 220
- + Power (W): 1250
- + Certifications: CCC

### Dimensions

- + Product Size (mm): 378x249x231/414x296x243/414x296x268
- + Gift box size (mm): 418x304x276/456x334x280/456x336x305
- + Outer Carton Size (mm): 627x434x588/701x468x600/701x471x650
- + N.W/GW (KG): 4.5/5.4 4.8/6.0 5.3/6.4
- + FCL (20'/40'/40 HQ): 540/1116/1488 432/900/1200 432/900/1200



## FS5065

### Features

- + Easy-to-read LED Digital
- + T2.5mm inner pot with handle;
- + non-stick coating
- + 24 hours preset timer
- + Automatic keep warm function
- + Removable large steam vent.
- + Stainless steel steamer;
- + Multi-function cooking by menu settings



### Specifications

- + Capacity (L): 5
- + Voltage (V) : 220-240
- + Power (W): 756-900
- + Certifications: /

### Dimensions

- + Product Size (mm): 410x290x276
- + Gift box size (mm): 450x326x308
- + Outer Carton Size (mm): 677x465x650
- + N.W/GW (KG): 4.2/5.5
- + FCL (20'/40'/40 HQ): /



## MB-FS3017/MB-FS4017/MB-FS5017

### Features

- + Easy-to-read LED Digital
- + Touch button on the panel
- + T2.0mm inner pot with non-stick coating
- + Multi-function cooking by menu settings
- + 24 hours preset timer
- + Automatic keep warm function
- + Removable large steam vent

### Specifications

- + Capacity (L): 3/4/5
- + Voltage (V) : 220/120
- + Watt(W): 615/770 619/890
- + Certifications: CB/GS/UL

### Dimensions

- + Product Size (mm): 329x252x229/353x275x237/353x275x267
- + Gift box size (mm): 399x294x250/423x317x258/423x317x288
- + Outer Carton Size (mm): 608x414x532/654x438x548/654x438x608
- + N.W/GW (KG): 3.4/4.0 3.9/4.5 4.2/4.9
- + FCL (20'/40'/40 HQ): 816/1680/2100 748/1548/1792 516/1080/1440



## FS5041

### Features

- + Easy-to-read LED Digital
- + Touch button on the panel
- + T1.7mm inner pot with non-stick coating
- + Multi-function cooking by menu settings
- + 24 hours preset timer
- + Automatic keep warm function
- + Removable large steam vent

### Specifications

- + Capacity (L): 5
- + Voltage (V) : 220
- + Power (W): 760
- + Certifications: CCC



## MB-WFS4017J

### Features

- + Steam Turbo for better cooking
- + Easy-to-read LED display
- + Touch button on the panel
- + T2.0mm Spherical inner pot
- + Multi-function cooking by menu settings
- + 24 hours preset timer
- + Automatic keep warm function
- + Removable large steam vent

### Specifications

- + Capacity (L): 4
- + Voltage (V) : 220/120
- + Power (W): 700/875
- + Certifications: CCC/UL



### Dimensions

- + Product Size (mm): 353x275x237
- + Gift box size (mm): 423x317x258
- + Outer Carton Size (mm): 654x438x548
- + N.W/GW (KG): 3.9/4.5
- + FCL (20'/40'/40 HQ): 748/1548/1792



**MB-FS30J/MB-FS50J****Features**

- + Easy-to-read LED display
- + T1.7mm inner pot with non-stick coating
- + 24 hours preset timer
- + Automatic keep warm function
- + Removable large steam vent

**Specifications**

- + Capacity (L): 3/5
- + Voltage (V) : 220
- + Watt(W): 640/900
- + Certifications: CCC/CB

**Dimensions**

- + Product Size (mm): 352x251x214/387x284x249
- + Gift box size (mm): 392x285x250/427x315x280
- + Outer Carton Size (mm): 592x409x535/652x442x600
- + N.W/GW (KG): 2.8/3.7 3.6/4.7
- + FCL (20'/40'/40 HQ): 832/1696/1696 516/1080/1440

**MB-FS201****Features**

- + T1.7mm inner pot with non-stick coating
- + Multi-function for cooking
- + Automatic keep warm function
- + Removable cover for easy cleaning
- + Control on the panel,easy to cook

**Specifications**

- + Capacity (L): 2
- + Voltage (V) : 220/100
- + Power (W): 350/400
- + Certifications: CCC

**Dimensions**

- + Product Size (mm): 290x229x219
- + Gift box size (mm): 405x285x260
- + Outer Carton Size (mm): 580x417x558
- + N.W/GW (KG): 2.8/3.5
- + FCL (20'/40'/40 HQ): 848/1728/1728

**MB-FS3018/MB-FS4018/MB-FS5018****Features**

- + Easy-to-read LED display
- + T1.7mm inner pot with non-stick coating
- + 24 hours preset timer
- + Automatic keep warm function
- + Removable large steam vent

**Specifications**

- + Capacity (L): 3/4/5
- + Voltage (V) : 220
- + Watt(W): 600/860
- + Certifications: CB

**Dimensions**

- + Product Size (mm): 330x245x198/365x272x214/365x272x243
- + Gift box size (mm): 393x313x238/406x313x250/409x313x278
- + Outer Carton Size (mm): 652x405x517/648x422x544/655x422x598
- + N.W/GW (KG): 2.9/3.4 3.6/4.1 3.8/4.3
- + FCL (20'/40'/40 HQ): 768/1616/2020 704/1456/1456 528/1080/1440

**MB-FD162****Features**

- + T1.7mm inner pot with non-stick coating
- + Multi-function for cooking
- + Automatic keep warm function
- + Removable cover for easy cleaning

**Specifications**

- + Capacity (L): 1.6
- + Voltage (V) : 220
- + Power (W): 350
- + Certifications: CCC

**Dimensions**

- + Product Size (mm): 268x224x226
- + Gift box size (mm): 323x253x257
- + Outer Carton Size (mm): 525x340x545
- + N.W/GW (KG): 2.8/3.5
- + FCL (20'/40'/40 HQ): 1168/2352/2352



## Midea Rice Cooker

### MB-YJ3010/MB-YJ4010/MB-YJ5010

#### Features

- + Removable large steam vent
- + T1.0mm inner pot with non-stick coating
- + Multi-function for cooking
- + Automatic keep warm function

#### Specifications

- + Capacity (L): 3/4/5
- + Voltage (V) : 220
- + Power (W): 650
- + Certifications: CCC/UL



#### Dimensions

- + Product Size (mm): 237x256x250/275x249x279/275x279x279
- + Gift box size (mm): 325x325x286/325x325x316
- + Outer Carton Size (mm): 660x345x605/660x340x655
- + N.W/GW (KG): 2.3/2.9 2.5/3.1
- + FCL (20'/40'/40 HQ): 612/1260/1680 612/1260/1680



## Midea Rice Cooker

### MG-GP15B/MG-GP25B/MG-GP45B

#### Features

- + Automatic keep warm function
- + Cooking indicator light optional
- + Durable alloy-aluminum inner pot
- + Non-stick coating optional
- + Plastic cool-touch handles
- + Clear tempered glass lid
- + Spatula and measuring cup attached
- + Outer plastic of steamer option

#### Specifications

- + Capacity (L): 1.5/2.5/4.5
- + Voltage (V) : 120-220
- + Power (W): 350
- + Certifications: CB/UL



#### Dimensions

- + Product Size (mm): 205x215x200/225x215x250/275x285x260
- + Gift box size (mm): 240x240x205/278x278x218/304x304x242
- + Outer Carton Size (mm): 495x495x438/576x297x467/630x323x515
- + N.W/GW (KG): 1.3/1.7 2.8/2.3 2.4/3.0
- + FCL (20'/40'/40 HQ): 1760/3840/4608 1240/2624/3360 1056/2176/2720



### YJ50EJ

#### Features

- + Removable large steam vent
- + T1.0mm inner pot with non-stick coating
- + Multi-function for cooking
- + Automatic keep warm function

#### Specifications

- + Capacity (L): 5
- + Voltage (V) : 220/127
- + Power (W): 700
- + Certifications: CB



#### Dimensions

- + Product Size (mm): 310x308x305
- + Gift box size (mm): 310x308x303
- + Outer Carton Size (mm): 638x322x645
- + N.W/GW (KG): 2.7/3.4
- + FCL (20'/40'/40 HQ): /



### WYN201

#### Features

- + T1.7mm inner pot with non-stick coating
- + Multi-function for cooking
- + Automatic keep warm function
- + Removable cover for easy cleaning
- + Full plastic housing

#### Specifications

- + Capacity (L): 2
- + Voltage (V) : 220-240
- + Power (W): 350
- + Certifications: /



#### Dimensions

- + Product Size (mm): 273x240x213
- + Gift box size (mm): 316x316x242
- + Outer Carton Size (mm): 650x333x520
- + N.W/GW (KG): 1.9/3.2
- + FCL (20'/40'/40 HQ): /



## MB-YN161

### Features

- + T1.7mm inner pot with non-stick coating
- + Multi-function for cooking
- + Automatic keep warm function
- + Removable cover for easy cleaning

### Specifications

- + Capacity (L): 1.6
- + Voltage (V) : 220
- + Power (W): 350
- + Certifications: CCC



### Dimensions

- + Product Size (mm): 225x225x238
- + Gift box size (mm): 267x267x265
- + Outer Carton Size (mm): 550x283x563
- + N.W/GW (KG): 2.2/3.0
- + FCL (20'/40'/40 HQ): 1344/2688/2688

## MG-TH657A

### Features

- + Automatic keep warm function
- + Cooking indicator light optional
- + Durable alloy-aluminum inner pot
- + Non-stick coating optional
- + Plastic cool-touch handles
- + Clear tempered glass lid
- + Spatula and measuring cup attached
- + Outer plastic of steamer option

### Specifications

- + Capacity (L): 5.5/6.5
- + Voltage (V) : 220
- + Power (W): 750
- + Certifications: CB



### Dimensions

- + Product Size (mm): 335x285x345
- + Gift box size (mm): 305x305x320
- + Outer Carton Size (mm): 630x325x660
- + N.W/GW (KG): 2.9/3.6
- + FCL (20'/40'/40 HQ): 856/1744/2044

## MB-SYJ090

### Features

- + 3D heating
- + 24 hours keep warm function
- + T1.5mm non-stick coating inner pot
- + Automatic keep warm function
- + Removable cover for easy cleaning



### Specifications

- + Capacity (L): 9
- + Voltage (V) : 220
- + Power (W): 5000
- + Certifications: CCC

### Dimensions

- + Product Size (mm): 371x316x336
- + Gift box size (mm): 395x390x386
- + Outer Carton Size (mm): 395x390x386
- + N.W/GW (KG): 6.4/7.2
- + FCL (20'/40'/40 HQ): 390/780/1000



# Midea Bread Maker



## Bread Maker

### TSZ2032

#### Features

- + Colorful series:white and red
- + With wifi for using midea cloud menu
- + Clear digital tube display and LED lamps with program status
- + With nut and fruit removed dispenser,automatic yeast
- + Adjustable crust control: Light, medium, dark
- + 10 minutes power off memory function
- + 60 minutes keep warm function
- + 13 hours programmable delay timer

#### Specifications

- + Cubage(lb): 2.0
- + Voltage (V) : 220
- + Power (W): 825
- + Certifications: CCC

#### Dimensions

- + Product Size (mm): 360X236X363
- + Gift box size (mm): 445X312X463
- + Outer Carton Size (mm): 470X335X505
- + N.W/GW (KG): 8/10
- + FCL (20'/40'/40 HQ): 417 PCS/864 PCS/976 PCS



### TSC2010

#### Features

- + Colorful series:white , red and yellow
- + With super turpue motor
- + With touch-type control panel
- + Clear LCD display with program status
- + Top viewing window
- + With nut and fruit removed dispenser
- + Adjustable crust control: Light, medium, dark
- + 12 -24 preset baking programs
- + 10 minutes power off memory function
- + 60 minutes keep warm function
- + 13 hours programmable delay timer
- + Optional function: ""Yoghourt""
- + Accessories: measuring cup and spoon

#### Specifications

- + Capacity: 2.0 lb 750g/1000g
- + Voltage (V) : 220
- + Power (W): 575
- + Certifications: CCC

#### Dimensions

- + Product Size (mm): 348X254X350
- + Gift box size (mm): 404X300X405
- + Outer Carton Size (mm): 412x312x425
- + N.W/GW (KG): 7.5/16.5
- + FCL (20'/40'/40 HQ): 546/1131/1326



**TLC2000****Features**

- + Clear LCD display with program status
- + Top viewing window
- + Coated still shell and glass panel
- + Adjustable crust control: Light, medium, dark
- + With touch-type control panel
- + 12 -17 preset baking programs
- + 10 minutes power off memory function
- + 60 minutes keep warm function
- + 13 hours programmable delay timer
- + Accessories: measuring cup and spoon"

**Specifications**

- + Cubage(lb): 2.0
- + Voltage (V) : 220
- + Power (W): 580
- + Certifications: CCC

**Dimensions**

- + Product Size (mm): 348X222X270
- + Gift box size (mm): 463X365X382
- + Outer Carton Size (mm): 463X365X382
- + N.W/GW (KG): 5.8/7.6
- + FCL (20'/40'/40 HQ): 496/1036/1190

**AHS20BC-S****Features**

- + Clear LCD display with program status
- + Top viewing window
- + Adjustable crust control: Light, Medium, Dark
- + 60 minutes keep warm function
- + 10 minutes power off memory function
- + 13 hours programmable delay timer
- + Optional function :"Yoghurt"/Sweet wine

**Specifications**

- + Capacity(g): 2.0 lb 750g/1000g
- + Voltage (V) : 230
- + Power (W): 580
- + Certifications: CE

**Dimensions**

- + Product Size (mm): 351x253x312
- + Gift box size (mm): 376x288x343
- + Outer Carton Size (mm): 600x390x368
- + N.W/GW (KG): 5.3/5.6
- + FCL (20'/40'/40 HQ): 626/1290/1398

**ESC1510****Features**

- + Clear LCD display with program status
- + Top viewing window
- + Adjustable crust control: Light, medium, dark
- + With nut and fruit removed dispenser
- + 10 minutes power off memory function
- + 60 minutes keep warm function
- + 13 hours programmable delay timer

**Specifications**

- + Cubage(lb): 1.5
- + Voltage (V) : 220
- + Power (W): 580
- + Certifications: CCC

**Dimensions**

- + Product Size (mm): 340X240X296
- + Gift box size (mm): 399X298X354
- + Outer Carton Size (mm): 616X414X376
- + N.W/GW (KG): 5.4/13.45
- + FCL (20'/40'/40 HQ): 612/1336/1534

**EHS15AP-SW****Features**

- + Clear LCD display with program status
- + Top viewing window
- + Adjustable crust control: Light, Medium, Dark
- + 12 preset baking programs
- + 60 minutes keep warm function
- + 10 minutes power off memory function
- + 13 hours programmable delay timer

**Specifications**

- + Cubage(lb): 1.5
- + Voltage (V) : 220
- + Power (W): 560
- + Certifications: /

**Dimensions**

- + Product Size (mm): 354X258X287
- + Gift box size (mm): 376x288x318
- + Outer Carton Size (mm): 600x390x345
- + N.W/GW (KG): 5.1/6
- + FCL (20'/40'/40 HQ): 684/1420/1640



## Bread Maker

### EHD25AD-P

#### Features

- + Large LCD display with program status
- + Large viewing window
- + Adjustable crust control : Light ,Medium ,Dark
- + Easy Transmission control
- + Double kneading blades
- + 60 minutes keep warm function
- + 10 minutes power off memory function
- + 13 hours programmable delay timer



#### Specifications

- + Freq (Hz): 50
- + Voltage (V) : 230-240
- + Power (W): 850
- + Certifications: GS

#### Dimensions

- + Product Size (mm): 426X280X300
- + Gift box size (mm): 453X300X350
- + Outer Carton Size (mm): 620X420X432
- + N.W/GW (KG): 5.8/6.8
- + FCL (20'/40'/40 HQ): 450/1040/1248



## Bread Maker

### AHS20BC-P

#### Features

- + Clear LCD display with program status
- + Top viewing window
- + Adjustable crust control: Light, Medium, Dark
- + Easy Transmission control
- + 12 preset baking programs
- + 60 minutes keep warm function
- + 10 minutes power off memory function
- + 13 hours programmable delay timer



#### Specifications

- + Capacity(g): 2.0 lb 750/1000
- + Voltage (V) : 230-240
- + Power (W): 580
- + Certifications: CE

#### Dimensions

- + Product Size (mm): 351X253X312
- + Gift box size (mm): 376X288X343
- + Outer Carton Size (mm): 600X390X368
- + N.W/GW (KG): 5.7/5.7
- + FCL (20'/40'/40 HQ): /



### EHS15AP-P/ EHS20AP-P

#### Features

- + Clear LCD display with program status
- + Top viewing window
- + Adjustable crust control: Light, Medium, Dark
- + Easy Transmission control
- + 12 preset baking programs
- + 60 minutes keep warm function
- + 10 minutes power off memory function
- + 13 hours programmable delay timer



#### Specifications

- + Capacity(g): 1.5 lb 500/750  
2.0 lb 750/1000
- + Voltage (V) : 220
- + Power (W): 560
- + Certifications: GS

#### Dimensions

- + Product Size (mm): 354x258x287/354X258X317
- + Gift box size (mm): 376x288x318/376X288X343
- + Outer Carton Size (mm): 600X390X345/600X390X380
- + N.W/GW (KG): 4.6/5.5 4.9/5.9
- + FCL (20'/40'/40 HQ): 684/1420/1640 626/1290/1398

